MFC BRANCH LIBRARY

ANL/ES-120

INL Technical Library

The Northeast Regional Environmental Impact Study:

Theory, Validation and Application of a Freight Network Equilibrium Model

November 1981



Prepared by: Argonne National Laboratory, Argonne, Illinois

Prepared for:
U. S. Department of Energy
Economic Regulatory Administration
Office of Fuels Conversion
under Contract No. W-31-109-Eng-38

RETURN TO REFERENCE FILE TECHNICAL PUBLICATIONS DEPARTMENT

The facilities of Argonne National Laboratory are owned by the United States Government. Under the terms of a contract (W-31-109-Eng-38) among the U. S. Department of Energy, Argonne Universities Association and The University of Chicago, the University employs the staff and operates the Laboratory in accordance with policies and programs formulated, approved and reviewed by the Association.

MEMBERS OF ARGONNE UNIVERSITIES ASSOCIATION

The University of Arizona
Carnegie-Mellon University
Case Western Reserve University
The University of Chicago
University of Cincinnati
Illinois Institute of Technology
University of Illinois
Indiana University
The University of Iowa
Iowa State University

The University of Kansas Kansas State University Loyola University of Chicago Marquette University
The University of Michigan Michigan State University University of Minnesota University of Missouri Northwestern University University of Morthwestern University University of Notre Dame

The Ohio State University
Ohio University
The Pennsylvania State University
Purdue University
Saint Louis University
Southern Illinois University
The University of Texas at Austin
Washington University
Wayne State University
The University of Wisconsin-Madison

-NOTICE

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Printed in the United States of America Available from National Technical Information Service U. S. Department of Commerce 5285 Port Royal Road Springfield, VA 22161

NTIS price codes
Printed copy: A09
Microfiche copy: A01

ANL/ES-120

Distribution Categories: Energy Projections and Statistical Information:

Energy Analysis, Projections and Modeling (UC-98f) Coal and Coal Products Data (UC-98a)

The Northeast Regional Environmental Impact Study:

Theory, Validation and Application of a Freight Network Equilibrium Model

November 1981

Terry L. Friesz *
Joel Gottfried *
Robert E. Brooks **
Albin J. Zielen
Roger Tobin †
Stephen A. Meleski ††

Shari K. Zussman, Editor

Division of Environmental Impact Studies

*University of Pennsylvania, Philadelphia

**Transportation and Economic Research Associates, Inc., Falls Church, Va.

† Energy and Environmental Systems Division, Argonne National Laboratory


†† Independent Coal Transportation Consultant, Washington, D. C.

Prepared by **Argonne National Laboratory** 9700 South Cass Avenue Argonne, Illinois 60439

for

U. S. Department of Energy

Economic Regulatory Administration Office of Fuels Conversion Washington, D. C. 20461



CONTENTS

	<u>Pa</u>	ge
CONTENTS	i	
LIST OF FIGURES	ii	i
LIST OF TABLES		
ACKNOWLEDGEMENTS		
LIST OF ACRONYMS AND ABBREVIATIONS	vi	
ABSTRACT	vi	i
1. Introduction, Objective and Coverage of the Report	1-	,
1.1 Introduction		
1.2 Objective and Coverage	1	
References	1-	
nercrences		,
2. Theory and Methodology	2-	1
2.1 Theoretical Basis of the Freight Network Equilibrium Model		1
2.1.1 Model Description	2-	2
2.1.2 Shippers' Submodel		2
2.1.3 The Carriers' Submodel	2-	9
2.2 Disaggregation Theory and Method	2-	12
2.2.1 Supply Disaggregation	2-	12
2.2.2 Coal Demand Disaggregation	2-	14
2.2.3 Disaggregation of Noncoal Commodities	2-	22
References	2-	22
3. Description of Data Base		
3.1 The Network Data Base		
3.1.1 Rail Link Data Description		
3.1.2 Water Link Data Description		
3.1.3 Transshipment Link Data Description		
3.1.4 Powerplant Link Data Description		
3.1.5 Supply and Demand Link Data		
3.1.6 External Access Link Data		
3.2 The Disaggregation Data Base		
3.2.1 Geocode Converter File		
3.2.2 Supply Data		
3.2.3 Demand Data		-
3.3 Cost Functions		
3.3.1 Rail Cost Functions		
3.3.2 Transshipment Cost Function		
3.3.3 Water Delay Functions		
3.4.1 Rail Rates		
3.4.2 Water Rates		
References		۷.
4. Software Logic	4-	1
4.1 Freight Network Equilibrium Model		
4.2 Disaggregation Model		
4.2.1 Coal Production		
4.2.2 Non-FUA Coal Demand		
4.2.3 FUA Coal Demand		
References		
nercroness		
5. Test Problem and Model Validation	5-	1
5.1 Test Problem		1
References		10
6. Application of Freight Network Equilibrium Model	6-	1
6.1 Introduction		1
6.2 Model Output		1

CONTENTS

																					Page
6.2.1 0	verview																				6-1
6.2.2 S	ummary of Routes	5																			6-3
6.2.3 M	lodal Split																				6-3
	ts to Transporta																				6-3
	ail																				6-9
	ater																				
References .																					6-10
APPENDIX A.	THE DATA RESOUR	RCES INC.	(DR)) (OAL	МО	DEL														A-1
APPENDIX B.	METHODOLOGY TO	CORRECT	NATIO	NAL	NE.	TWO	RK	DAT	A B	ASE										 	B-1
APPENDIX C.	RAIL AND WATER	EREIGHT	COST	FUN	CTI	NC															C-1
APPENDIX D.	RAIL FORM A CAL	CHIATION	IS																		D-1
APPENDIX F.	REPORT WRITER																				
																					E-1
APPENDIX F.	REPORT WRITER :	2 - NORTH	IEAST	REG	ION	AL I	COA	L FI	LOW	SS	ORT	ED	BY	CH	ANG	E :	IN	AR	C		
	VOLUME FOR BASI	E CASE AN	ID FUA	CA	SE .																F-1

FIGURES

Figur	<u>e</u>	Pag
1.1	Facilities Included in the Northeast Regional Environmental Impact Study Impact Assessment Methodology	1-3 1-4
2.1	Overview of Freight Network Equilibrium Model	2-2 2-2
2.3	Network Aggregation	2-4
3.1 3.2 3.3	Illustrative Network Links and Nodes	3-2 3-3 3-7
3.4 3.5 3.6	Railroad Rate Territories	3-1 3-1 3-1
3.7 3.8 3.9 3.10	Shape of the Transshipment Delay Cost Function Daily (24-hr) Hire Rate for Tugboat Service Ocean Tug-Barge Rate Functions by Allowable Vessel Draft Ocean Tug Barge Rate Algorithm	3-1 3-2 3-2 3-2
4.1 4.2 4.3 4.4 4.5	Primary Subroutines in the Preloading Phase Primary Subroutines in the Loading Phase Coal Production Disaggregation Data Flow and Software Logic Non-FUA Coal Demand Data Flow and Software Logic FUA Coal Demand Data Flow and Software Logic	4-4 4-4 4-5 4-7 4-8
5.1 5.2 5.3	Test Network	5-2 5-6 5-9
6.1 6.2 6.3	Two Examples of Detailed FNEM Route Output from Oil SIP Scenario, 1991 Sample Page from Report Writer 1 - Oil SIP Scenario, 1991	6-2 6-4
6.4	Perth Amboy and Curtis Bay	6-5
6.5	Curtis Bay	6-7

TABLES

1-2 Coal Supplies for the Northeast Regional Environmental Impact Study 1-2	Table		Page
2.2 Demand for Coal in the NortheastBase Case, 1978. 2.3 Demand for Coal in the NortheastBase Case, 1985. 2.4 Demand for Coal in the NortheastBase Case, 1985. 2.15 Demand for Coal in the NortheastBase Case, 1991. 2.6 Demand for Coal in the NortheastOil SIP, 1985. 2.6 Demand for Coal in the NortheastOil SIP, 1985. 2.7 Demand for Coal in the NortheastNSPS. 2.8 Demand for Coal in the NortheastNSPS, 1981. 2.9 Projected Non-Contract Coal Demand for the Northeast Region, Oil SIP, 1991. 2.10 DRI-Projected Northeast Regional Non-Contract Coal Demands, Oil SIP, 1991. 2.11 FUA-Related Coal Demand, 1991. 2.12 Projected Northeast Regional Non-Contract Coal Demands, Oil SIP, 1991. 2.13 Federal Railroad Administration National Network Data Base LIC Railroad Designation Codes in the Northeast Region. 3.2 Arc Travel Time Functions. 3.4 Price Functions. 3.5 Price Functions. 3.6 Definition of Input Terminology. 3.6 Activity Log for Shippers' Model for Non-Coal CommoditiesPreloading Phase. 3.7 Activity Log for Shippers' Model for Non-Coal CommoditiesPreloading Phase. 3.8 Zonal Production/Demand Amounts. 3.9 Function Demand Region. 3.10 Demand Production/Demand Amounts. 3.11 Coal Loadings by Carrier's Model for Coal-Loading Phase. 3.12 Activity Log for Carrier's Model for Coal-Loading Phase. 3.13 Activity Log for Carrier's Model for Coal-Loading Phase. 3.14 FRA Density Codes 3.15 Differences between Predicted Railroad Link Traffic Densities and FRA Estimates. 3.15 FUA Coal Movements by Rail, 1991, under the Oil SIP Scenario. 3.16 FUA Coal Movements by Rail, 1991, under the Oil SIP Scenario.	1.1	Facilities Included in the Northeast Regional Environmental Impact Study \dots	. 1-2
Designation Codes in the Northeast Region	2.2 2.3 2.4 2.5 2.6 2.7 2.8 2.9 2.10	Demand for Coal in the NortheastBase Case, 1978 Demand for Coal in the NortheastBase Case, 1985 Demand for Coal in the NortheastBase Case, 1991 Demand for Coal in the Northeast0il SIP, 1985 Demand for Coal in the Northeast0il SIP, 1991 Demand for Coal in the NortheastNSPS, 1985 Demand for Coal in the NortheastNSPS, 1991 Projected Non-Contract Coal Demand for the Northeast Region, 0il SIP, 1991 DRI-Projected Northeast Regional Non-Contract Coal Demands, 0il SIP, 1991	2-15 2-16 2-16 2-16 2-17 2-17 2-18 2-19
5.1 O-D Pairs in the Test Problem		Designation Codes in the Northeast Region	
5.2 Non-Coal Demand by 0-D Pair 5-2 5.3 Input Data Files 5-3 5.4 Definition of Input Terminology 5-4 5.5 Activity Log for Shippers' Model for Non-Coal CommoditiesPreloading Phase 5-5 5.6 Carrier Demands 5-5 5.7 Activity Log for Carrier's Model for Non-Coal CommoditiesPreloading Phase 5-5 5.8 Zonal Production/Demand Amounts 5-6 5.9 FUA Demand Amounts 5-6 5.10 Coal Demand by 0-D Pair and Type 5-7 5.11 Coal Loadings by Carrier 5-7 5.12 Activity Average for Shippers' Model for Coal-Loading Phase 5-8 5.13 Activity Log for Carriers' Model for Coal-Loading Phase 5-8 5.14 FRA Density Codes 5-9 5.15 Differences between Predicted Railroad Link Traffic Densities and FRA Estimates 5-10 6.1 FUA Coal Movements by Rail, 1991, under the Oil SIP Scenario 6-8	4.1	FNEM Subroutines	. 4-2
5.12 Activity Average for Shippers' Model for Coal-Loading Phase 5-8 5.13 Activity Log for Carriers' Model for Coal-Loading Phase 5-8 5.14 FRA Density Codes 5-9 5.15 Differences between Predicted Railroad Link Traffic Densities and FRA Estimates 5-10 6.1 FUA Coal Movements by Rail, 1991, under the Oil SIP Scenario 6-8	5. 2 5. 3 5. 4 5. 5 5. 6 5. 7 5. 8 5. 9 5. 10	Non-Coal Demand by O-D Pair Input Data Files Definition of Input Terminology Activity Log for Shippers' Model for Non-Coal CommoditiesPreloading Phase Carrier Demands Activity Log for Carrier's Model for Non-Coal CommoditiesPreloading Phase Zonal Production/Demand Amounts FUA Demand Amounts Coal Demand by O-D Pair and Type	5-2 5-3 5-4 5-5 5-5 5-5 5-6 5-6
6.1 FUA Coal Movements by Rail, 1991, under the Oil SIP Scenario 6-8	5.12 5.13 5.14	Activity Average for Shippers' Model for Coal-Loading Phase	. 5-8 . 5-8 . 5-9
		FUA Coal Movements by Rail, 1991, under the Oil SIP Scenario	. 6-8

ACKNOWLEDGEMENTS

The authors would like to thank Marsha S. Goldberg, the USDOE Manager of the Northeast Regional Environmental Impact Study, for her continued encouragement and support of the modeling effort described in this report, as well as her energetic and well-organized management of the various research groups involved. Thanks also are given to Bonnye Stitt, Dr. Raghaw Prasad, Professor Edward K. Morlok, Michael Kendrick, Dr. Asil Gezen, Rajeev Agarwal, David Kriger, Patrick Harker, and Christopher Skiscm for their technical contributions and advice.

The work reported in this document was initiated under the management of Tobey L. Winters and carried out under the management of Albin J. Zielen, Division of Environmental Impact Studies.

ACRONYMS AND ABBREVIATIONS

ANL Argonne National Laboratory

DRI Data Resources, Inc. DWT Deadweight (long) tons

FERC Federal Energy Regulatory Commission FIPS Federal Information Processing Standard FNEM Freight Network Equilibrium Model

FRA Federal Railroad Administration

FUA Powerplant and Industrial Fuel Use Act of 1978

ICC Interstate Commerce Commission Link Identification Code LIC

MNM Multimodal Network Mode mph

miles per hour National Environmental Policy Act NEPA

NEREIS Northeast Regional Environmental Impact Statement

NNDB National Network Data Base **NSPS** New Source Performance Standards

0-D Origin-Destination

SIP State Implementation Plan

TERA Transportation and Economic Research Associates, Inc.


Transportation Systems Center (USDOT) TSC

USBOM U.S. Bureau of Mines USDOE U.S. Department of Energy

USDOT U.S. Department of Transportation

ABSTRACT

The U.S. Department of Energy (USDOE) is assessing the potential for cumulative and interactive environmental impacts associated with the proposed conversion to coal of up to 42 powerplants in the Northeast Region of the United States under the Powerplant and Industrial Fuel Use Act of 1978 (Pub. L. 95-620). USDOE's Northeast Regional Environmental Impact Study provides analysis in four interrelated areas: (1) air quality, (2) solid waste disposal, (3) fuel supply and the transportation of fuel and solid waste, and (4) health effects. This document is a description of the main analytical tool developed for analyzing the cumulative impacts of increased coal transportation resulting from the proposed Northeast Regional powerplant conversions. That tool, the Freight Network Equilibrium Model (FNEM), is the first network model that explicitly represents the behavior of both sets of primary transportation decision-makers--the carriers and the shippers. The shippers are modeled as a set of competing interests, each independently seeking to minimize the delivered prices of needed commodities. This is accomplished through the use of a "user-optimized" network equilibrium model. The origin-destination information produced in this phase is then input to a set of "systems-optimized" equilibrium models in which each carrier is assumed to minimize its total operating cost. Included are discussions of the theory and methodology of the model, the data bases required, the logic of the software, and the validation of the model. Results from the application of the model in the Northeast Regional Environmental Impact Study are presented.



1. INTRODUCTION, OBJECTIVE AND COVERAGE OF THE REPORT

1.1 INTRODUCTION

The proposed action to be assessed in the Northeast Regional Environmental Impact Study is the cessation of the use of oil and natural gas as primary energy sources in up to forty-two powerplants in the northeastern United States. The objective of the proposed action is, in consonance with the purposes of the Powerplant and Industrial Fuel Use Act of 1978 (FUA) (Pub. L. 95-620), to minimize or eliminate oil consumption in as many of these units as possible. Among the functions that the U.S. Department of Energy (USDOE) performs under the Act are negotiating voluntary conversions and working with those utilities subject to the authorities of the Act to encourage them to pursue conversions.

USDOE can encourage fuel switching away from oil by providing technical analyses of the effects of fuels conversion. The Northeast Regional Environmental Impact Study provides this type of analysis in four interrelated areas: (1) air quality; (2) solid waste disposal; (3) fuel supply and the transportation of fuel and solid waste; and (4) health effects. A separate technical task report is being prepared in each of these areas, and will serve both as a general reference document and as a technical reference for the Northeast Regional Environmental Impact Statement (NEREIS) (USDOE 1981; DOE/EIS-0083-D) and for the site-specific environmental impact statements issued under the Fuel Use Act.

The primary purpose of the Northeast Regional Environmental Impact Study is to assess and document the potential for cumulative and interactive environmental impacts associated with the conversion of multiple generating stations in the Northeast. The 42 facilities included in the study (see Table 1.1) were selected because they were considered by the President's Coal Commission to be coal-capable. This Commission originally compiled a list of 117 generating stations that were considered capable of using coal. This list was reduced by USDOE using the criteria of eliminating: (1) all units over twenty-five years of age; and (2) stations with an aggregate capacity of less than 100 megawatts. The size and age criteria focused attention on powerplants that had the greatest potential for oil displacement and economic benefits, and on units having the longest remaining useful life. The overall area addressed by the Northeast Regional Environmental Impact Study is the macroregion defined by Maryland to the south and Maine to the north. The facilities are distributed over 10 states* in the Northeast, with a majority of them clustered in the New York-New Jersey-Connecticut tri-state region (Fig. 1.1). In addition, in the area of air quality, specific attention is focused on four subregions centering around Boston, New York City. Philadelphia, and Baltimore. The depth and breadth of coverage of this regional analysis is sufficient to provide a data base and analysis for site-specific environmental analysis as well as a broader perspective of the overall impacts on the Northeast Region, as described in the NEREIS. Detailed treatment is not included in the study, nor are aspects more relevant to site-specific environmental impact statements. Instead, generic issues that are cumulative or interactive on a regional basis are emphasized. This approach conforms to the intent of the National Environmental Policy Act (NEPA) in general, and to the Council on Environmental Quality Regulations on implementing NEPA procedures in particular, as the technical reports provide data used in the analysis done for the NEREIS, the middle tier of a three-tiered approach to impact assessment. The first tier is the published Final Programmatic Environmental Impact Statement for the Fuel Use Act (USDOE 1979a) and the Revised Programmatic Environmental Impact Statement for the Energy Supply and Environmental Coordination Act (Federal Energy Administration 1977). The final tier is composed of the site-specific environmental impact statements.

1.2 OBJECTIVE AND COVERAGE

This document is the technical task report on fuel supply and the transportation of fuel and solid waste. It presents a description of a state-of-the-art freight network model and the supporting data bases developed to provide USDOE with a computer-based methodology for analyzing impacts on the transportation system (rail and barge) of increased coal movement into and within the northeastern United States resulting from FUA coal conversions. This model was developed as part of the Northeast Regional Environmental Impact Statement (NEREIS).

^{*}Vermont generally has been excluded from the study, as the state contains none of the subject utility boilers, nor is it considered a location for combustion waste disposal.

Table 1.1. Facilities Included in the Northeast Regional Environmental Impact Study

State/Facility	Unit Number
Connecticut	
Bridgeport Harbor	3
Devon	7,8
Middletown	1,2,3
Montville	5
Norwalk Harbor	1,2
Delaware	
Edge Moor	1,2,3,4
<u>Maine</u>	
Mason	1,2,3,4,5
Maryland	
Brandon Shores	1,2
Crane	1,2
Riverside	4,5
Herbert A. Wagner	1,2
Massachusetts	
Canal	1
Mt. Tom	1
Mystic	4,5,6
New Boston	1,2
Salem Harbor Somerset	1,2,3
West Springfield	3
New Hampshire	
Schiller	4,5,6
New Jersey	
Bergen	1,2
Burlington	7
Deepwater	7,8,9
Hudson	1
Kearny	7,8
Sayreville	4,5
Sewaren	1,2,3,4
New York	
Albany	1,2,3,4
Arthur Kill	2,3
Danskammer Point	1,2,3,4
E.F. Barrett Far Rockaway	1,2
Glenwood	4
Lovett	4,5
Northport	3,4,5
Oswego	1,2,3,4 1,2,3,4
Port Jefferson	1,2,3,4
Ravenswood	3
Pennsylvania	
Cromby	2
Schuylkill Schuylkill	1
Southwark	1,2
Springdale	7,8
Rhode Island	
South Street	12



Fig. 1.1. Facilities Included in the Northeast Regional Environmental Impact Study

The first phase of the two-part study focused on the transportation impacts that could be expected from the conversion to coal of the 42 powerplants in the Northeast. In this first phase, the effects on transportation were analyzed by examining two bracketing scenarios. These scenarios defined, alternatively, a situation in which every powerplant with rail service took final delivery of coal by rail, and a situation in which every powerplant located on a navigable waterway took delivery of coal by ship or barge. These scenarios indicate where bottlenecks and congestion are likely to occur. The results of this analysis are contained in the NEREIS.

The second phase of the study, which is the basis of this technical report, is a much more detailed transportation network analysis of the effects on railroad and port congestion due to increases in traffic attributable to FUA conversions, in conjunction with other increases in traffic, as well as a detailed assessment of rail and water modal shares. This report presents a discussion of the network model, data bases, and software logic developed for this detailed analysis.

The basis of the analysis is the national supply and demand forecasts for coal generated by the Data Resources, Inc. (DRI) Coal Model*. A general description of this model is presented in Appendix A. However, it should be understood that the network model developed for this analysis itself is in no way committed to DRI; other models could have been used. The major tools for the analysis are two software packages: (1) the disaggregation procedure, which disaggregates regional supply and demand forecasts to a level of geographic detail suitable for input to the transportation network model, and (2) the Freight Network Equilibrium Model (FNEM), which predicts the commodity movements on the transportation network. A third software package is a report writer used to generate descriptions of the solutions found by the network model. A diagram of the basic elements of the analysis is presented in Figure 1.2.




Fig. 1.2. Impact Assessment Methodology

The disaggregation procedure, an extension of earlier work by Transportation and Economic Research Associates, Inc., for the National Energy Transportation Study, permits the use of commodity forecasts made on a national or regional level in a more disaggregate transportation study (USDOE 1979b). This procedure uses data on historical coal production and consumption, reserves, descriptive data on sulfur and Btu levels, the locations of present and planned coal-burning powerplants, and geographical data describing the various regional delineations in terms of counties. Since many data are reported on a county level, by relating counties to larger regions and reported county-level data to forecasted regional values, any forecasted regional total can be divided among the counties in the region. The county-level forecasts can then be used directly or combined into some other regional definition more appropriate to the analysis. In the application described in this report, the disaggregation procedure divides total production and consumption forecasted for regions defined in the DRI Coal Model into counties, and then reconstructs them into transportation zones as defined in the Federal Railroad Administration's National Network Data Base (NNDB).

The second software package, the Freight Network Equilibrium Model (FNEM), was developed by the University of Pennsylvania and is a model for forecasting multicommodity intermodal transportation flows over the U.S. freight system. FNEM directly uses the NNDB and augments it with a description of the U.S. waterway system. The model represents a considerable advance over previous models as it explicitly treats both freight shippers and freight carriers in the presence of elastic demand functions for transportation and congestion externallities articulated through nonlinear cost and delay functions that vary with flow volumes. Previous models have tended to emphasize either shippers or carriers, essentially ignoring the effect of the other component

^{*}Eight coal models were investigated for the purpose of developing coal supply and demand forecast scenarios. Of these, six models--the Energy and Environmental Analysis (EEA) coal model, the National Coal Model (NCM), the Charles River Associates/Electrical Power Research Institute (CRA/EPRI) coal model, the Data Resource, Inc. (DRI) coal model, the PACE model, and the Midterm Energy Forecasting System (MEFS)--were studied in more detail regarding their theoretical underpinnings, model specifications, availability, user's flexibility and interface, and cost. The DRI coal model appeared to be the best in all these respects.

of the decision-making process. FNEM was applied to the Northeast freight system in such a way that the shippers (buyers and sellers of coal) determine how much coal will move from place to place, and in general terms how the shipment is to be made (which overall rail/water route). The carriers, specifically the railroad companies, determine in detail which route to use within their respective company systems. The shippers' model is driven by the availability of supplies, demand for coal, and transportation rates. The carriers' model is supplied origin-destination tonnage demands and solves for efficient use of the system given the link-by-link costs of operation, which are subject to link-by-link traffic levels. The output of the model is a detailed computation of link-by-link traffic levels. These are translated to the Federal Railroad Administration's (FRA) original codes and tonnages for the different scenarios are compared in the report writer. Further outputs include a listing of origin-destination pairs and shipper and carrier model routes and costs. In the present version of the FNEM, these were interpreted and summarized outside the model. All FNEM calculations pertaining to coal are coupled with analyses of noncoal commodities to ensure accuracy with respect to estimates of increased congestion, bottlenecks, and displacement and delay of noncoal commodities.


The analysis effort also reflects a comprehensive effort to update the FRA NNDB. In particular, the network was examined for missing arcs and nodes to ensure its connectivity, and was updated to reflect the most recent rail abandonments. A detailed description of the nation's intercoastal and inland waterway system also was developed and coupled to the updated NNDB.

Although the transportation impacts of increased coal haulage in the Northeast are emphasized in this report, the model is fully general and may be applied to virtually any freight transportation/impact analysis task, either regional or national, for which the supporting data are available. The special features and results of applying the model to the entire U.S., as well as to other regions, will be addressed in separate reports.

The theoretical basis and methodological discussions of both the FNEM and the disaggregation methods are given in Section 2. In Section 3, the sources and organization of the data used in the model are outlined. Section 4 is a summary of the organization of the software, and Section 5 is a description of a test problem run on the model, together with validation exercises. Finally, the outputs and analysis of one of the scenarios run on the model are presented in Section 6. The scenario is the Oil SIP Scenario for 1991, in which converted plants are subject to State Implementation Plan air quality standards for oil burning.

REFERENCES

- Federal Energy Administration. 1977. Coal Conversion Program, Energy Supply and Environmental Coordination Act (As Amended), Section 2. Final Revised Environmental Impact Statement. FES-77-3. Washington, D.C.
- U.S. Department of Energy. 1979a. Final Environmental Impact Statement, Fuel Use Act. DOE/ EIS-0038. Washington, D.C.
- U.S. Department of Energy. 1979b. Disaggregating Regional Energy Supply/Demand and Flow Data to 173 BEAs in Support of the National Energy Transportation Study. Prepared by Transportation and Economic Research Associates, Inc., Falls Church, Va.
- U.S. Department of Energy. 1981. Draft Northeast Regional Environmental Impact Statement: The Potential Conversion of Forty-Two Powerplants from Oil to Coal or Alternate Fuels. DOE/EIS-0083-D. Washington, D.C.



2. THEORY AND METHODOLOGY

2.1 THEORETICAL BASIS OF THE FREIGHT NETWORK EQUILIBRIUM MODEL

In the traditional user-optimized network equilibrium problem (Wardrop 1952), the problem is to find the traffic pattern, such that for each origin-destination (0-0) pair, no user acting unilaterally can find a shorter path than the one already being used. This is equivalent to saying that

$$\begin{array}{l} c_{p_{1}}^{} \; (h_{1}) = c_{p_{2}}^{} \; (h_{2}) = \ldots = c_{p_{\underline{\ell}}}^{} (h_{\underline{\ell}}) \\ \\ \leq c_{p_{\underline{\ell}+1}}^{} \; (h_{\underline{\ell}+1}) \leq c_{p_{\underline{\ell}+2}}^{} \; (h_{\underline{\ell}+2}) \leq \ldots \leq c_{p_{\underline{n}}}^{} \; (h_{\underline{n}}) \end{array} \tag{1}$$

if h_1 , $h_2 ldots h_\ell > 0$ and $h_{\ell+1}$, $h_{\ell+2} ldots h_n = 0$ are true,

where $\mathbf{C}_{\mathbf{p}}$ (h) = the function expressing average travel cost on path \mathbf{p} for flow \mathbf{h} and

 h_i = the flow on path i.

Since this pattern results from the independent actions of many users, each trying to minimize travel costs, it has been widely adopted for analyses of urban passenger highway networks where this type of behavior is assumed to occur.

In transport systems controlled by a single authority, such as the rail network of a single railroad, and where the 0-0 demands are already known, a common modeling approach has been to assume that the controlling authority (the carrier) is attempting to minimize overall costs. In this case a system-optimized equilibrium problem is encountered (Wardrop 1952). The solution to a systems-optimized problem is a set of flows that for each 0-D pair satisfies

$$C'_{p_1}(h_1) = C'_{p_2}(h_2) = \dots = C'_{p_\ell}(h_\ell)$$

$$\leq C'_{p_{\varrho+1}}(h_{\varrho+1}) < C'_{p_{\varrho+2}}(h_{\varrho+2}) \leq \dots \leq C'_{p_n}(h_n)$$
(2)

if h_1 , h_2 ,... h_ℓ > 0 and $h_{\ell+1}$, $h_{\ell+2}$,... h_n = 0 are true,

where $C_{\mathbf{p}}^{\prime}$ (h) = the function expressing marginal travel cost on path p for flow h and

 h_i = the flow of path i.

Since for each 0-D pair the marginal cost of any path used does not exceed the marginal cost of any other path (used or unused), total system cost cannot decrease through the transfer of flow between paths. This clearly implies the state of minimum total cost.

When dealing with more general freight networks in which the user (shipper) 0-D demands have not already been determined, the question arises as to which approach, user- or system-optimized, is more appropriate. Clearly, the behavior of the many individuals and firms that make up the group of shippers is analogous to that of the highway users. They are all acting independently to achieve the cheapest cost transportation route (which includes mode) possible. An equilibrium will exist when no shipper acting independently can improve its travel cost. On the other hand, the carriers are faced with the problem of how to satisfy the shippers' decisions, and each will do so in a cost-minimizing manner.

Typically, the approach that has been used to model these freight networks has been to ignore the behavior of the carriers and adapt one of the urban highway user-optimized models to the needs of the shippers (e.g., Bronzini 1980). This approach is a substantial simplification of the freight system decision-making hierarchy. It is no more realistic than would be the use of a system-optimized model that captures the carriers' behavior but ignores the actions of the shippers (Friesz and Morlok 1980). The Freight Network Equilibrium Model (FNEM) developed for use in this study (Friesz et al. 1981) is designed to be a computationally tractable model that

explicitly accounts for the interaction between shippers and carriers rather than the behavior of just one of these groups. Since the model was developed as a means of analyzing the transportation impacts of increased coal usage, it has the consignees (the users of coal, primarily electric utilities) making decisions about where to purchase and how to ship the freight. These utilities are the shippers in this model. It would be easy, however, to reformulate the model to account for consignor, rather than consignee, decision-making. Many of the key ideas on which the model is based have their genesis in the work of Friesz and Fernandez (1979), assessing the feasibility of advanced freight/passenger network models in developing countries.

2.1.1 Model Description

To represent the behavior of shippers and carriers accurately, the FNEM is divided into two submodels that are applied sequentially. The shippers' submodel is a simultaneous distribution, modal split, and traffic assignment model. It is applied first to predict a user-optimized equilibrium flow and modal split. This defines a set of origin-destination demands and a general routing pattern, which are then used as inputs to the carrier's submodel. The carrier's submodel is then applied to determine a system-optimized equilibrium flow for each carrier. An overview of this process is illustrated in Figure 2.1. Descriptions of each submodel are presented in the following sections.




Fig. 2.1. Overview of Freight Network Equilibrium Model

2.1.2 Shippers' Submodel

2.1.2.1 Description

The shippers' submodel routes traffic over an abstract aggregate representation of the freight transportation network. This aggregate network includes only the modes that might realistically be considered by shippers. In the discussion that follows, the term "mode" also includes combinations of modes. For example, in the network shown in Figure 2.2, the possible modes from 0 to 0 are rail, water, and water/rail. Although the aggregate network varies from application to application, its nodes include all potential origins, destinations, transshipment sites, and inter-carrier transfer points (gateways). In addition, locations such as major points of transportation activity that might be of special interest can be added. An example of this aggregation for the shipment of coal is given in Figure 2.3. This aggregate network is used instead of the real network because it is this representation of the transportation system that the shippers actually "see" when making routing choices. Shippers are concerned with, and have the power to determine, the 0-D pairs; mode(s) used; the location of transshipments (if any); and, to some extent, a general routing pattern. Unless private carriage is used, they neither have faced.





Fig. 2.2. Network Showing Possible 0-D Modes

To facilitate discussion of how the shippers will distribute their traffic over this aggregate network, the following notation is employed:

```
= an element of the network (either an arc or a node),
E
     = set of all elements of the network.
     = commodity.
S
     = mode.
    = travel time using element e for commodity r transported by mode s.
     = cost of the carrier of using element e to transport commodity r by mode s,
     = flow of commodity r transported by mode s over element e.
f
     = vector of commodity/mode flows for element e = (..., f_a^{rs}, ...),
     = vector of element flows (...,f_0,...),
f
     = origin,
i
j
     = destination,
     = origin-destination pair (i, j).
     = set of w with origin i,
W.
Wi
     = set of w with destination j,
     = path,
p
     = set of paths between O-D pair w with commodity r carried by mode s,
hprs
     = flow of commodity r by mode s over path p,
     = vector of commodity/mode flow for path p (...,h_p^{rs},...),
h
h
     = vector of path flows (...,h,...),
     = 1 if element e is on path p, 0 otherwise,
δ<sub>ep</sub>
or
i
     = amount of commodity r produced at origin i,
D.
     = amount of commodity r demanded at destination j,
m;
     = purchase price of commodity r when purchased at origin i,
     = base transportation rate for commodity r by mode s between 0-D pair w,
Tws
     = demand for commodity r by mode s between O-D pair w,
     = vector of commodity/mode demands (..., Tw, ...),
Tw
     = vector of O-D demands (...,T_{w},...),
T
Mws
     = the fraction of commodity r transported by mode s between O-D pair w,
     = travel time for commodity r by mode s over path p,
     = cost to the carrier of transporting commodity r by mode s over path p,
     = value of time ($/hr/unit shipped) for commodity r,
     = permeability factor for mode s (the fraction of the carriers' operating cost that is
       passed onto the shipper), and
```

DP^{rs} = delivered price of commodity r by mode s by path p between 0-D pair w.






Fig. 2.3. Network Aggregation

This notation makes it possible to describe the assumptions made about shipper behavior and the basic relationships that must exist for any optimal pattern of flows.

It is assumed that the extent of production and consumption activity already is known, i.e., the 0_1^{c} 's and 0_2^{c} 's are fixed. It is further assumed that each shipper is separately and noncooperatively seeking to minimize the final delivered price of the commodity it is purchasing. The final delivered price to the shipper is determined by the combination of commodity, origin, mode, and path selected, and can be expressed as

$$DP_{WD}^{rs} = q_r t_D^{rs} + m_i^r + z_W^{rs} + \epsilon c_D^{rs}.$$
 (3)

It should be noted that the actual money expended on transportation is expressed by the third and fourth terms only. It is assumed here that this amount is equal to some base rate plus a specified percentage of the actual cost of shipment. The $z_{\rm IS}$ can be considered to be the posted tariff between 0-D pair w for commodity r by mode s. The ϵ can then be adjusted to represent the degree of freedom that the carrier is permitted to vary from this tariff given the costs it is incurring in making these shipments. If an unregulated market situation exists, the ϵ term can be reinterpreted as a profit multiplier, and the $z_{\rm IS}^{\rm CS}$ term can then be deleted. If the market is highly regulated, then the ϵ is set equal to zero and the $z_{\rm IS}^{\rm CS}$ term retained. Generalized cost measures for freight systems such as Equation 3 have been proposed by Tourreilles (1979).

In a user-optimized solution on the shippers' network it is expected that for each commodity and demand site the delivered prices will play the role of the abstract cost functions given in Equation 1, i.e.,

$$DP_{wp}^{rs} = DP_{wp_{2}}^{rs} = ... = DP_{wp_{\underline{\ell}}}^{rs} < DP_{wp_{\underline{\ell}+1}}^{rs} < DP_{wp_{\underline{\ell}+2}}^{rs} < ... < DP_{wp}^{rs}$$
(4)

if
$$h_1, h_2, \dots, h_{\ell} > 0$$
 and $h_{\ell+1}, h_{\ell+2}, \dots, h_n = 0$.

The 0-D demand functions must generally be specified for each application of the model. However, the model includes an option for specifying no demand functions, in which case 0-D demands are determined directly from Wardrop's first principle. This option is invoked when one wishes to model transportation demand as purely derived from the consumption and production characteristics of spatially separated markets; it is a useful feature when reliable transportation demand functions for the level of commodity disaggregation and modes considered are not available. Modal split is determined directly from Wardrop's first principle in such a way that total commodity production and attraction constraints are satisfied; thus, the model is a distribution, mode split, and assignment model. It is important to realize that the multimodal results in a well-defined modal split:

$$M_{W}^{rs} = \frac{T_{W}^{rs}}{\sum_{T_{W}^{rm}}} . \tag{5}$$

A well-known transportation demand function (Wilson 1970) is the negative exponential function

$$\mathsf{T}_{\mathsf{w}}^{\mathsf{rs}} = \mathsf{A}_{\mathsf{i}}^{\mathsf{r}} \; \mathsf{B}_{\mathsf{j}}^{\mathsf{r}} \; \mathsf{O}_{\mathsf{i}}^{\mathsf{r}} \; \mathsf{D}_{\mathsf{j}}^{\mathsf{r}} \; \mathsf{exp} \; \left(-\theta^{\mathsf{r}} \; \mathsf{DP}_{\mathsf{wp}}^{\mathsf{rs}} \right), \tag{6}$$

where A_i^r , B_i^r and θ^r are parameters that must be determined to ensure that Equation 6 correctly describes transportation demand for the particular circumstances being analyzed. It is important to note that the transportation demand function (Eq. 6) is one of several that could be articulated.

Keeping the solution requirement (Eq. 4) and the transportation demand function (Eq. 6) in mind, the following equivalent optimization problem is formulated:

Minimize
$$Z = \sum_{e} \sum_{r} \sum_{g} \int_{e}^{f_{e}} \left[q_{r} \cdot \mathbf{t}_{e}^{rs}(y_{e}) + \varepsilon_{s} c_{e}^{rs}(y_{e}) \right] dy_{e} +$$

$$\sum_{i} \sum_{w \in W_{i}} \sum_{p \in P_{w}} \sum_{r} \sum_{s} \sum_{m} \sum_{i} \sum_{w} \sum_{p \in P_{w}} \sum_{r} \sum_{s} \sum_{w} \sum_{p \in P_{w}} \sum_{r} \sum_{s} \sum_{w} \sum_{w} \sum_{p \in P_{w}} \sum_{r} \sum_{s} \sum_{w} \sum_{r} \sum_{w} \sum_{w} \sum_{p \in P_{w}} \sum_{r} \sum_{s} \sum_{w} \sum_{r} \sum_{w} \sum_{w} \sum_{r} \sum_{w} \sum_{s} \sum_{w} \sum_{w} \sum_{r} \sum_{w} \sum_{w}$$

subject to

$$f_e^{rs} = \frac{\Sigma}{p} \delta_{ep}^{rs} h_p^{rs}$$
 (8)

$$G_{W}^{rs} = T_{W}^{rs} - \sum_{p \in P_{W}^{rs}} h_{p}^{rs} = 0$$
 (u)

$$E_{\hat{i}}^{r} = \sum_{s} \sum_{w \in W_{\hat{i}}} T_{w}^{rs} - 0_{\hat{i}}^{r} = 0 \qquad \forall i, r \qquad (\alpha)$$

$$F_{j}^{r} = \sum_{s} \sum_{w \in W_{s}} T_{w}^{rs} - D_{j}^{r} = 0 \quad \forall j,r$$
 (β)

$$T \ge 0$$
 (p)

$$h \ge 0 . \tag{13}$$

The constraint set specifies the various relationships that must exist for any feasible pattern. The path and arc flows are related in Equation 8 and the path flows and 0-D demand are related in Equation 9. The production and consumption constraints are given in Equations 10 and 11, respectively, and the non-negativity constraints are given in Equations 12 and 13. The letters to the right of each set of constraints are appropriately dimensioned vectors of dual variables associated with those constraints. Note that the γ^{Γ} are calibration parameters whose meaning is explained below. The symbol σ in Equation 7 denotes a line integral.

If t^{rs} and c^{rs} are both monotone increasing, then Z is convex and the Kuhn-Tucker conditions for this program will be both necessary and sufficient. The Kuhn-Tucker conditions are:

$$\nabla_{\mathbf{h}} Z + \mathbf{u} \nabla_{\mathbf{h}} G - \mu = 0 \tag{14}$$

$$\nabla_{\mathsf{T}} \ \mathsf{Z} + \alpha \ \nabla_{\mathsf{T}} \ \mathsf{E} + \beta \ \nabla_{\mathsf{T}} \ \mathsf{F} + \mathsf{u} \ \nabla_{\mathsf{T}} \ \mathsf{G} - \rho = 0 \tag{15}$$

$$\mu \ge 0 \tag{16}$$

$$\rho \ge 0 \tag{17}$$

$$\mu h = 0 \tag{18}$$

$$oT = 0$$
 (19)

By using the identity

$$\frac{\partial}{\partial h_{D}^{rs}} = \frac{\Sigma}{a} \frac{\partial f_{e}^{rs}}{\partial h_{D}^{rs}} = \frac{\partial}{\partial f_{e}^{rs}} = \frac{\Sigma}{e} \frac{\delta^{rs}}{ep} \frac{\partial}{\partial f_{e}^{rs}} , \qquad (20)$$

it is easy to see that

$$\nabla_{h}Z = \left(\dots, \frac{\Sigma}{e} \left[q_{r} + \delta_{ep}^{rs} + t_{ep}^{rs} + \epsilon_{s} + \delta_{ep}^{rs} + c_{e}^{rs} \right] + m_{j}^{r} + z_{w}^{rs}, \dots \right). \tag{21}$$

Note that, by definition,

$$\frac{\Sigma}{e} \delta_{ep}^{rs} t_{e}^{rs} = t_{p}^{rs} \tag{22}$$

$$\frac{\Sigma}{e} \delta_{ep}^{rs} c_{e}^{rs} = c_{p}^{rs} . \tag{23}$$

Using Equations 22 and 23, Equation 21 yields

$$\nabla_{h}Z = \left(\dots, q_{r} t_{p}^{rs} + \varepsilon_{s} c_{p}^{rs} + m_{i}^{r} Z_{w}^{rs}, \dots\right). \tag{24}$$

Substituting Equation 24 into Equation 14 yields

$$q_r t_p^{rs} + \epsilon_s c_p^{rs} + m_1^r + z_w^{rs} - u_w^{rs} - \mu_p^{rs} = 0$$
 (25)

Taking advantage of the complementary slackness conditions (Eqs. 16 and 18), Equation 25 can be rewritten as

$$D_{wp}^{rs} = q_r t_p^{rs} + \epsilon c_p^{rs} + m_i^r + z_w^{rs}$$

$$\begin{cases} = u_w^{rs} & \text{if } h_p^{rs} > 0 \\ > u_w^{rs} & \text{if } h_p^{rs} = 0 \end{cases}$$

$$(26)$$

This is exactly the set of conditions set forth in Equation 4 for a user-optimized solution.

Note that

$$\nabla_{\mathsf{T}}\mathsf{Z} = \left(\dots, \mathsf{y}^{\mathsf{r}} \mathsf{T}_{\mathsf{w}}^{\mathsf{rs}}, \dots\right). \tag{27}$$

Substituting Equation 27 into Equation 15 yields

$$y^{r} \ln r_{w}^{rs} + \alpha_{i}^{r} + \beta_{i}^{r} + u_{w}^{rs} - \rho_{w}^{rs} = 0$$
 (28)

Because of the complementary slackness conditions (Eqs. 17 and 19), $\rho_W^{rs}=0$ when $T_W^{rs}>0$. Under this condition Equation 28 becomes

$$T_{w}^{rs} = \exp\left(-\alpha_{i}^{r}/\gamma^{r}\right) \exp\left(-\beta_{j}^{r}/\gamma^{r}\right) \cdot \exp\left(-\alpha_{w}^{rs}/\gamma^{r}\right). \tag{29}$$

By defining

$$A_{i}^{r} = \exp \left(-\alpha_{i}^{r}/\gamma^{r} / 0_{i}^{r}\right) \tag{30}$$

$$B_{j}^{r} = \exp \left(-\beta_{j}^{r}/\gamma^{r} / D_{j}^{r}\right)$$
(31)

$$\theta^r = 1/\gamma^r$$
 , (32)

Equation 29 can be put in the form

$$T_w^{rs} = A_i^r B_j^r O_i^r D_j^r \exp \left(-\theta^r u_w^{rs}\right)$$
.

It is known from Equation 26 that $u_{\nu}^{rs} = DP_{wp}^{rs}$ and so the desired negative exponential demand (Eq. 6) is implicit in the equivalent optimization problem. It is also significant that the negative exponential demand (Eq. 6), when substituted into the modal split equation (Eq. 5), yields the well-known logit modal split model:

$$M_{w}^{rs} = \frac{\exp\left(-\theta^{r} DP_{wp}^{rs}\right)}{\sum_{m} \exp\left(-\theta^{r} DP_{wp}^{rm}\right)}.$$
(33)

The results just derived will hold only if the line integral in the objective function is path-independent. A condition both necessary and sufficient for path independence is that the Jacobian matrix of element costs (consisting of $K_{es}^{r} = q_r t_e^{rs} + \epsilon_s c_e^{rs}$) be symmetric, i.e.,

$$\frac{\partial K_{e}^{rs}}{\partial f_{e}^{xy}} = \frac{\partial K_{e}^{xy}}{\partial f_{e}^{rs}} . \tag{34}$$

If we refer to each mode-commodity combination as a user class, Equation 34 requires that the change in the cost of any user class on a particular network element experienced as a result of a change in flow of a different user class on that element must be the same as the influence that the second class has on the first. Although this symmetry assumption sounds quite restrictive, there are many types of freight analyses where it applies. For example, if different freight modes never share any network elements (railroads on rail links, trucks on highways, etc.) and if different commodities on the same mode are treated similarly by the carrier, then the symmetry assumption will be valid. Sometimes, however, different commodities are given different priorities by the carriers. In this case the model can be used sequentially-first for the highest-priority goods, then for the next-highest-priority (taking into account the previous link loadings), etc.

Back-hauling may be accommodated in the theoretical structure presented above in a number of ways. The most straightforward approach to doing this is to assume that the empty cars will be returned over the same paths used in the fore-haul, and to adjust the flow levels accordingly. This would be especially appropriate for unit train movements. Another approach is to model general-purpose rail cars as separate commodities, with supplies and demands for these commodities being generated by the demands and supplies of those commodities requiring the rail cars. Also, the model accounts for yard delays through either the representation of yards as links or through the appropriate modification of link cost and delay functions to represent the presence of yards.

2.1.2.2 Solution Algorithm

Since the shippers' submodel might easily include thousands of variables and constraints when being applied to a typical regional freight network, the algorithm used to obtain its solution must be as efficient as possible. In particular, the enumeration of paths that can easily number in the millions must be avoided. Fortunately, the shippers' submodel, although nonlinear in the objective function, has only linear constraints. There are solution techniques for mathematical programs of this type which, when properly applied, can eliminate the need for path enumeration. The particular algorithm chosen for solution of the shippers' submodel is the Frank-Wolfe algorithm, frequently used for urban traffic equilibrium problems (see Gartner 1977). The use of this algorithm for the shippers' submodel requires the solution of a shortest path problem and a special type of linear program known as a Hitchcock or transportation problem, together with a one-dimensional line search at each iteration.

Applying the Frank-Wolfe algorithm to the shippers' submodel, therefore, requires solving a sequence of linear programs of the form

Minimize
$$\hat{Z} = \frac{\sum_{w} \sum_{p} \sum_{s} \sum_{k} A_{wp}^{rs} \cdot A_{p}^{rs} + \sum_{w} \sum_{r} B_{w}^{rs} \cdot T_{w}^{rs}$$

s.t.
$$E(T) = 0$$

$$F(T) = 0$$

$$G(T, h) = 0$$

$$T \ge 0$$

$$h \ge 0$$
, (35)

where
$$A_{wp}^{rs} = q_r \cdot t_p^{rs} (\hat{h}) + \varepsilon_s c_p^{rs} (\hat{h}) + m_i^r z_w^{rs}$$
, a constant, (36)

$$B_{W}^{rs} = \gamma^{r} \ln T_{W}^{rs}$$
 , a constant, (37)

and (h,T) is the current approximate solution.

To avoid path enumeration, the value of A_{WD}^{rs} , although a constant, is dependent on the path chosen. If all of the demand for a given commodity between a given 0-D pair is assigned to the shortest path, the first term in the objective function becomes

$$\frac{\sum \sum \sum A_{W}^{rs} \cdot T_{W}^{rs}}{r \cdot s \cdot A_{W}^{rs} \cdot T_{W}^{rs}}, \qquad (38)$$

where $A_{WD}^{r,\hat{k}}$ is the value of $A_{WD}^{r,\hat{k}}$ when the shortest path is used. This clearly leads to the minimum value that the objective function can achieve. Therefore, the solution to

Minimize
$$\hat{Z} = \frac{\sum \sum \sum A_{w}^{rs} \cdot T_{w}^{rs} + \sum \sum B_{w}^{rs} \cdot T_{w}^{rs}}{v \cdot r \cdot S_{w}^{rs} \cdot T_{w}^{rs}}$$
, (39)

which has no path index, will be the same as that for Equation 35. Since constraint G has been incorporated into the objective function, the problem becomes

Minimize
$$\sum_{w} \sum_{r} \sum_{s} C_{w}^{rs} \cdot T_{w}^{rs}$$
 (40)

$$\mathsf{E}_{\mathsf{i}}^{\mathsf{r}} = \sum_{\mathsf{w} \in \mathsf{W}_{\mathsf{i}}} \mathsf{T}_{\mathsf{w}}^{\mathsf{r}\mathsf{s}} - \mathsf{0}_{\mathsf{i}}^{\mathsf{r}} = 0 \tag{41}$$

$$F_{\hat{j}}^{r} = \sum_{w \in W_{\hat{j}}} T_{\hat{w}}^{rs} - D_{\hat{j}}^{r} = 0$$
 (42)

$$T_{W}^{rs} \ge 0$$
 , (43)

where
$$C_{w^*}^{rs} = A_{w^*}^{rs} + B_{w}^{rs}$$
 (44)

Note that Equations 40-44 are a set of Hitchcock problems, one for each commodity r. There are many efficient solution algorithms for solving these problems. The solution of each Hitchcock problem gives values for $T_W^{\rm ES}\star$. These values can then be used in the line search phase of the Frank-Wolfe algorithm. The line search can be carried out by one of a number of efficient techniques, such as Golden Section search or a binary search.

The application of the Frank-Wolfe algorithm to the shippers' submodel can be summarized as follows:

Step 1 Obtain an initial feasible solution $(\hat{f}_w^{rs}, \hat{f}_e^{rs})$ to the shipper equilibrium problem.

Step 2 For each 0-D pair w and each commodity r determine the shortest path τ_v^{PS} based on element impedances $q_r \cdot t_e^{PS}(\hat{r}) + \epsilon_S c_e^{PS}(f)^W$. (Note that the terms m_r^P and z_r^{PS} do not affect the shortest path determination since these costs will be identical for every path connecting 0-D pair w).

- Step 3 Determine the impedances $C_{W^*}^{rs}$ (which <u>includes</u> $m_1^r + z_W^{rs}$) for all shortest paths τ_L^{rs} .
- Step 4 Solve the Hitchcock problems given by Equations 40 through 44 to obtain the new demand values $T_{\rm c}^{\rm rcs}$.
- Step 5 For all w such that $e \in \tau_W^{rs}$ set $\bar{f}_e^{rs} = \frac{\Sigma}{W} \bar{T}_W^{rs}$. If $e \notin \tau_W^{rs}$ for all w, then set $\bar{f}_e^{rs} = 0$.
 - Similarly, set $\bar{h}_{D}^{rS} = \bar{T}_{W}^{rS} = \text{if } p = \tau_{W}^{rS}$, and $\bar{h}_{D}^{rS} = 0$ if $p \neq \tau_{W}^{rS}$.
- Step 6 Compute θ which minimizes $Z(\theta)$, obtained by making the following substitutions in the definition of Z given in Equation 7:

trions in the definition of
$$h_p^{rs} = \hat{h}_p^{rs} + \theta \left(\bar{h}_p^{rs} - \hat{h}_p^{rs} \right)$$

$$T_w^{rs} = \hat{T}_w^{rs} + \theta \left(\bar{t}_w^{rs} - \hat{T}_w^{rs} \right)$$

$$f_p^{rs} = \hat{f}_p^{rs} + \theta \left(\bar{t}_p^{rs} - \hat{f}_p^{rs} \right).$$

- Step 7 Compute T_w^{rs} and f_e^{rs} using the definitions and value of θ obtained from Step 6.
- Step 8 Compute

$$\begin{aligned} \mathbf{J}_1 &= \max \left| \begin{array}{cc} \mathbf{T}_{w}^{rs} - \hat{\mathbf{T}}_{w}^{rs} \\ \end{array} \right| \\ \mathbf{J}_2 &= \max \left| \begin{array}{cc} \mathbf{f}_{e}^{rs} - \hat{\mathbf{f}}_{e}^{rs} \\ \end{array} \right|. \end{aligned}$$

If J1 $_{<}$ $^{\epsilon}$ and J2 $^{<}$ $^{\epsilon}$, $^{\epsilon}$ being a preset tolerance, stop; otherwise, define the current solution to be

$$\hat{T}_{w}^{rs} = T_{w}^{rs}$$

$$\hat{f}_{e}^{rs} = f_{e}^{rs}$$

and go to Step 2.

It should be noted that although there is an updating of path flow variables in Step 6, this does not require complete path enumeration. Since there is at most one new path per 0-D pair per iteration, the computation involved is not excessive.

2.1.3 The Carriers' Submodel

2.1.3.1 Description

Given the values of demand and flow (T_W^{rs}, f_e^{rs}) produced by the shippers' submodel, the carriers' submodel predicts the detailed routing assignments made by the carriers. As such, it uses a detailed description of the transportation network. For modes that control their own right-of-way, such as railroads, the model treats each carrier individually. For the modes that operate on rights-of-way they do not control, such as barges on inland waterways and trucks on highways, the model assumes that the individual carriers that make up the mode behave as a single carrier and that single carrier is then in control of the corresponding portion of the network.

In order to predict an individual carriers' traffic assignment, it is required that the origindestination demands be known for that portion of the network that the carrier controls. Since the demand from original production origin to ultimate consumption destination, the set of paths that will be used between each 0-D pair, and how much of the demand will flow on each path are known from the shippers' submodel, all that is needed is to decompose these paths into the portions used by each carrier. A typical path P_k^r will be of the form

$$P_{k}^{r} = (i, n_{1}, n_{2}, \dots, g_{1}, n_{\ell}, n_{\ell+1}, \dots, g_{2}, n_{n}, n_{n+1}, \dots, j),$$
(45)

where i is the production origin,

n is a node,

 \mathbf{g}_k is the \mathbf{k}^{th} transshipment point of the intermodal network (including railroad gateways), and

j is the consumption destination.

We can represent path P_k^r in general as

$$p_{k}^{r} = p_{k}^{rs} + p_{k}^{rs} + p_{k}^{rs} + p_{k}^{rs} + \dots ,$$
 (46)

where $\textbf{P}_k^{rs_j}$ is the portion of path \textbf{P}_k^r that uses carrier \textbf{s}_i .

Note that for Equation 45

Given the following definitions,

$$h_{P_k}^r$$
 is the flow on path P_k^r ,

 $\mathsf{T_{W}^{rs}}_{\mathsf{N}}^{\mathsf{i}}$ is the demand for commodity r between the terminal points w of carrier $\mathsf{s_{j}}$, and

 P_{ws_i} is the set of all paths which contain O-D pair w as terminal points for carrier s_i ,

the following relationship holds:

$$T_{W}^{rs_{i}} = \sum_{P_{k}} h_{Pk}^{r}$$

$$P_{k} \in P_{Ws_{i}}$$
(48)

These T^{rs}_i then form the carrier-specific origin-destination demands that enable a systems-optimized traffic assignment problem for each carrier to be constructed. If N_{s_i} is the subset of the network controlled by carrier s_i , this can be expressed by the following mathematical program for carrier s_i :

Minimize
$$Z = \sum_{e \in N_{s_i}}^{\Sigma} \sum_{r}^{rs_i} c_e^{rs_i} (f_e) \cdot f_e^{rs_i} = \sum_{p \in P_{ws_i}}^{\Sigma} \sum_{r}^{rs_i} c_p^{rs_i} \cdot h_p^{rs_i}$$
 (49)

subject to
$$\sum_{p \in P_{WS_i}} h_p^{rs_i} = T_w^{rs_i} \quad \forall (w, r)$$
 (50)

$$rs_{i} \atop h_{D} \geq 0 \qquad \qquad \forall \left(w, p\epsilon P_{wS_{i}}, r\right). \tag{51}$$

Solution Algorithm

Although the carriers' submodel is articulated in terms of path flows, it is possible, as was the case with shippers' submodel, to avoid path enumeration. Once again, the Frank-Wolfe algorithm is applied. Its seven-step procedure, as applied to the carrier's submodel, is as follows:

Step 1 Determine an initial feasible solution for the carrier routing problem.

$$\begin{pmatrix} \hat{f}_e^{rs} i \end{pmatrix}$$
 ,

where eεN_s;

Step 2 For each 0-D pair w, determine the shortest path $\tau_w^{rs}{}^i$ based on element cost $\hat{c}_e^{rs}{}^i$, where

$$\hat{c}_{e}^{rs_{i}} = \frac{\partial}{\partial f_{e}} c_{e}^{rs_{i}} \left(\hat{f}_{e}\right).$$

Step 3 For all w such that $ee_{\tau_{w}}^{rs_{i}}$ set $\bar{f}_{e}^{rs_{i}} = \sum_{v} T_{w}^{rs_{i}}$

If
$$e \not\in \tau_w^{rs}$$
 for all w set $\bar{f}_e^{rs} i = 0$.

$$\text{Step 4} \qquad \qquad \text{If } \underset{e}{\Sigma} \; \underset{r}{\Sigma} \; \left[\left(\overline{f}_{e}^{\, r s_{\, \hat{1}}} - \, \widehat{f}_{e}^{\, r s_{\, \hat{1}}} \right) \, \widehat{c}_{e}^{\, r s_{\, \hat{1}}} \right] \; \leqq \; \epsilon \; \text{stop.}$$

Step 5 Compute θ minimizing

$$\begin{split} Z(\theta) &= Z \left[\begin{matrix} rs_i \\ f_e \end{matrix} \right] = \hat{f}_e^{rs_i} + \theta \left(\hat{f}_e^{rs_i} - \hat{f}_e^{rs_i} \right) \right] \\ &= \sum_{e} \sum_{r} \left[c_e^{rs_i} \left(\hat{f}_e^{rs_i} + \theta \left(\hat{f}_e^{rs_i} - \hat{f}_e^{rs_i} \right) \right) \right] \\ &\cdot \left[\hat{f}_e^{rs_i} + \theta \left(\hat{f}_e^{rs_i} - \hat{f}_e^{rs_i} \right) \right] \right]. \end{split}$$

Step 6 Compute

$$f_e^{rs_i} = \hat{f}_e^{rs_i} + \theta \left(\bar{f}_e^{rs_i} - \hat{f}_e^{rs_i} \right)$$

using θ from Step 5.

$$\hat{f}_e^{rs} i = f_e^{rs} i$$

Go to Step 2.

2.2 DISAGGREGATION THEORY AND METHOD

In order to identify with any degree of precision the location of railway links and/or nodes that may prove to be bottlenecks in the rail network due to coal shipments in the period 1985–1991, a detailed rail network model data base has been acquired from the Federal Railroad Administration (FRA) and updated to reflect recent abandonments, to correct discontinuities, and to add missing network links. The updated network is installed on the Argonne National Laboratory computer. This data base consists of codified descriptions of more than 16,000 railroad links, some 5,000 of which are in the Northeast area under study. Each link is described by codes representing its two terminal nodes, which are shared with other links crossing or connecting there. Each node code is tagged with a subcode in the range 1 to 500, which represents the Department of Transportation's (USDOT's) transportation zone in which the node is located. There may be several such nodes in each transportation zone. Thus, the rail network model is identifiably disaggregated to the transportation zone level.

Supply and demand forecasts available from the Data Resources, Inc. (DRI) coal model are, however, much more geographically aggregate. DRI projections for 1985-1991 are based on U.S. Bureau of Mine (USBOM) regional coal production and state or multistate regional coal demand. In order to be integrated with the FRA rail network data base and to be useful in identifying specific potentially congested rail links, these DRI supply and demand forecasts need to be disaggregated to the transportation zone level.

2.2.1 Supply Disaggregation

In DRI's forecasts, coal movements to the Northeast in 1985-1991 are predicted to come entirely from the Northern Appalachian production area. No Western or Midwestern and only minor amounts of Southern Appalachian coal will be consumed in the Northeast in the 1985-1991 period. In addition, not all coal produced in Northern Appalachia will be destined for the Northeast; much of this coal will be shipped to the Midwest or South for consumption. The production of interest is that volume of coal produced in Northern Appalachia that is destined for the Northeast. For the seven different cases studied, these volumes are given (by sulfur range) in Table 2.1. Case names in the table refer to three basic scenarios: Base Case (no FUA Coal); Oil SIP, under which converted plants are subject to current State Implementation Plan air quality standards for oil burning; and NSPS, under which converted plants are subject to the 1971 New Source Performance Standards.

Table 2.1. Coal Supplies (10^3 ton) for the Northeast Region, 1978, 1985, and 1991^a

			Sul	fur Range (% S)		
Case	0-0.64	0.65-1.04	1.05-1.84	1.85-2.24	2.25-3.04	3.05	Total
Base, 1978	3,464	5,196	19,982	34,967	11,639	4,370	79,618
Base, 1985	3,753	12,409	24,849	25,930	15,129	15,092	97,162
Base, 1991	4,647	10,667	48,992	26,698	11,641	23,594	126,239
0il, 1985	3,753	17,109	24,849	22,830	14,829	18,792	102,162
0il, 1991	4,647	10,767	48,992	28,898	37,841	31,894	163,039
NSPS, 1985	3,753	16,309	24,749	25,930	12,329	18,892	101,962
NSPS, 1991	4,647	11,067	48,892	27,098	37,141	33,894	162,739

From Data Resources, Inc.

To disaggregate these values to the transportation zones, historical data must be available at a regional level that are a common denominator for both the transportation zone and the USBOM coal production region. This common denominator is the county. County-level data are available for

coal production, reserves, and average coal characteristics such as Btu and sulfur content through the USBOM and the Congressional Research Service. These data are used as the basis for the following disaggregation methodology.

The basic assumptions of this model are as follows:

- The Northeast's total share of each Northern Appalachian county's production is limited to an 11% annual increase from 1978 to 1985 or 1991.
- Total annual county production for the Northeast must be no greater than 5% of total county reserves.
- The average sulfur content of all coal delivered to the Northeast by each producer must equal the average sulfur content of coals in that county.
- The coal delivered by all counties to the Northeast must equal the DRI control total for each sulfur class.
- Coal production destined for the Northeast in future years will approximate 1978 levels of the same.

The mathematical description used to implement these assumptions takes the form of a mathematical programming problem. The objective is to minimize deviations from 1978 county production figures while satisfying the conditions stated above, namely:

Minimize

$$\sum_{i=1}^{n} \left(P_i - P_i^0 \right) \tag{52}$$

subject to

$$\sum_{i=1}^{n} X_{ij} = S_{j} \tag{53}$$

$$\sum_{j=1}^{6} a_j X_{ij} - b_i \sum_{j=1}^{6} X_{ij} = 0$$
(54)

$$\sum_{j=1}^{6} \chi_{ij} - P_{i} = 0$$
(55)

$$P_{:} \leq (1.1)^{t_{\star}} P_{:}^{0}$$
 (56)

$$P_{i} \le 0.05 R_{i}$$
 (57)

$$X_{ij}, P_i \ge 0 \quad , \tag{58}$$

where P: = county i production destined to Northeast in forecast year,

 $P_{:}^{0}$ = county i production destined for Northeast in 1978,

 $X_{i,i}$ = production in county i of sulfur class j destined for the Northeast in forecast year,

 S_i = DRI total production in sulfur class j destined for the Northeast in forecast year,

a; = average sulfur level in sulfur category j,

b. = average sulfur level of all coals in county i,

t = years from 1978 to forecast year, and

R; = reserves in county i in 1978.

Using a standard procedure of mathematical programming, this nonlinear program can be converted into an easier-to-solve linear program. This is accomplished by introducing two new sets of

variables, Z and Y , corresponding to the positive difference between P $_i$ and P $_i^0$, depending on which is the larger. That is,

$$Z_{i} - Y_{i} = P_{i} - P_{i}^{0}$$
, (59)

and Z_i and Y_i are both nonnegative. It is readily discernable that minimizing Z_i+Y_i always gives the same value as minimizing the absolute value of $P_i-P_0^0$. This is so since when $P_i>P_i^0$, $Z_i=P_i-P_i^0$ and $Y_i=0$, and when $P_i< P_i^0$, $Z_i=0$, $Y_i=P_i-P_i^0$ and again the sum of Y_i and Z_i is the absolute value of the difference between P_i and P_i^0 .

Adding the definitional Equation 59 to the programming model above and using

as the objective, one may calculate county production levels $P_{\rm s}$ for each forecast case. The final step in the disaggregation methodology involves aggregating up from the county to the transportation zone level. This is accomplished easily through the use of a mapping data set that defines the correspondence between counties and transportation zones. It should be noted that it is at this final step that Southern Appalachian production is excluded from further consideration; production from this region is included in the disaggregation process itself.

2.2.2 Coal Demand Disaggregation

Demand for coal is divided into three distinct categories: nonutility demand, utility demand of non-FUA facilities, and FUA demand. Each has its own special disaggregation mechanism. The procedure followed is first to assign the specific coal demands for each FUA plant and then to subtract the FUA demands from the region totals, which are directly available from the DRI output. The remaining or non-FUA coal is then disaggregated to the transportation zone level.

2.2.2.1 DRI Coal Model Demand Output

For each demand region and for each of the six sulfur ranges, the DRI model produces annual coal demand projections broken into two categories: constrained and unconstrained (also called incremental by DRI). Constrained refers to coal accounted for by long-term contracts, and unconstrained is all other or non-contract coal. All FUA coal falls into the non-contract area; however, non-FUA coal is included in both categories.

The total (constrained + unconstrained) DRI demand projections for the Northeast are presented in Tables 2.2 through 2.8. These tables also include the total FUA demand for each region, from USDOE (1981), and the utility percentage of non-FUA demand. The "% Util. Non-FUA" entries were calculated from special DRI outputs prepared for the Base Case that broke down the regional demands into the DRI Consuming Sectors categories (see Appendix A): electrical utility, metallurgical, industrial noncoking, household commercial, and export. All data in Tables 2.2-2.8 are based on 24.1-million-Btu/ton coal, the Northern Appalachia average used by DRI, which differs from the 23-million-Btu/ton assumed value used in USDOE (1981).

DRI's projected non-contract coal demands for the 1991 Oil SIP scenario are presented in Table 2.9. The non-contract demand includes, as previously mentioned, all FUA coal and a portion of the non-FUA coal. The table includes the distribution by sulfur category and indicates the amount and extent of assumed scrubbing. Decisions concerning scrubbing are based entirely on DRI parameters and represent the DRI optimum combination of mine-mouth, transportation, and scrubbing costs to meet emissions standards for each demand region.

The data in Table 2.9 and all subsequent disaggregation discussion are limited to the 1991 Oil SIP scenario because that corresponds to the analysis of FNEM results that is made in Section 6. The year 1991 was selected because all FUA plants are expected to be converted by then. NSPS scenario runs were also made with FNEM, but from the transportation viewpoint, the results did not differ significantly from the Oil SIP because, for the most part, DRI simply assumed additional scrubbing to achieve a low-sulfur scenario.

2.2.2.2 FUA Demand

The next step is to apportion the data in Table 2.9 among the individual FUA plants. This breakdown is presented in Table 2.10. The coal tonnage for each plant is fixed and listed in Table 2.11; however, the assignment by sulfur type is limited only by the DRI region totals. The guideline used was to assign sulfur categories to match as closely as possible the values used in the Northeast Regional Environmental Impact Statement (USODE 1981). The target assignment for each plant is given in the last column of Table 2.10 as a number from 1 to 6, matching the sulfur type column headings.

2.2.2.3 Non-FIIA Demand

After assigning the FUA plant demands as given in Table 2.9, the remaining non-contract coal is combined with the DRI constrained coal to obtain the total non-FUA coal demand by region for each sulfur category. The contract coal demands are readily obtained by subtracting the Table 2.9 DRI region totals from Table 2.8. The final 1991 Oil SIP totals for the Northeast Region are 36.5 and 126.5 million tons, respectively, for FUA and non-FUA coal.

Nonutility (non-FUA) Demand

The breakdown between utility and nonutility non-FUA demand is given in the last column of Table 2.8. Historical data on nonutility coal consumption are available from the U.S. Bureau of Mines at the state level. These data can be further disaggregated to the county level by the use of U.S. Environmental Protection Agency point source consumption data. These data are summed up over counties and states, and the county shares of each state consumption are computed. These county shares are then applied to the DRI nonutility coal demands by state and sulfur category to derive county level estimates. Thus, nonutility coal demand is proportionally allocated to counties based on historical consumption patterns. Demands are then summed over all counties within each transportation zone to produce a total demand by zone.

Utility (non-FUA) Demand

The case of non-FUA utility demand is handled in a similar but not identical manner to that of the nonutility demand. USDOE projections of coal-fired utility generating capacity by county for 1985 and 1990 are used to compute county shares of state coal-fired generating capacity.

Table 2.2. Demand for Coal (103 ton) in the Northeast--Base Case, 1978

State(s)	1 ^a 0-0.64	2 0.65-1.04	3	4 1.85-2.24	5 2.25-3.04	6 3.05	FUA	% Util. Non-FUA
DE	0	200	0	263	200	0	0	95.69
ME,NH,VT	0	0	200	0	905	100	0	93.99
MD	1,076	671	6,817	1,104	1,981	112	0	29.97
MA	0	100	0	0	0	0	0	0.00
NJ	0	0	1,365	0	1,343	0	0	95.14
NY	1,198	240	5,106	589	4,293	5	0	51.88
PA	1,190	3,985	6,494	33,011	2,917	4,153	0	60.04

From Data Resources, Inc.

Table 2.3. Demand for Coal (103 ton) in the Northeast--Base Case, 1985

			Sulfur R	ange (% S)				
	1 ^a	2	3	4	5	6		% Util.
State(s)	0-0.64	0.65-1.04	1.05-1.84	1.85-2.24	2.25-3.04	3.05	FUA	Non-FUA
DE	0	900	0	155	0	400	0	96.36
ME,NH,VT	0	0	0	400	834	0	0	93.89
MD	2,211	1,321	4,249	2,075	4,238	4,812	0	29.68
MA	0	100	0	0	0	0	0	0.00
NJ	0	1,700	392	0	733	0	0	95.48
NY	229	268	3,176	648	6,416	5,405	0	53.50
PA	1,313	8,120	17,032	22,652	2,908	4,475	0	56.55

From Data Resources, Inc.

^aSulfur categories were designated 1 through 6, as shown.

^aSulfur categories were designated 1 through 6, as shown.

Table 2.4. Demand for Coal (103 ton) in the Northeast--Base Case, 1991

			Sulfur R	ange (% S)				
	1ª	2	3	4	5	6		% Util.
State(s)	0-0.64	0.65-1.04	1.05-1.84	1.85-2.24	2.25-3.04	3.05	FUA	Non-FUA
СТ	0	0	0	0	0	100	0	0.00
DE	0	1,000	0	7	0	700	0	96.35
ME,NH,VT	0	0	0	0	1,124	200	0	93.39
MD	2,747	1,641	2,940	5,977	8,568	4,729	0	37.36
MA	0	100	0	0	100	0	0	0.00
NJ	0	1,800	18	0	33	1,900	0	95.21
NY	282	330	1,481	12,199	83	6,406	0	49.75
PA	1,618	5,796	44,553	8,515	1,733	9,559	0	54.51

From Data Resources, Inc.

Table 2.5. Demand for Coal (103 ton) in the Northeast--Oil SIP, 1985

			Sulfur R	lange (% S)				
	1 ^a	2	3	4	5	6		% Util.
State(s)	0-0.64	0.65-1.04	1.05-1.84	1.85-2.24	2.25-3.04	3.05	FUA	Non-FUA
СТ	0	100	0	0	0	2,300	2,345	0.00
DE	0	900	0	155	0	400	0	96.36
ME,NH,VT	0	0	400	0	534	300	0	93.89
MD	2,211	1,321	4,249	2,075	4,938	4,112	0	29.68
MA	0	100	0	0	0	0	0	0.00
NJ	0	1,700	392	0	733	0	0	95.48
NY	229	6,468	3,176	648	6,816	805	2,014	53.50
PA	1,313	6,520	16,632	19,952	1,808	10,875	0	56.55

From Data Resources, Inc.

Table 2.6. Demand for Coal (10^3 ton) in the Northeast--Oil SIP, 1991

			Sulfur R	ange (% S)				
State(s)	1 ^a 0-0.64	2	3 1.05-1.84	4	5 2.25-3.04	6 3.05	FUA	% Util. Non-FUA
ст	0	0	0	0	500	2,600	3,003	0.00
DE	0	0	0	7	1,700	800	838	96.35
ME,NH,VT	0	0	0	1,800	224	200	842	93.39
MD	2,747	1,641	2,940	4,977	14,568	4,629	4,873	37.36
MA	0	5,200	0	100	0	0	5,085	0.00
NJ	0	0	18	0	2,733	5,900	4,907	95.21
NY	282	1,930	1,481	12,899	15,183	3,406	14,233	49.75
PA	1,618	1,996	44,553	9,115	2,733	14,259	2,475	54.51
RI	0	0	0	0	200	100	291	0.00

From Data Resources, Inc.

 $^{^{\}mathrm{a}}$ Sulfur categories were designated 1 through 6, as shown.

^aSulfur categories were designated 1 through 6, as shown.

^aSulfur categories were designated 1 through 6, as shown.

Table 2.7. Demand for Coal (103 ton) in the Northeast--NSPS, 1985

			Sulfur R	ange (% S)a				
State(s)	1 ^a 0-0.64	2 0.65-1.04	3 1.05-1.84	4 1.85-2.24	5 2.25-3.04	6 3.05	FUA	% Util. Non-FUA
СТ	0	500	0	0	0	1,900	2,345	0.00
DE	0	900	0	155	0	400	0	96.36
ME,NH,VT	0	300	0	0	534	400	0	93.89
MD	2,211	1,921	8,049	2,075	4,238	312	0	29.68
MA	0	100	0	0	0	0	0	0.00
NJ	0	1,700	392	0	733	0	0	95.48
NY	229	2,168	9,276	648	5,016	805	2,014	53.50
PA	1,313	8,720	7,032	23,052	1,808	15,075	0	56.55

From Data Resources, Inc.

Table 2.8. Demand for Coal (103 ton) in the Northeast--NSPS, 1991

			Sulfur R	ange (% S) ^a				
State(s)	1 ^a 0-0.64	2 0.65-1.04	3 1.05-1.84	4 1.85-2.24	5 2.25-3.04	6 3.05	FUA	% Util. Non-FUA
СТ	0	0	0	0	0	3,000	3,003	0.00
DE	0	0	0	7	1,800	700	838	96.35
ME,NH,VT	0	0	0	1,100	24	1,100	842	93.39
MD	2,747	8,741	2,940	5,277	7,068	4,729	4,873	37.36
MA	0	0	0	0	3,700	1,600	5,085	0.00
NJ	0	0	18	0	8,133	500	4,907	95.21
NY	282	330	4,881	10,199	15,983	3,406	14,233	49.75
PA	1,618	1,996	41,053	10,515	233	18,759	2,475	54.51
RI	0	0	0	0	200	100	291	0.00

From Data Resources, Inc.

^aSulfur categories were designated 1 through 6, as shown.

^aSulfur categories were designated 1 through 6, as shown.

Table 2.9. Projected Non-Contract Coal Demand for the Northeast Region, Oil SIP, 1991

	Sulfur	Demand Distribution (10 ⁶ ton)			
State(s)	Content (%)	Unscrubbed	Scrubbed	% Sulfur Removal	
Maine, New Hampshire, Vermont	1.85 - 2.24 2.25 - 3.04 3.05 - >	1.8	0.2	70 90	
Pennsylvania	1.05 - 1.84 1.85 - 2.24 2.25 - 3.04 3.05 - > 3.05 - >	35.9 3.7	2.5 4.8 9.4	70 70 90	
Connecticut	2.25 - 3.04 3.05 - >		0.5 2.6	90 90	
Massachusetts	0.65 - 1.04 1.85 - 2.24	5.2 0.1			
Maryland	1.85 - 2.24 2.25 - 3.04 3.05 - >	2.4	9.3 4.6	70 90	
Delaware	2.25 - 3.04 3.05 - >		1.7 0.8	70 90	
Rhode Island	2.25 - 3.04 3.05 - >		0.2 0.1	70 90	
New York	0.65 - 1.04 1.85 - 2.24 2.25 - 3.04 3.05 - >	1.6 12.1	15.1 3.4	70 90	
New Jersey	2.25 - 3.04 3.05 - >		2.7 5.9	70 90	
Regional total		62.8	64.0		

From Data Resources, Inc., Simulation Conr/OILSTD, 8/20/80, Table 6.

Table 2.10. DRI-Projected Northeast Regional Non-Contract Coal Demands, $$\operatorname{\textsc{Oil}}$$ SIP, 1991

			And Type	nual Coal e-% Sulfu	Demand r (103	by ton)		NER
		1	2	3	4	5	6	EIS
DRI Region	Demand	0- 0.64%	0.65- 1.04%	1.05- 1.84%	1.85- 2.24%	2.25- 3.04%	3.05	Sulfur Type
Maine, New Hampshire, Vermont	Mason Schiller All non-FUA				436 406 958	200	200	6 3
Regional total					1,800	200	200	
Pennsylvania	Cromby Schuylkill Southwark Springdale All non-FUA			35,900	3,700	2,500	424 374 1,159 518 11,725	6 6 6
Regional total	ATT HOIL TON			35,900	3,700	2,500	14,200	
Connecticut	Bridgeport Harbor Devon Norwalk Harbor Montville Middletown All non-FUA					145 72 109 38 136	728 359 546 189 681 97	6 6 6 6
Regional total						500	2,600	
Maassachusetts	New Boston Mystic Canal Mount Tom Salem Harbor Somerset West Springfield All non-FUA		1,620 957 1,059 285 689 248 227 115		100			6 6 3 3 6 3 3
Regional total	Shewairer		5,200		100			
Maryland	Brandon Shores Riverside Crane Wagner All non-FUA				2,400	3,035 361 859 618 4,427	4,600	6 6 6
Regional total					2,400	9,300	4,600	
Delaware Regional total	Edge Moor All non-FUA					838 862 1,700	800 800	6
Rhode Island Regional total	South Street All non-FUA					200	91 9 100	6

Table 2.10. (concluded)

		Annual Coal Demand by Type-% Sulfur ^a (10 ³ ton)						NER
		1	0- 0.65-		4	5 2.25- 3.04%	6 3.05 +%	EIS
DRI Region	Demand	0- 0.65%			1.85- 2.24%			Sulfur Type
NY	Danskammer						1,134	6
	Arthur Kill				1,916			3
	Ravenswood				1,680			3
	Barrett					818		3 5 3 6 3 5 3 3 3
	Northport (1-3)				2,663			3
	Northport (4)						941	6
	Far Rockaway				275			3
	Glenwood					673		5
	Port Jefferson				1,049			3
	Albany				878			3
	Oswego				992			3
	Lovett					1,214		5
	All non-FUA		1,600		2,647	12,395	1,325	
Regional total			1,600		12,100	15,100	3,400	
NJ	Deepwater						463	6
	Sayreville					344	178	3
	Bergen					752	387	3 3 3 3
	Kearny					346	178	3
	Sewaren					730	377	3
	Hudson					528	273	
	Burlington						351	6
	All non-FUA						3,693	
Regional total						2,700	5,900	

a_{24.1} million Btu/ton.

bFrom USDOE (1981).

Table 2.11. FUA-Related Coal Demand, 1991

Plant	State	Coal (10 ³	ton)
Bridgeport Harbor	СТ	873	
Devon	СТ	431	
Norwalk Harbor	CT	655	
Montville	CT	227	
Middletown State total	CT CT	817	
		3,003	
Edge Moor State total	DE DE	838 838	
Mason State total	ME ME	436	
Brandon Shores	MD	436	
Brandon Snores Riverside	MD MD	3,035	
Crane	MD	859	
Wagner	MD	618	
State total	MD	4,873	
New Boston	MA	1,620	
Mystic	MA	957	
Canal	MA	1,059	
Mt. Tom	MA	285	
Salem Harbor	MA	689	
Somerset West Springfield	MA MA	248 227	
State total	MA	5,085	
Schiller	NH	406	
State total	NH	406	
Deepwater	NJ	463	
Sayreville	NJ	522	
Bergen	NJ	1,139	
Kearney Sewaren	NJ NJ	524 1,107	
Hudson	NJ	801	
Burlington	NJ	351	
State total	NJ	4,907	
Danskammer	NY	1,134	
Arthur Kill	NY	1,916	
Ravenswood	NY	1,680	
Barrett	NY	818	
Northport	NY NY	2,663 941	
Northport Far Rockaway	NY	275	
Glenwood	NY	673	
Port Jefferson	NY	1,049	
Albany	NY	878	
Oswego	NY	992	
Lovett	NY	1,214	
State total	NY	14,233	
Cromby Schuylkil	PA PA	424 374	
Southwark	PA	1,159	
Springdale	PA	518	
State total	PA	2,475	
South Street	RI	291	
State total	RI	291	
Regional total		36,547	

aBased on 24.1 million Btu/ton.

Under the assumption that capacity utilization is uniform within each state, these county shares can be used as proxies for county shares of total non-FUA utility coal consumption. (Also note that 1990 generating capacities are used for the 1991 forecast year.) These county shares are multiplied by DRI state level non-FUA utility demands to produce projected county utility shares. The counties within each transportation zone are then summed to give the zone total.

2.2.3 Disaggregation of Noncoal Commodities

The realistic assessment of the transportation impacts of increased coal haulage requires consideration of noncoal commodities. Disaggregate county level supply and demand forecasts for noncoal commodities were made using the methodogy developed previously by Transportation and Economic Research Associates, Inc. (1979). This methodology is highly similar to the linear-programming-based procedure for coal described in Section 2.2.1.

REFERENCES

- Bronzini, M.S. 1980. Evolution of a multimodal freight transportation network model. Working paper, University of Tennessee. February.
- Friesz, T.L., and J.E. Fernandez. 1979. Design of a Multimodal, Intercity Transportation Planning Model: 1. The Equilibration Methodology. Technology Adaptation Program/Egyptian Intercity Modeling Project Technical Report, Dept. of Civil Engineering, Massachusetts Institute of Technology, Cambridge.
- Friesz, T.L., and E.K. Morlok. 1980. Recent Advances in Network Modeling and their Implications for Freight Systems Planning. Proceedings of the Transportation Research Forum, Vol. 21.
- Friesz, T.L., J. Gottfried, and E.K. Morlok. 1981. A Freight Network Equilibrium Model. Working Paper, Dept. of Civil and Urban Engineering, Univ. of Pennsylvania. August.
- Gartner, N. 1977. Analysis and control of transportation networks by Frank Wolfe decomposition. Proceedings of the Seventh International Symposium on Transportation and Traffic Theory, Kyoto, Japan.
- Tourreilles, F.A. 1979. The Generalized Link Cost Function. Technology Adaptation Program/ Egyptian Intercity Modeling Project Technical Report, Department of Civil Engineering, Massachusetts Institute of Technology, Cambridge.
- Transportation and Economic Research Associates, Inc. 1979. Disaggregating Regional Energy Supply/Demand and Flow Data to 173 BEAs in Support of the National Energy Transportation Study. Prepared for the U.S. Department of Energy by TERA, Inc., Falls Church, Va.
- Wardrop, J.G. 1952. Some theoretical aspects of road traffic research. Proceedings of the Institute of Civil Engineers, Part II, pp. 325-378.
- Wilson, A.G. 1970. Entropy in Urban and Regional Modelling. Pion, New York.

3. DESCRIPTION OF DATA BASE


3.1 THE NETWORK DATA BASE

The essence of the network data file is a pairwise interconnected series of nodes designated by unique seven-digit codes. The node pairs in the raw data file, although termed "ANode" and "BNode," do not imply direction. However, in its final form as input to the network algorithm, each ANode and BNode is duplicated and reversed to represent unique directions. These pairs are called "twins". For example, using one-digit rather than seven-digit node codes, a simple circular network of five links and nodes may be represented by the following:

ANode	BNode	Sequence Number	Twins
1	2	1	6
2	3	2	10
3	4	3	. 9
4	5	4	8
5	1	5	7
2	1	6	1
1	5	7	5
5	4	8	4
3	2	10	2

The U.S. rail network is much more complex, but its representation is the same. In the National Network Data Base (NNDB) there are 15,506 railroad links without duplication for directionality (National Network Data Base, computer tape obtained from the Federal Railroad Administration, December, 1980). The study area encompassed 15 states--Connecticut, Delaware, Kentucky, Maine, Maryland, Massachusetts, New Hampshire, New Jersey, New York, Ohio, Pennsylvania, Rhode Island, Vermont, Virginia and West Virginia. The number of these links in the region is 5,596. When certain unneeded dummy links and split links were eliminated or consolidated, the rail network was reduced to 2,777 links in that region. These must be doubled, as in the example above, to represent directionality. In addition to railroad links, links representing waterway connections and ports are needed to complete the network description. Logical links also are added to the network to delineate the connection between origins and destinations of traffic within and outside the region. In total, the size of the network is 9,566 links with directionality included. As mentioned in Sections 1 and 2, considerable effort was spent to "clean up" the NNDB. This effort is summarized in Appendix B.

As shown in the example above, each pair of nodes constituting a link is given a sequence number (1 to 9566 in the data base) and is associated with the sequence number of its reversed direction pair. This is to facilitate the computation of costs and delays of incremental traffic level in both directions. On water links and port (transshipment) links, only one direction is specified so the second "pair number" is set equal to zero. Each link also is named with a link identification code (LIC) and associated with several attributes, depending on the type of link. Examples of the various types of links in the network are shown in Figure 3.1. A detailed discussion of each type follows. Figure 3.2 is plot of the entire Northeast freight network without node or link names to give a feeling for the complexity and detail involved.



Nodes			Links		
	Rail	•	Rail		
	Supply/Demand	0	Water		
	External	Δ	Supply/Demand		
	Transshipment	•	Transshipment		
	Powerplant		External		
			Powerplant		

Fig. 3.1. Illustrative Network Links and Nodes

3.1.1 Rail Link Data Description

Each railroad link data record in the network file contains the following 12 data fields:

Data
Railroad system code
Link identification code (LIC)
ANode
BNode
Distance
Density code
State code
Track code
Signal system code
Free running speed
Sequential link number
Reverse link number

3.1.1.1 Railroad Code/LIC

Each five-digit LIC consists of a one- to four-digit alpha code abbreviating the name of the principal operating railroad followed by a unique sequential one- to four-digit number. The railroad codes are given in Table 3.1. Many of the railroad companies in the table have been




Fig. 3.2. Northeast Regional Rail Network

merged into larger systems. Many others represent small feeder or connecting lines. Because the carriers' model distinguishes between rail systems to optimize routes within the purview of a single management organization, these many old-line railroads have been accumulated into five principal systems important in the region.

Code	Rail System
1	Conrail
2	CSX Corp. (Chessie/family lines)
3	Norfolk and Western
4	Boston and Maine
5	Feeder and connecting lines

The rail system codes assigned to each railroad also are given in Table 3.1. In addition to railroad companies, there are catch-all LIC alpha codes for unspecified and mixed ownership and for aggregated urban links. The latter are necessary to simplify the complexity of a large urban rail network into single node. These have been characterized as feeder and connecting lines, as shown in the table.

Nodes

In the final form of the network the ANode represents an origin for the link and the BNode the destination. Each node code consists of seven digits in three parts. The first three digits

Table 3.1. Federal Railroad Administration National Network
Data Base LIC Railroad Designation Codes
in the Study Region

LIC	No. of Links in Region	Railroad System Code	Railroad
????	56	5	Unspecified
ABB	8	5	Akron and Barberton Belt
ACY	56	5	Akron, Canton, and Youngstown
ARA	2	5	Arcade and Attica
AVL	10	5	Aroostook Valley
BAR	96	5	Bangor and Aroostook
BCG	2	5	Buffalo Creek & Gauley
BEEM	2	5	Beech Mountain
BE	14	1	Baltimore and Eastern
BH	2	5	Bath and Hammondsport
BLA	2	5	Baltimore and Annapolis
BLE	62	5	Bessemer and Lake Erie
BML	2	5	Belfast and Moosehead Lake
BM	374	4	Boston and Maine
BRW	4	5	Black River and Western
ВХ	1008	2	Baltimore and Ohio
CACV	2	5	Cooperstown and Charlotte Valley
CAD	2	5	Cadiz
CARR	6	5	Carrollton
CBL	4	5	Conemaugh and Black Lick
CCX	28	2	Clinchfield
CHR	2	5	Chestnut Ridge
CHW	10	5	Chesapeake Western
CI	12	5	Cambria and Indiana
CLCX	6	5	Claremont and Concord
CLP	8	5	Clarendon and Pittsford
CNJ	102	1	Central Railroad of New Jersey
CNY	4	5	Central New York
CN	4	5	Canadian National
CP	30	5	Canadian Pacific
CV	88	5	Central Vermont
CX	646	2	Chesapeake and Ohio
DH	168	5	Delaware and Hudson
DTI	66	5	Detroit, Toledo and Ironton
EEC	4	5	East Erie Commercial
EL	684	1	Erie Lackawanna
FCIN	2	5	Frankfort and Cincinnati
FJG	2	5	Fonda, Johnstown and Gloversville
FOR	2	5	Fore River Railroad
FPE	4	5	Fairport, Painsville and Eastern
GJ	2	5	Greenwich and Johnsonville
GMRC	4	5	Green Mountain
GNWR	4	5	Genessee and Wyoming
GTE	48	5	Grand Trunk
GU	12	5	Grafton and Upton
IC	104	5	Illinois Central Gulf
IRN	2	1	Ironton
KCNW	2	5	Kelly's Creek and Northwestern
KT	2	5	Kentucky and Tennessee
KYLE	2	5	Kyle Railways
LAL	2	5	Livonia, Avon and Lakeville
LAWV	4	5	Lorain and West Virginia
LEE	4	5	Lake Erie and Eastern
LEF	10	5	Lake Erie, Franklin and Clarion
LHR	16	1	Lehigh and Hudson River
LI	66	5	Long Island
LNE	18	1	Leheigh and New England
LN	354	2	Louisville and Nashville
LT	4	5	Lake Terminal
LV	354	1	

Table 3.1. (concluded)

LIC	No. of Links in Region	Railroad System Code	Railroad
LWV	4	1	Lackawanna and Wyoming Valley
MB	2	5	Montpelier and Barre
MEC	144	5	Maine Central
MGA	46	5	Mobile and Gulf
MNJ	2	5	Middleton and New Jersey
MPA	12	5	Maryland and Pennsylvania
MTR	24	5	Montour
MW	4	5	Chicago, Milwaukee, St. Paul and Pacific
NAP	2	5	Narragansett Pier
NB	4	5	Northampton and Bath
NFD	30	5	Norfolk, Franklin and Danville
NH	14	5	State of New Hampshire
NIAJ	2	1	Niagara Junction
NS	10	5	Norfolk Southern
NW	1074	3	Norfolk and Western
NYLB	16	1	New York and Long Branch
NYSW	24	5	New York, Susquehanna and Western
NYS	2	5	New York State
PCY	2	5	Pittsburgh, Chartiers and Youghiogher
PI	10	5	Paducah and Illinois
PLE	56	5	Pittsburgh and Lake Erie
PRS	68	1	Penn-Reading Seashore Line
PS	20	5	Pittsburgh and Shawmut
PTM	16	5	Portland Terminal
PW	40	5	Providence and Worchester
P	3072	1	Penn Central
OC	4	5	Quebec Central
RDG	298	1	Reading
RFP	22	5	Richmond, Fredericksburg and Potomac
RR	6	5	Raritan River
RV	8	5	Rahway Valley
SCM	2	5	Strouds Creek and Muddlety
SIRC	18	2	Staten Island Railroad Corp.
SJL	8	5	St. Johnsbury and Lamoille Co.
SPT	12	5	Septa Septa
SRC	2	5	Strasburg
STRT	2	5	Stewartstown
ST	4	5	Springfield Terminal
SZ	80	2	Seaboard Coast Line
S	202	5	Southern
TAW	2	5	Toledo, Angola and Western
TPT	2	ĭ	Trenton-Princeton Traction
UBN	6	5	Aggregated Urban Line
URR	4	5	Union RR-Pittsburgh
USG	34	5	United States Government
VBR	, 2	5	Virginia Blue Ridge
VTR	26	5	Vermont
WAW	4	5	Waynesburg and Washington
WLFB	2	5	Wolfeboro
	182		
WM		2 5	Western Maryland
WNFR	2	5	Winifrede
WNF	2	5	Winfield
WVN	4	5	West Virginia Northern
WW	2	5	Winchester and Western
XX	320	5	Mixed Owners
YS	15	5	Youngstown and Southern

*Dummy links were eliminated.

^aSystem Codes: 1=Conrail 2=CSX Corp. 3=Norfolk & Western

4=Boston & Maine 5=feeder & connecting lines

correspond to the Transportation Network Zone defined by the Federal Railroad Administration for network modeling efforts. The zones in the study region are shown in Figure 3.3. The fourth digit indicates the type or class of the node as follows:

Code			Class
1,	2		Logical
5,	6,	7	Physical
8.	9		Dummy

Physical nodes represent places where tracks intersect. These may be yards, terminals, or just switches. Logical nodes constitute an arbitrary designation either halfway between two physical nodes or a point on the zone border between two physical nodes. Logical nodes also represent a stub end of track. These are included in the original network as loading and unloading points for all freight stations along the link but not at the physical node. Finally dummy nodes were used primarily to reduce to a maximum of four the number of links intersecting at any node. Because of software limitations early in FRA's development of the network (they were using an adapted highway network algorithm), certain urban areas where many rail links converge required several "satellite" dummy nodes to consolidate incoming links in to four links reaching the physical nodes. All of these links are represented by zero distance. One other use of dummy nodes is as an arbitrary halfway point between two logical nodes. This occurs when a length of track passes through a zone without intersecting any other track or without terminating. Since logical nodes are used to show where the track crosses zone boundaries, a dummy node takes the place of the missing physical nodes inside of the zone. This does not occur very often because the zones were drawn to correspond to railroad junctions. All of these various levels of nodes are not needed for the FNEM. The FNEM suffers from no limitation as to the number of links that may terminate at a node. Further, since traffic detail does not reach the freight station level, the logical nodes are not needed, either. Programs were developed to eliminate and consolidate unnecessary links ("REDUCE" program eliminates dummy nodes; "SHORTEN" program eliminates logical nodes). These programs reconstruct the network based on links between physical nodes. Since all dummy and logical nodes do not fit the same pattern, some remain in the final network. However, the only harm these cause is a small increase in the dimensions of the problem. Further work will analyze these on a case-by-case basis to determine whether any more efficiencies may be obtained by reducing the number of links necessary to describe the actual railroad system.

The last three digits are simply a sequential counter for nodes of a given type within a zone and serve to make the node code unique.

Another program was used to make the network bidirectional by duplicating each link and reversing the ANode with the BNode.

Other Descriptive Data

Other data related to each link include the standard two-digit alpha code for the state in which the link is located and the following operating data:

- · Distance between nodes in tenths of a mile
- · A code for track configuration

0 = stub end, number of tracks unknown

1-7 = actual number of tracks

8 = ferry service

= through track, number unknown

blank = unknown

· A code for signal system


0 = no signalling

= automatic blocking system

2 = centralized traffic control

= aggregated urban link

8 = ferry service



· A code representing two-way traffic density in millions of tons per year

 $1 = & < 1 \\
2 = \ge 1, < 5 \\
3 = \ge 5, < 10 \\
4 = \ge 10, < 20 \\
5 = \ge 20, < 30 \\
6 = \ge 30$

The density values were determined by survey of the railroad's traffic levels for average traffic during the years 1972 through 1976, with some updates through 1979 (personal communication with Raphael Keder, FRA).

All of the data described above were obtained in tape form from the FRA. One additional needed variable was omitted from the tape for reasons of confidentiality. Free running speed is an important characteristic of rail links in the network that was obtained by independent research. Due to the size of the problem (i.e., number of links), some simplifying assumptions were necessary. Based on discussions with operating personnel at Conrail, Chessie, and Southern Railways, a nominal speed of 25 mph was assigned to all Corrail, Chessie and affiliated links. Also assigned 25 mph were Seaboard Coast Line, Louisville and Nashville, Main Central and Grand Trunk links. Southern Railway links and all other links were given a nominal value of 20 mph. These

nominal values were changed to specific values for various mainlines. In all, this represents 641 links for which values between 25 and 50 mph were given based on survey of operating personnel from the respective railroads.

3.1.2 Water Link Data Description

To complete the major line-haul routes for delivering coal to northeastern destinations, links were designated for waterborne transportation from eight principal coal loading ports on the East Coast to each of the 37 powerplants in the study that may receive coal by coastwise shipment, and to 17 coal receiving ports where possible further rail shipment is built into the network design. In Figure 3.1, two water links are illustrated. They are one-way links from a port to a port and from a port to a powerplant. The basic description of a link is the same as for rail, consisting of a system code, LIC, ANode, BNode, and distance. Other important variables also are given in each record, as outlined below:

Field	Data
1-2	System code
7-11	LIC
13-19	ANode
21-27	BNode
28-32	Distance (nautical miles)
34-35	Maximum allowable vessel draft (ft)
38-41	Origin port loading rate (ton/hr)
72-75	Sequential link number
77-80	Set equal to zero (no reverse direction)

3.1.2.1 System Code/LIC

LICs for water links are designated WX, WY, or WZ. The corresponding system codes are 11, 12, and 13, respectively. The system codes were added for programming convenience to avoid having to translate alpha to integer variables. Each code stands for a class of vessel service, described below.

- WX Inland or intracoastal waterway barge/towboat system. Restricted to routes characterized by a continuous intracoastal (i.e., protected) waterway.
- WY Ocean tug/barge system. Restricted to distances greater than 150 nautical miles where intracoastal route is available; otherwise not restricted.
- $\rm WZ$ Integrated tug/barge or self-propelled collier. Restricted to distances greater than 150 nautical miles and maximum allowable vessel drafts of 30 ft or greater.

Within each class of service, links are numbered sequentially. The class designation is important for computation of costs, which vary by class of service, distance, and vessel size. In the cost functions used, vessel sizes were allowed to vary based on maximum allowable draft for the ocean tug/barge system only. A standard vessel was assumed for each of other two classes.

3.1.2.2 Nodes

Because origin ports and destination ports are well defined, a reverse flow of coal is not feasible along any given water link. Therefore, unlike the rail network, there are no duplicate reversed ANode-BNode links. The nodes for all water links are in addition to the railroad nodes. If they are connected to the railroad, as all ANodes and some BNodes are, they are connected by a transshipment link (see below). The convention adopted for designating nodes is similar to the rail network: the first three digits indicate the zone in which the water terminal is located; the fourth digit is set equal to six for the water end of the transshipment link or set equal to "F" if the destination is a FUA powerplant conversion candidate; the last three digits are sequential by node and make each code unique. (Transshipment links and powerplant nodes are explained further below.)

3.1.2.3 Operational Data

Each water link is characterized by the following operating data:

- · Distance in nautical miles (computed from U.S. Dept. of Commerce [1978])
- · Maximum vessel draft in feet*
- Vessel loading rate at the original port in tons per hour (adapted from information given by Nielsen [1980, pp. 202-228])

3.1.3 Transshipment Link Data Description

Transshipment links were created to integrate port activities into the network. Eight origin ports and 17 destination ports are given in the model to connect the rail system with the water system. In Figure 3.1, transshipment links are shown connecting railroads to ports at the origin of a water link and at the destination. The origin ports are:

Pier	Location
Port Reading Nonexistent	Woodbridge Township, No
expansion port	South Amboy, NJ
Greenwich	Philadelphia, PA
Port Richmond	Philadelphia, PA
Curtis Bay	Baltimore, MD
Canton Pier	Baltimore, MD
C&O Pier	Newport News, VA
Lamberts Point	Norfolk, VA

These were selected on the basis of their present and potential contribution to domestic waterborne coal trade. The "expansion port" was permitted based on speculation about new coal piers in the area and to permit the analysis of important potential bottlenecks on the intracoastal water network at origin ports. Destination ports were selected based on historical flows, rail connections, and proximity to markets not adequately served by established or historical coal ports. The specific pier is not identified. Quite possibly new facilities must be provided. The destination port cities are:

Bangor, ME	New Haven, CT
Searsport, ME	Albany, NY
Portland, ME	Catskill, NY
Portsmouth, NH	Poughkeepsie, NY
Beverly, MA	New York, NY
Salem, MA	Newark, NJ
Lynn, MA	Philadelphia, PA
Boston, MA	Wilmington, DE
Baltimore, MD	

Each transshipment link record has 10 fields if it is a destination port and 13 fields if it is an origin port, as outlined below:

Destination Port:

Field	<u>Data</u>
1-2	System code (=21)
7-11	LIC ("TRS")
13-19	ANode (dock)
21-27	BNode (rail connection)
31-32	Unloading charge (¢/ton)
36-37	State code
38-39	Water depth (feet)
47-63	Port name
72-75	Link sequence number
77-80	Set equal to zero (no reverse direction)

^{*}Set equal to the lesser of water depths at the origin or the destination. Water depths taken from the following sources as applicable: U.S. Army Corps of Engineers (1978); Nielsen (1980); U.S. Geological Survey, Reston, Va., 7.5 Minute Series Topographic Maps; National Oceanic and Atmospheric Administration, National Survey, Navigation Charts; and Transportation and Economic Research Associates, Inc. (1981).

Origin Port:	
Field	Data
1-2 7-11	System code (=21) LIC ("TRS") ANode (rail connection)
13-19 21-27	BNode (dock)
31-32	Dumping charge (¢/ton)
36-37	State code
38-39	Water depth (ft)
43-45	Operating railroad
47-63	Port name
64-66	1985 planned capacity (105 ton/yr)
68-70	1980 actual practical capacity (105 ton/yr)
72-75	Link sequence number
77-80	Set equal to zero (no reverse direction)

3.1.3.1 System Code/LIC

The LIC used for transshipment link is of the form "TRSXX," where XX is a unique number for each port. The system code of "21" was used for programming convenience.

3.1.3.2 Nodes

A node on the rail network most representative of the actual rail connection to the port was selected as one terminus of the link--the ANode for origin ports and the BNode for destination ports. A code was devised for the other terminus of the link--the dock--which is similar to the rail node except that the number six was used in the fourth digit and the counter was changed if more than one dock was to be represented as connecting to the railroad at one point. These "dock" nodes became the terminal nodes of the water links.

3.1.3.3 Operating Data

The following characteristics are given to facilitate analysis of the network:

- Dumping charge assessed by the port or operating railroad for use of the pier. Conrail operated ports presently assess no dumping charges. B&O, C&O, and N&W piers are given actual dumping charges as quoted by the respective railroads. Since the "expansion port" at South Amboy (if it is built) probably will not be owned or operated by a railroad, it was given a dumping charge of 50 cents, which is higher than the 30-50 cents dumping charges at railroad ports.
- Water depth in feet obtained from the sources cited above for the water links. These
 duplicate the water link data. The lesser of the water depths at either end of the
 water link were put as data in the water link network record for programming convenience.
- 1980 practical capacity (much less than design capacity) and 1985 planned capacity are given as parameters for delay functions in the networks solution model. (Compiled by Transportation and Economic Research Associates, Inc. [1981, p. 72].) Values are given in 10⁵ ton/yr.

3.1.4 Powerplant Link Data Description

Links were created to connect each powerplant with a rail node that best represents its actual rail connection. This was done to characterize powerplants by unique nodes that are not part of the rail system. Water links may terminate directly at a powerplant node and so do not require a special link as do rail connections. The powerplant link is characterized by a zero distance and only one possible direction of flow from the railroad to the plant, as illustrated in Figure 3.1. This prevents the model software from interpreting a powerplant with both rail and water service as a transshipment point where coal may move from water to rail or vice-versa

through the plant. Both water links and powerplant links terminate at a plant; they never originate at a plant. Powerplant links are characterized by six fields, as follows:

Field	<u>Data</u>
1-2	System code (X5)
7-11	LIC ("PPLXX")
13-19	ANode (rail connection)
21-27	BNode (plant node)
32	Zero distance
36-37	State code

3.1.4.1 System Code/LIC

The system code convention sets the first digit equal to the major rail system (i.e., one to five) by which the plant is served, and the second digit equal to five. The LIC is always "PPLXX," where XX is a unique number for each plant. Since there are 31 plants with rail connections, there are only 31 such links in the model.

3.1.4.2 Nodes

Rail nodes were chosen as the most representative, nearest node on the actual rail link to serve the plant and located within the zone that the plant is in. Powerplant nodes are characterized by the letter "F" in the fourth digit of the node. The first three digits are the zone and the last three were chosen to match the rail nodes last three digits.

3.1.5 Supply and Demand Link Data

Every zone within the 15-state study region (see Fig. 3.3) is given a supply/demand node for coal and for noncoal commodities. (The present version of the model does not use the noncoal links because these traffic allocations were handled differently than originally planned.) These links are needed to allow access to the network of coal supply and demand totals specified at the transportation zone level. The model was permitted to select the physical loading points within each zone by providing one artificial node within each zone as the locus of the supply or the demand for coal. This artificial node was connected by supply/demand access links to each of the physical nodes (rail nodes with the fourth digits having the values of five, six or seven) in the zone, as illustrated in Figure 3.1. Six fields delineate these links:

Field	Data
1-2 7-11	System code
13-19	ANode
21-27	BNode
72-75	Link sequence number
77-80	Set equal to zero (no reverse flow allowed)

3.1.5.1 System Code/LIC

Noncoal links for supply and demand are given LICs of SNCOL and DNCOL, respectively. The system codes are respectively 33 and 34. Coal access links for supply and demand are given the LICs of SUPAC and DEMAC and system codes of 31 and 32, respectively.

3.1.5.2 Nodes

For noncoal demand access links the B Node is designated by the zone number (ZZZ) in the form ZZZDNCL. For coal demand access links the form of the node is ZZZD000. The A Node on demand access links is a physical railroad node giving direction from the railroad to the demand.

Supply and demands for coal or noncoal originate/terminate at the same respective nodes, so the designations ZZZDNCL and ZZZD000 also are used for supply. However, supply links have the supply node as the A Node (or origin) and a physical rail node as a B Node (or destination).

3.1.6 External Access Link Data

External access links were provided to bring traffic into and out of the Northeast region so that the model could be executed without making a detailed link-by-link analysis outside the region. They connect five external rail regions with each physical node on the border of the

15-state study region where there are external track links. An example is given in Figure 3.1. There are seven data fields in each link record:

Field	Data
1-2 7-11	System code (=6)
13-19	A Node
21-27	B Node
28-32	Distance
72-75	Link sequence number
77-80	Reverse link sequence number

3.1.6.1 System Code/LIC

One system code, 6, is given for external links. Five LIC classes are given for links from or to each of the five Railroad Rate Territories for which commodity flow statistics are assembled (see Fig. 3.4). The LICs for each territory are:

LIC*	Territory	
MTXXX	Mountain-Pacific	
WTXXX	Western trunk line	
SWXXX	Southwestern	
SOXXX	Southern	
OFXXX	Official	

^{*}XXX a sequential number making each link unique.



Fig. 3.4. Railroad Rate Territories. Modified from Federal Railroad Administration (1979).

3.1.6.2 Nodes

Each railroad territory is given a unique node to represent it in the network. They are of the form 999500X where X equals one through five for MT, WT, SW, SO, and OF, respectively. The links are bidirectional: incoming links have the territory node as the A Node and a physical rail node as the B Node; outgoing links are reversed. The link sequence number and its reversed pair indicate to the model's software which links must be added to obtain total traffic.

3.1.6.3 Distance

A distance for each link is given in tenths of a mile from a centroid in each territory.

3.2 THE DISAGGREGATION DATA BASE

In Section 2, the base coal supply/demand projections and alternative FUA scenarios were presented along with a discussion of a method for dividing regional and state totals for coal supply and demand into transportation zones as shown in Figure 3.3. The DRI regions for which coal supply and demand is reported and the transportation zones share county boundaries as a common regional denominator. A geocode converter file was used to establish the necessary geographic correlation. A description of this file is followed by descriptions and sources of county level data used to disaggregate regional aggregates to the county level for both supply and demand.

3.2.1 Geocode Converter File

All counties in the U.S. are given a unique five-digit Federal Information Processing Standard (FIPS) code. The first two digits are an alphabetic sequence code for the 50 states, Washington, D.C., Puerto Rico, and other U.S. territories. The latter three digits designate counties and independent cities in alphabetical sequence. A file, FIPSZONE by name, lists, for each FIPS Code in the region, the Transportation Zone number in which the county is located. The state by county correlation is imbedded in the FIPS code. Since only one supply district for coal is applicable from the DRI supply inputs no supply region correlation is necessary. Geocodes were taken from National Geocoding Converter File 1 (La Tores 1974). (State and county names, FIPS codes, and BOM districts are contained in the file COUNTY.DATA.)

3.2.2 Supply Data

Two files describe coal production and distribution in 1978: COUNTY.COAL78 and FLOWS.NE78. The data files in these files are explained in Section 4. The file, COUNTY.COAL78, has data from two sources:

- County level production of coal for years 1975 through 1978 (fields 1-6) was obtained from USDDE (1975-1978).
- Sulfur, heating value (Btu's) and demonstrated reserves (fields 7-9) were obtained from a study performed by The Surface Mining Research Library (1977).

The file FLOWS.NE78 contains information as to the quantity of coal from the BOM districts of Northern and Southern Appalachia that is destined for the Northeast. These data were obtained from the 1978 volume of USDOE (1975-1978).

Additional data for specifying the coal production forecasts to be disaggregated to transportation zone are needed and specified in a file called DRISUPP. This file contains the forecast case name, year and total applicable production. The data are from special runs of the DRI Coal Model (see Table 2.1).

3.2.3 Demand Data

Data specifying local shares of state-level projections differ in type and source between the 42 powerplants being studied for coal conversion (FUA coal) and all other demands for coal (non-FUA coal). Demand projections to be disaggregated were provided from the DRI Coal Model (see Tables 2.2 through 2.8).

3.2.3.1 Non-FUA Coal Demand

The data files used in this disaggregation (NONUTIL.SHARE and UTIL85.SHARE or UTIL95.SHARE) were developed by Transportation and Economic Research Associates, Inc. (1979) for the National Energy Transportation Study (NETS). These files indicate the proportion of projected state-level demand expected to occur in each county in the state. Non-utility demands at the county level are based on the U.S. Environmental Protection Agency's (USEPA) point source data file. This file contains information on every significant fuel-using installation in the country indicating the amounts of what types of fuel were used. This is part of USEPA's National Emissions Data

System. Coal usage by sources other than utilities in 1976 was used to create county proportions of a state total. No shifts in coal usage between counties were examined for the forecast years.

The relative shares of utility plant coal consumption by county within each state are based on information maintained by the Federal Energy Regulatory Commission (FERC). A data file, F12E-2, is kept up to date by FERC with data supplied by the electric utility industry. This file indicates present and expected plant locations, dates for commencement of service, types of fuel used, and generating capacity. This information was used to develop county shares of state-level coal-fired generating capacity for 1985 and 1990, which were used to estimate shares of projected statewide utility consumption of coal.

3.2.3.2 FUA Coal Demand

Argonne National Laboratory (ANL) had made estimates of coal requirements at each of the 42 powerplants under study. ANL also projected a schedule for conversions beginning with five plants in 1985 and to be completed with all 42 converted in 1991. The coal demands projected by ANL were used to establish shares for the FUA coal projected by DRI. Details on coal demand by four categories, utility other than FUA, FUA, nonutility and export, were provided by DRI.

3.3 COST FUNCTIONS

3.3.1 Rail Cost Functions

Rail line haul costs can be subdivided into two types: (1) delay cost, and (2) operating cost (in dollars). Delay cost is the product of the travel time and the value of time. To calculate its value one needs to know both of these factors. Delay can be encountered in both line haul and yard operations. FRA data on the location of relevant classification yards were not obtained and analyzed in time for inclusion in this phase of the analysis; thus, it was not possible to include yard delay in the current formulation of the model. Phase III of this project includes the location of the yards on the FRA network. Operating cost is the actual dollar value of cost incurred by the railroad.

3.3.1.1 Travel Time

The travel delay of freight shipments by rail is a very complex process. Unlike automobile traffic, where drivers have no idea of the desires or actions of other drivers, rail movements are composed of an interdependent set of actions by many different participants. That there is no universally accepted concept of how rail lines congest is not, therefore, very surprising. It is even possible that increasing usage of a rail facility may actually decrease the average travel time over certain flow regimes. This would be the case, for example, when trains are only dispatched when a minimum amount of freight is assembled. The greater the flow, the sooner the minimum freight level is met and the shorter the waiting delay. In addition, each shipment of freight requires a return shipment of empties. The travel delay functions used in this study are based on the arc time functions presented in Bronzini (1979). This model was chosen because it has already been applied to a national freight model in the NETS and because of its ease in implementation. It requires minimum data and presents an aggregate picture. Excessive data and time requirements posed by other models described in Appendix C made them impossible to use, even though the model given by Peterson (1974) is superior to the one given by Bronzini (1979).

The arc time function can be defined as a hyberbolic function over a certain range of arc flow (0-95% of capacity) and an increasing tangential straight line thereafter. The function form used is:

$$t(f_a) = t_0 + \frac{(t_1 - t_0)f_a}{F - f_a} l_a \qquad 0 \le f_a \le 0.95F$$
 (1)

and

$$t(f_a) = [c_a + S_a f_a] 1_a$$
 $0.95 \le f_a \le F$, (2)

where t_0 = travel time at traffic levels,

 $t_1 = travel time at 0.5F$,


 $t(f_a)$ = arc travel time in hours at traffic volume f_a ,

 $f_a = \text{volume of traffic in } 10^7 \text{ tons,}$

1 = length of the arc in miles,

- F = capacity, maximum flow volume in 10^7 tons,
- = constant, intercept of slope line of Equation 1 at f = 0.95F.
- = slope of function given in Equation 1 at $f_a = 0.95$.

Figure 3.5 illustrates the above terms clearly. The difference between this function and that of the Bronzini (1979) model lies in the range 0.95F to F. The Bronzini model uses constant arc travel time between these flows. For this study, it has been changed to a straight line increasing function given as in Equation 2.



Functional Form of Arc Travel Time Fig. 3.5. Function

Yard delay in this version of FNEM is modeled through a user-specified constant, either as zero--especially for unit trains--or as some nonzero average value computed as described in Appendix C. The return of empty cars is assumed to occur over the same arcs that were in the fore-haul.

The functions* have been formulated for various terrain conditions (hilly or flat), number of tracks (single, double, or triple), and power used for trains. Since, in the eastern region and in the vast majority of cases, the power used for trains is about 1.7 hp/trailing ton, this value has been assumed for this study. The use of flat and hilly terrain by Bronzini (1979) may be viewed as equivalent to free speeds of 41 and 32 mph, respectively. Therefore, the tracks were categorized by free speed as follows:

- Single track, free speed ≥ 35 mph (STHFS)
- Double track, free speed ≥ 35 mph (DTHFS)
- Triple track, free speed ≥ 35 mph (TTHFS)
- Single track, free speed < 35 mph (STLFS) Double track, free speed < 35 mph (DTLFS)

^{*}Bronzini (1979) presented the actual Rail Link Travel Time Function in the report Transportation Flow Analysis-National Energy Transportation Study, Volume III, Technical Supplement (Network Model Documentation), Final Report, January, 1980, pp. 32-34, for the eastern region.

These functions are presented in Table 3.2.

Table 3.2. Arc Travel Time Functions

Condition	Flow Volume $0 \le f_a \le 0.95F$	Flow Volume $0.95F \le f_a \le F$
STHS	$[0.0243 + \frac{0.06f_a}{6.6284 - f_a}] l_a$	[-2.1417 + 0.3621f _a] 1 _a
DTHFS	$[0.0243 + \frac{0.006f_a}{19.9603 - f_a}] 1_a$	[-2.1417 + 0.12104f _a] 1 _a
TTHFS	$[0.0243 + \frac{0.006f_a}{33.009 - f_a}] 1_a$	[-2.1417 + 0.07271f _a] 1 _a
STLFS	$[0.0309 + \frac{0.0113f_a}{5.9861 - f_a}] l_a$	[-4.0441 + 0.7551f _a] 1 _a
DTLFS	$[0.0309 + \frac{0.0113f_a}{17.935 - f_a}] 1_a$	[-4.0441 + 0.252f _a] 1 _a

3.3.1.2 Value of Time

In this study, different values of time in terms of dollars for carriers and shippers have been presented, as both have different perceptions of time.

3.3.1.3 Value of Time for Carriers

A carefully derived value of time for the carrier has not been reported in the literature. In absence of any such value, it has been modeled as the loss of revenue per hour of delay.

These factors have been calculated from the data reported by the Association of American Railroads (1980) for the year 1979.

To compute loss of revenue per hour of delay, revenue in dollars per train-hour of operation, for the eastern region is calculated as follows:

- Net ton-mile per train-hour (a statistic reflecting both the number of tons hauled and miles traveled during an average hour of a freight train operation); the eastern district equaled 24,573 ton-miles/train-hour in 1979.
- Average revenue per ton on Class I railroads in the eastern district equaled \$16.53/ton.
- Average haul in miles per ton on Class I railroads in the eastern district equaled 595 mi/ton.

Thus, the value of a train-hour in ton-dollars is equal to $(24,573 \times 16.53 \times 1/595) = 682.67511$ ton-\$/train-hour. This value must be converted to \$/hour-ton, dividing it by the number of cars per train and the average tons of freight per carload:

- \cdot The number of cars per average freight train for eastern district was 67.7 cars/freight train in 1979.
- · The average weight of a carload of freight for eastern district was 60 tons/car.

Thus, the value of loss of revenue per hour of delay is

Loss of revenue per hour of delay = $\frac{682.67511}{67.7 \times 60}$ = 0.1680638 \$/hr-ton.

3.3.1.4 Value of Time for Shippers

No value of time was assumed for shippers of coal in the present version of the model. The value of time for transportation of noncoal commodities was taken from Roberts and Dewees (1971). Their work is based on an inventory theory for evaluating the cost of time for freight. The cost of time components given by Roberts and Dewees for general freight are:

Travel time
$$(t_t) = 0.362$$
 \$/hour-ton Waiting time $(t_w) = 0.514$ \$/hour-ton.

Reebie Associates (1972) found that the average railcar actually moves trains for only 16% of its time. The remaining 84% is spent waiting in yards and at loading and unloading facilities. Thus, the value of time for noncoal commodities for shippers is $(0.16 \times 0.362 + 0.84 \times 0.514) = 0.48968$ %/hour-ton.

3.3.1.5 Operating Cost

The model chosen to calculate operating cost is the one used by the Interstate Commerce Commission (ICC). This model was chosen primarily because of its simplicity and extensive practical use by railroads. It does not consider track conditions other than length of haul. The cost basically is a function of haul length and flow volume. It has been derived by ICC over the years, based on regression analyses done separately for seven railroad regions. The ICC model includes both line haul and yard operating costs. For this study, line haul and yard operating costs were separated. The ICC model also differentiates on the basis of the commodity shipped and the type of car used. For the purpose of this study, this has been combined to two modes, one for coal and one, an aggregate model, for noncoal commodities. The latest version of the ICC model is based on 1977 costs.

The ICC model is limited in that it includes the use of the same variability ratios for all commodities and does not account for deferral of maintenance cost by the railroads. Variability ratios reflect average utilization of capacity. These have been chosen by the ICC as an aggregate number for all car loadings and commodities. They are in reality quite different. Since deferment of maintenance costs include the upgrading cost for track and way, they would be expected to influence operating costs. However, no account is made of this influence in the ICC methodology.

For transportation of coal an open hopper car is used that averages a capacity of 83.5 tons per car. The Rail Form-A cost function (detailed in Appendix D) yields the following for coal:

$$C_c = 3.191 + 1.5401641(1_a)$$
, (3)

where C_{c} = cost of transportation of coal by rail per ton, and

For noncoal commodities, the cost function is a weighted average of the cost functions for various commodities shipped in different types of cars. The weighting factor was determined by the number of cars of each type, and the average capacity of each type of car. The various types of cars taken into consideration are:

Box general equipped	(174,000 cars; 31.8 tons)
Box general plain	(321,500 cars; 31.8 tons)
Gondola general	(186,000 cars; 67.2 tons)
Livestock	(4,400 cars; 54.2 tons)
Flat general	(141,000 cars; 53.3 tons)
Refrigeration	(101,000 cars; 35.0 tons)
Tank 28K	(171.000 cars: 62.5 tons)

These have been obtained from Armstrong (1979, Chapter 9) and the Interstate Commerce Commission (1975).

The cost function for noncoal commodities thus derived is

$$C_{nc} = 18.561 + 2.363624(1_a)$$
,

where c_{nc} = cost of transportation of noncoal commodities by rail in cents per ton, and

1 = length of haul in miles on arc "c".

The detailed derivation of this cost function is given in Appendix D.

3.3.2 Transshipment Cost Function

The transshipment cost function has been used to find the cost of transshipment of commodities between rail and water modes. Transshipment between rail and water consists of both dumping costs and delay costs.

3.3.2.1 Dumping Cost

The nominal cost of transshipment is a fixed dumping charge per ton for use of a facility. Since there are finite transshipment facilities, this has been modeled as

$$C_{+} = A \frac{c - 0.99f}{c - f}$$
 $0 \le f \le 0.99c$ (5)

and

$$c_{+} = a + bf$$
 $0.99c \le f$, (6)

where c₊ = dumping cost of transshipment in cents per ton,

a = fixed dumping cost in cents per ton,

c = capacity of the transshipment node,

f = flow at the transshipment node,

a = intercept of slope of Equation 5 at f = 0.99c, and

b = slope of Equation 5 for <math>f = 0.99c.

It is assumed that dumping cost is independent of flow, but the flow must never exceed the capacity of the mode. To keep the flow below capacity, c, the cost, \mathbb{C}_T , is made extremely high for flows greater than 0.99c. Equations 5 and 6 are represented in figure 3.6. This approach has been used to obviate the need for adding a constraining equation to the model to represent capacity explicitly. Rather, at flows of coal less than 0.99% of capacity, the value of \mathbb{C}_T in Equation 5 is very close to the dumping charge, A. The cost is not permitted to go to infinity at flows greater than 0.99c. Rather, a second steeply sloped linear function is used to compute cost. The slope, b, of Equation 6, for purposes of continuity is set equal to the slope (i.e., first derivative) of Equation 5 at 0.99c. Therefore "b" is equal to 10A/C. The intercept, a, equals -8.8A. The values for A and c are provided in the network data base for each transshipment link. The value for f is computed in the network solution. Any transshipment node that exceeds its theoretical capacity is noted in the solution.

3.3.2.2 Delay Cost

At any transshipment node as the traffic approaches capacity, congestion increases. With increases in congestion, the time needed for transshipment also rises rapidly, which implies that transshipment time is a function of flow. An approximate delay cost function for transshipment was developed and is given in Equations 7 and 8 below:

$$C_{TT} = A_T(\frac{c - 0.5f}{c - f})$$
 $0 \le f \le 0.95c$ (7)

and

$$C_{TT} = a_1 + b_1 f$$
 $0.95c \le f$, (8)

where $C_{\mbox{\scriptsize TT}}$ = delay cost of transshipment in cents per ton,

 A_{T} = fixed cost in cents per unit time of delay.

c = capacity of the transshipment node,

f = flow at the transshipment node.

 a_1 = intercept of slope of Equation 7 at f = 0.95c, and

 b_1 = slope of Equation 7 for f = 0.95c.

The above function has been based on the assumption that as flow increases the delay increases rapidly as capacity is approached. The slope of delay cost function is depicted in Figure 3.7. In a manner similar to dumping cost, the values of a, and b, were computed to be -9.55A $_{\rm T}$ and 200A $_{\rm T}/c$, respectively.




Fig. 3.6. Shape of the Transshipment Dumping Cost Function




Fig. 3.7. Shape of the Transshipment Delay Cost Function

For a value of f approximately zero, which defines a free flow condition, there is some delay which is characteristic of the transshipment node. The parameter "0.5" in Equation 7 is an arbitrary value to represent the assumption that even for low traffic volumes delays will occur. The primary time spent in port (the time for loading) is computed as delay time on the water link. For f approaching capacity flow, the delay increases rapidly along the linear path described in Equation 8.

3.3.3 Water Delay Functions

Water links are characterized by three types of vessels. These vessels exhibit differing operating characteristics and load sizes. Delay functions are computed on the basis of speed, distance, size and coal dumping rate at the origin port. The time to unload the vessel is not counted for water as it is not counted for rail. Data for distance and coal dumping rate are given in the network data base for each water link. Also given in the network data base is a figure for maximum allowable draft based on the lesser of the water depths at either the origin or the destination of the link. This is used to compute vessel size for ocean tug-barge systems.

Integrated tug-barges/colliers and intracoastal waterway barge-towboat systems are assumed to be of a specific expected size-24,000 and 75,000 deadweight (long) tons, respectively. They are assumed to have open water speeds of 17 and 10 knots, respectively. The delay formulas for these two vessel types are as below:

For intracoastal waterway:

$$T = M/10 + 8250/D$$
.

For ITB/Collier:

$$T = M/17 + 26400/D$$
.

where T = trip time-one way (hours),

M = distance (nautical miles), and

D = dumping rate of loading ports (short ton/hr).

Ocean tug-barge systems were not restricted to only certain allowed routes. Therefore, they must be allowed to vary in size to fit the circumstance of each port pair they are to serve. A formula was developed from statistics published in various waterborne trade periodicals to relate barge size to draft limitations. No such formula can be exact since much flexibility exists in the design of barges to meet various restrictions in dimension. However, given the representative nature of the statistics obtained, the following formula was estimated:

$$C = 1151 \cdot F - 9221$$
, (10)

where C = capacity of load in long tons, and F = draft of vessel in feet.

By substituting Equation 10 for load capacity in an equation similar to those given above at an open water speed of 10 knots, the formula for trip time for ocean tug-barges may be obtained:

$$T = M/10 + (1151 \cdot F - 9221)/1.10$$
.

where T, M, D, and F are as given above.

3.4 TRANSPORTATION RATE FUNCTIONS

Equations based on distance were developed for rail train-load rates and for each of the three water vessel systems.

3.4.1 Rail Rates

Railroad rates for coal in trainloads or unit trains from each zone originating coal to each destination for coal were computed based on the following formula:

$$R = 2.62 + 0.02M$$

where R = rate in dollars per ton, andM = route mileage. This formula was obtained from the U.S. Department of Energy, Energy Information Administration, Office of Mid-range Analysis. It is used to compute railroad rates for USDOE's Mid-range Energy Forecasting System Model and was developed from actual rate and distance data by Data Resources, Inc., in 1977. The 1977 formula was increased by 51.3% to reflect rate increases on coal from mid 1977 (ExParte 343) to September, 1980 (ExParte 375).

3.4.2 Water Rates

Distance based formulas for water transportation rates were developed from analyses of the costs of operating different vessel types. Operating costs are very similar for ocean tug-barge and for intracoastal waterway barge-towboat systems. ITB/collier costs were computed from separate data and assumptions. These are outlined separately below.

3.4.2.1 Ocean Tug-barge

In estimating the cost of operating an ocean going tug-barge vessel of a size determined by the network parameters (e.g., channel depth), the cost of operating the vessel is divided into three interrelated components: barge costs, tug hire rates, and fuel costs. The tug hire rate includes all capital, insurance, and crew costs associated with the tugboat plus any corporate overhead and profit. Even if a utility were to own or lease its tugs, its costs would be similar. A survey of eleven major East Coast tug operations was made to determine the tug size and daily hire rates. These were normalized to cost per horsepower per day and plotted (Fig. 3.8). An indicative line was drawn through the plot which corresponds to the formula

$$R = 194.96 - 0.0158H$$

where R = hire rate in dollars per horsepower per 24-hour day, and H = tugboat horsepower.

The size of the tug to be used on any particular link is related to the size barge in deadweight (long) tons (DWT), which is determined by Equation 10. A value of 0.275 is assumed to characterize the ratio of required tug horsepower to barge size in DWT. Daily tug costs are divided by 24 to compute hourly costs.




Fig. 3.8. Daily (24-hr) Hire Rate for Tugboat Service. From Transportation and Economic Research Associates, Inc., Survey of Selected East Coast Tug Operators.

Barge costs, on the other hand, are computed with the implicit assumption that the utility would own or lease the barge. In this case no allowance for the costs of corporate oversight or profit is considered. The size of the barge is determined from Equation 10. Based on costs of vessels reported in various water transport trade periodicals and on unpublished U.S. Maritime Administration statistics, the initial cost of the barge is estimated by the following formula:

$$C = 1,000,000 + 450S$$

where C = cost in dollars, and

S = vessel size in deadweight tons.

The total dollar value of the barge is amortized in equal payments over 20 years when lease financed, at 11% interest rate, in equal annual payments of 12.558% of the principal. Annual costs for insurance and maintenance are also stated as factors of the initial cost of the barge. Maintenance cost is assumed to equal 5% (i.e., 1/20) of the cost of the barge, based on full "replacement" over the 20-year life of the barge. Insurance costs are assumed to be 1.5% of the cost of the vessel per year. These together constitute the annual costs of the barge. Annual cost is divided by 8760 to compute hourly costs.

Finally, the cost of fuel must be computed based on the horsepower. Typically some reserve horsepower is made available when matching a towboat to a barge. Consequently, operators try to maintain a maximum speed of 10 knots for safety in ocean tug-barge operations by operating at less than full throttle. Reasoning on the basis that the full horsepower requirement for control of the vessel is related to mass (i.e., total weight) of the vessel while the horsepower requirements to maintain reasonable speed are related, due to friction resistance, to the surface area of the vessel, fuel is computed as a fraction of total horsepower equal to the ratio of surface area to total volume of the vessel. In general the surface area of a solid is related to its volume to the two-thirds power. At \$1.00 per gallon for marine diesel fuel, 0.06 gallons per horsepower per hour (assumes 30% efficiency and 140,000 Btu's per gallon), and a minimum full power requirement for tugboats of 630 horsepower (lowest expected in the trade), the cost per hour of running the vessel at sea is given by the following formula:

$$C = 0.06 \left(\frac{H^2/3}{630}\right) 630$$
,

where C = cost in dollars per hour, and H = horsepower.

The use of fuel for auxiliary power (on-board electricity) constitutes, on the average, 5% of the vessel's full power fuel requirements. Auxiliary fuel is used both in port and at sea, while vessel fuel is used only while underway. Tugboat hire costs and capital costs are incurred continually.

The transportation cost per ton is computed as the total trip cost divided by the number of tons delivered. The trip cost is divided into two portions, the cost while underway and the cost while in port-the difference being the amount of time spent underway versus in port and the additional cost of fuel while underway. For the sake of simplicity, a vessel loading and unloading rate of 750 tons per hour was assumed to compute time in port.

When taken together, the equations and data given above reduce to the following sequential system of equations for computing cost per ton given the allowable draft of the vessel:

$$\begin{split} T &= \ 1151.5 \ D - 9221 \\ H &= \ 0.275T \\ C &= \left[\left(\frac{2M}{10} + \frac{T}{750} \right) \ \left((1,000,000 + 450T) \right) \left(\frac{0.12558 + 065}{8760} \right) \right. \\ &+ \ 0.05 \ (H) \ 0.06 + H \ (194.96 - 0.0158 \ H) \\ &+ \ \frac{2M}{10} \left(0.06 \ \left(\frac{H}{630} \right) \ 630 \right) \right] / 1.1T \ , \end{split}$$

where M = distance between ports in nautical miles,

T = deadweight tonnage = vessel size = load in long tons,

D = vessel draft in feet,

H = tug-boat horsepower, and

C = cost of transportation in dollars per short ton.

Substituting different allowable vessel drafts into the system of equations yields linear cost functions as shown in Figure 3.9 when only distance is varied. As shown in the figure, the maximum-sized vessel exhibits expected economies of scale only at and beyond some threshold distance, with the exception that at vessel drafts greater than 20 feet the threshold distance decreases rather than increases as it does for drafts between 10 and 20 feet. Therefore, for computational simplicity, a curve was used to choose the best cost (i.e., vessel size for the distance traveled) for allowable drafts up to 20 feet. Since no link has an allowable draft greater than 35 feet, three linear equations for vessels of 30, 33, and 35 feet were used to approximate trip costs at distances greater than their respective threshold distances. The water transport rate decision algorithm with cost equations for ocean tug-barge is given in Figure 3.10. As the flow chart in the figure indicates, at draft limits less than 20 feet, or at distances less than the threshold distances of 275,255 or 250 miles, as appropriate to their respective draft limits, the optimal barge/tugboat size is characterized by equation (1) in the figure. If the allowable draft (i.e., the depth of the port) is greater than 20 feet, then tests are made to determine if it is greater than 30 or 33 feet. For drafts between 20 and 30 feet the distance on the link must be greater than 275 nautical miles to use Equation 2; otherwise Equation 1 is used. The remainder of the diagram is interpreted in a similar fashion.

3.4.2.2 Intracoastal Waterway Barge-Towboat

Cost calculations for intracoastal waterway barge-towboat systems are similar to ocean tug-barge systems but made very much simpler by the assumption that barge and load size are fixed rather than variable. Therefore, the final form of the cost function is a single linear equation in distance. The equation is:

C = 0.781 + 0079M,

where C = transportation cost in dollars per short ton, and M = distance in nautical miles.




Fig. 3.9. Ocean Tug-Barge Rate Functions by Allowable Vessel Draft




Fig. 3.10. Ocean Tug Barge Rate Algorithm

Behind this equation are the methods used for ocean tug/barge costs and the following assumptions:

```
Draft
                               = 10 feet
Vessel
                               = 7500 deadweight tons
Load
                               = 8250 short tons
Barge cost
                               = $2,230,000
Tug
                               = 1700 hp
Tug hire rate per day
                               = $1.70/hp
                               = 0.06/hp
Fuel cost underway per day
Auxiliary fuel cost per hour = 5% of fuel cost underway
Capital recovery
                               = 12.558% per year on barge value
= 1.5% of barge value
Insurance
Maintenance
                               = 5% of barge value
Load/unload time, total
                             = 30 hours
Vessel speed
                               = 10 knots
```

3.4.2.3 Integrated Tug-Barge

Cost for an integrated tug-barge may be used to approximate costs on a self-propelled collier. A self-unloading vessel is examined in this case. Self-unloaders are capable of being unloaded much faster than shoreside unloading. They do not require as much shoreside space, which is in many cases in short supply and they are more flexible.

Although the basic approach to cost estimating is the same as for other vessel types, crew costs must be dealt with explicitly. These were taken from a 1978 Maritime Administration study as compiled for a 25000 deadweight ton tanker (U.S. Department of Commerce 1978, p. 7). Daily crew costs for a crew of 25 plus other operating expenses, (subsistence; stores, supplies and equipment; maintenance and repair; insurance; and other) was escalated to 1980 to derive an estimate of \$7500 per 24-hour period.

The vessel is assumed to have an initial cost of 46.3 million dollars based on a review of various vessels financed through U.S. Maritime Administration programs. Assuming leased financing at 11% annual payback is 12.558% of the principal amount per year, which equals \$15,930 per day.

Fuel is required for propulsion, electrical power aboard ship and for operating the self-unloading equipment. The vessels 10,000 horsepower main engines would consume fuel at the rate of 0.37 per horsepower per hour. To maintain the 15-knot speeds that characterize these vessels, they operate at full throttle at sea. Given a price per gallon of one dollar and a weight of 7.2 pounds, the hourly cost of fuel for propulsion would be \$511. Auxiliary fuel is about 5% and fuel for self-unloading about 33% of propulsion fuel, which results in hourly auxiliary and self-unloading fuel cost of \$26 and \$170, respectively.

These costs are allocated over a trip cycle determined by distance, an assumed loading and unloading rate of 2500 tons per hour and a speed of 15 knots. The final form of the cost equation in only the distance variable is:

C = 0.906 + 0.0074M.

where C = transportation cost in dollars per short ton, and M = distance in nautical miles.

REFERENCES

- Armstrong, J.H. 1979. The Railroad What It Is, What It Does; Introduction to Railroading. Simmons-Boardman Publishing Corp., Omaha, Neb.
- Association of American Railorads. 1980. Yearbook of Railroad Facts. Washington, D.C.
- Bronzini, M.S. 1979. Freight Transportation Energy Use, Vol. III--Freight Network and Operations Data Base. Prepared by CACI, Inc.--Federal for U.S. Department of Transportation.
- Federal Railroad Administration. 1979. 1978 Carload Waybill Statistics. U.S. Department of Transportation, Washington, D.C.
- Interstate Commerce Commission. 1975. Rail Carload Cost Scales. Statement No. 1C1-73. Bureau of Accounts, Washington, D.C.
- La Tores, S. (ed). 1974. National Geocoding Converter File, Vols. II and III, U.S. Department of Transportation, Transportation Systems Center, Cambridge, Mass.
- Nielsen, G.F. (ed.) 1980. Keystone Coal Industry Manual. McGraw-Hill, Inc., New York.
- Peterson, E.R. 1974. Over-the-road time for a single track railway. Trans. Sci. 8:65-74.
- Reebie Associates. 1972. Toward an Effective Demurrage System. Prepared for the U.S. Department of Tranportation, Federal Railroad Administration.
- Roberts, P.O., and D.H. Dewees. 1971. Economic Analysis for Transport Choice. A Charles River Associates Research Report. Lexington Books.
- The Surface Mining Research Library. 1977. Reproduced in the Congressional Research Service, National Energy Transportation, Vol. 1, prepared for the Committee on Commerce Science and Transportation, United States Senate, Publication 95-15, pp. 531-587. Charleston, W. Va.
- Transportation and Economic Research Associates, Inc. 1979. Disaggregating Regional Energy Supply/Demand and Flow Data to 173 BEAs in Support of the National Energy Transportation Study. Prepared for the U.S. Department of Energy by TERA, Inc., Falls Church, Va.
- Transportation and Economic Research Associates, Inc. 1981. Transportation Impact Statement:

 Mandatory Coal Conversion for Northeast Utilities (final report). Prepared for Argonne
 National Laboratory, Argonne, Ill. by TERA, Inc., Falls Church, Va.

- U.S. Army Corps of Engineers. 1978. Waterborne Commerce of the United States. Calendar Year 1978, Port 1, Waterways and Harbors, Atlantic Coast. District Engineer, New Orleans, La.
- U.S. Department of Commerce. 1978. Distances Between United States Ports. National Ocean Survey, Sixth Edition, National Oceanic and Atmospheric Administration, Washington, D.C.
- U.S. Department of Energy. 1975-1978. Energy Data Reports, Coal--Bituminous and Lignite, Annual. Washington, D.C.

4. SOFTWARE LOGIC

4.1 FREIGHT NETWORK EQUILIBRIUM MODEL

As indicated in Section 2, the Freight Network Equilibrium Model (FNEM) uses an iterative solution technique known as the Frank-Wolfe Algorithm. An overview of this algorithm as it was applied in this study is presented in this section.

Detailed information on the FNEM for the systems professional is to be issued as a part of a user's manual.

The FNEM was utilized for the FUA impact analysis; that version of the model can be run in one of two operating modes: preloading or coal-loading. FNEM is designed to treat up to 15 commodities in both the preloading and main (coal) loading phases, if appropriate input data are supplied. For the FUA impact analysis the preloading mode, a single commodity (non-coal freight), is loaded onto the network. In the coal-loading mode, which uses the results of the preloading phase as the initial network loading, six different types of coal are dealt with simultaneously. Since the program logic for both modes of operation is essentially the same, most of the subroutines are used in both modes of operation. The only differences in program logic appear in the separate main program and in an additional pair of control subroutines (SPRLOD, PRELOD) for the preloading phase. A listing of all the subroutines, with a brief description of what they do is given in Table 4.1. The interrelationships of primary subroutines for the preloading phase is given in Figure 4.1, and for the coal-loading phase in Figure 4.2. The numbers beside the arrows indicate the order in which the subroutines are called. Since the algorithm is an iterative one, some subroutines (or sets of subroutines) will be used repeatedly until some preset stopping criterion has been reached. As can be seen in Figures 4.1 and 4.2, the two cost routines (SCOST and CCOST) need to be called repeatedly as part of the line search routine (BSRCH). In addition, the set of subroutines that comprise the iterative portion of the algorithm (OKA, BSRCH, SCOST, LPATH, SHPATH, UPDATE) need to be used in each iteration.

The FNEM programs detailed in Figures 4.1 and 4.2 were run on a small test network to illustrate their use. This test network is explained in Section 5.

4.2 DISAGGREGATION MODEL

4.2.1 Coal Production

The data flow associated with the coal production disagrregation methodoloogy is shown in Figure 4.3. The three basic data sets used as inputs to the model are COUNTY.COAL78, FNEM.DATA (NE78FLOW), and FNEM.DATA(DRISUPP).

COUNTY.COAL78 contains the basic historical information about coal production in the Northern and Southern Appalachian regions. Each record of this data set consists of the following elements.

- · County FIPS code
- Bureau of Mines coal production region code
- 1978 production level (10³ ton)
- 1977 production level
- · 1976 production level
- · 1975 production level
- · Average sulfur content (%)
- · Btu/1b
- · Reserves (106 ton)

These data have been entered and stored in free format on COUNTY.COAL78. FNEM.DATA(NE78FLOW) is a short data set used to estimate the percentage of each county's production which is destined for the Northeast in the forecast scenarios. Each record has three fields:

- · Bureau of the Mines Production Region Number
- · Total BOM region production (1978)
- · BOM production destined for Northeast states (1978)


Table 4.1. FNEM Subroutines

Subroutine	Function(s)
FNEMP	- Main program for preloading phase.
	- Dimensions all arrays.
	- Reads in input data.
	- Echo prints all input data.
	- Calls subroutine SHPER to initiate use of the shipper model.
	- Converts shipper model output to appropriate format for use by carrier model.
	- Calls subroutine CARER for each carrier to initiate use of the carrier model.
	- Prints final solution file.
FNEMC	- Main program for coal-loading phase.
	-Same functions as FNEMP -
SHPER	- Controls the operation of the shipper model by properly sequencing the use of the shipper subroutines for either mode of operation.
SPRLOD	 Controls the operation of the preloading of the shipper model by setting and checking variables unique to the preloading problem.
SGTFEA	 Finds an initial feasible solution for the shipper problem based on zero (or preloaded) flows.
SFWLF	 Finds successively better solutions to the shipper problem at each iteration by calling subroutines that perform the linear programming (OKA, LPATH) and line search (BSRCH) phases of the Frank-Wolfe algorithm.
	- Determines the stopping criterion.
	- Calls the subroutine to decompose path flows.
	- Prints iteration log, link loadings, arc costs, demand variables, carrier demands, and path flows.
ICLEAR	- Clears an Integer * 2 array.
KLEAR	- Clears an Integer * 4 array.
COPY 1	- Copies a one-dimensional array to one with another name.
CARER	 Controls the operation of the carrier model by properly sequencing the use of th carrier subroutines for either mode of operation.
PRELOD	 Controls the operation of the preloading phase of the carrier model by setting and checking variables unique to the preloading problem.
GTFEAS	 Finds an initial feasible solution for the carrier problem based on zero (or preloaded) flows.
CFWLF	 Finds successively better solutions to the carrier problem at each iteration by calling subroutines that perform the linear programming (LPATH) and line search (BSRCH) phases of the Frank-Wolfe algorithm.
	- Determines the stopping criterion.
	- Prints carrier identity, iteration log, link loadings, arc costs, and path flows
UPDATE	-Updates the listing and flow values for all paths generated in SFWLF.

Table 4.1 (concluded)


Subroutine	Function(s)
DECOMP	 Decomposes the final set of paths generated in SFWLF to determine the number and identity of the origin-destination pairs for each carrier.
	- Determines the demand on each of these origin-destination pairs.
LPATH	- Regulates the shortest path subroutine (SHPATH) by screening the input for errors and defining the appropriate output arrays.
SHPATH	- Finds the shortest path from the root node to all other nodes.
DOT	- Finds the inner product of two vectors.
DOT1	- Finds the inner product of a vector with itself.
OKA*	 Solves a Hitchcock problem as part of the linear programming phase of SFWLF by use of an out-of-kilter algorithm.
OKAMAT	 Sets up the necessary parameters to run the out-of-kilter algorithm (OKA) for either mode of operation.
BSRCH	- Performs the line search phase of SFWLF and CFWLF by the use of a binary search method.
CCOST	- Calculates the cost of travel to the carrier for each arc as a function of flow and arc attributes.
SCOST	- Calculates the cost of travel to the shipper for each arc as a function of flow and arc attributes.
UPDATC	- Updates the listing and flow values for all paths generated in CFWLF.
ICOPY1	- Copies an integer * 2 array into another integer * 2 array.

^{*}Includes subroutines KILTER, LABEL, BREAKT, RAISE, CUTOFF.



NOTE: Subroutines contained within dashed lines are repeatedly called.

Fig. 4.1. Primary Subroutines in the Preloading Phase



NOTE: Subroutines contained within dashed lines are repeatedly called.

Fig. 4.2. Primary Subroutines in the Coal-Loading Phase




Fig. 4.3. Coal Production Disaggregation Data Flow and Software Logic

FNEM.DATA(DRISUPP) contains supply data for each of the seven basic scenarios (see Sec. 2, Table 2.1). For a given line, the elements recorded are:

- · Case name
- · Year
- · Coal supply (106 ton) in six sulfur classes

FNEMLIB.CLIST(SUPPLY) is a WYLBUR macro language program which is used to get user inputs and set up and run the supply disaggregation program FNEMLIB.CNTL(SUPPLY). User inputs requested include the case (Base, NSPS, or 0il SIP), year (1978, 1985, or 1991), the maximum allowable annual production rate increase, and the minimum allowable reserves to production ratio. With these inputs, FNEMLIB.CLIST(SUPPLY) sets up the JCL in the FNEMLIB.CNTL(SUPPLY) program and runs it from WYLBUR.

FNEMLIB.CNTL(SUPPLY) consists of three separate job steps that set up input in standard form, run a linear program to perform disaggregation, and reformat output to render it suitable for further processing. The core program of this series is MINOS (Murtaugh and Saunders 1977), developed at Stanford University to perform nonlinear and linear optimization (only the linear option is used for disaggregation). MINOS input and output formats are essentially the same as those of IBM's MPSX system (IBM 1972); only minor modifications are required to assure compatibility.

The first step of FNEMLIB.CNTL(SUPPLY) sets up input in standard format for use by MINOS. Three input files, COUNTY.COAL78, FNEM.DATA(NE78FLOW), and FNEM.DATA(DRISUPP), are processed to define the constraint matrix (see Sec. 2.2.1). The constraint matrix is specified in standard MPS format and written on a (temporary) single output file (corresponding to the MINOS "MPS" file or the MPSX "CONVERT DATA" file).

The second job step reads two input files. FNEM.DATA(SPECS) (corresponding to the MINOS "SPECS" file) to set control parameter values, and the MPS file written in the prior job step. The files are processed by the MINOS program, which resides in a file MINOSAUG.LOAD. Output is written on a temporary work file in standard (MPSX "SOLUTION") print format.

The last job step of FNEMLIB.CNTL(SUPPLY) retrieves the disaggregated county coal production by sulfur type values contained in the MINOS "SOLUTION" file and reaggregates to the transportation zone level. This is accomplished with the aid of the FIPSZONE* data base. Each record of FIPSZONE contains at least two elements: a FIPS county code and an associated transportation zone code. In most instances, a county is contained totally within a single transportation zone. In some cases (Massachusetts, Rhode Island, and New Hampshire) secondary transportation zones are added when necessary. The results of the final job step are stored in the data set Caseyear(ZONESUPP), where Caseyear represents BASE78, or OIL85, or NSP91, etc. Each record contains seven fields:

- · Coal supply zone node code (e.g., 073D00 for zone 73)
- · Coal supply (short tens) by six sulfur categories

This is the final step in the disaggregation process. One additional list processing is required to convert the supply node names such as 0730000 into proper form for the FNEM program: This is accomplished using the SHIPPER.NETWORK2 and SHIPPER.ARCSPECS data sets. The first of these two data sets contains the supply node names for each supply access arc, while the second data set contains corresponding line data, but using the FNEM node codes. The FNEMLIB.CLIST(SUPDEM) macro and the FNEMLIB.CNIL(SUPDEM) program perform this code conversion. Thus the Caseyear-(ZONESUPP) and Caseyear (COALPROD) data sets are identical except for the first entry on each record, which symbolizes the zone represented.

4.2.2 Non-FUA Coal Demand

Figure 4.4 is a diagram of the software/data flow for the non-FUA coal demand disaggregation routine. After the initial step this is quite similar to the coal production disaggregation routine.

Three data sets are used to compute county level demand by sulfur category. NONUTIL.SHARE contains a state by state list of county shares of 1975 state level nonutility coal demand. Each record of this data set contains two pieces of data:

- · County FIPS code
- · County fractional share of associated state nonutility demand

UTIL85.SHARE and UTIL91.SHARE are analogs of NONUTIL.SHARE for the utility sector. Rather than appointing historical state demand to each county in that state, however, projected coal-fired utility generating capacitity is used. Thus, each record in these data sets contains:

- · County FIPS code
- · County fractional share of 1985 (1991) coal-fired generating capacity

Caseyear(DRIDEMD), which represents BASE78(DRIDEMD) and its six cousins (the other six cases), contains the DRI demand assumptions for each state (see Sec. 2, Tables 2.2 throught 2.8). Each record of these data sets contains:

- · State code (first two digits in the FIPS code)**
- \cdot Coal demand (10^6 ton) in six sulfur categories
- FUA demand (10⁶ ton)
- · Non-FUA utility demand, percent of total non-FUA demand.

^{*}The FIPSZONE file, as currently constituted, contains transportation zone codes only for Northern Appalachia and immediately contiguous areas. In particular, it does not include zone codes for Southern Appalachia; consequently, although production figures for the Southern Appalachia BOM districts are contained in the COUNTY.COAL78 file, and although the Southern Appalachia production is disaggregated in the previous step of this process, Southern Appalachian disaggregation information is not at present passed on to the later stages of processing.

^{**}There is one special case: the three New England states of Maine, New Hampshire, and Vermont are aggregated and given the code 99.




Fig. 4.4. Non-FUA Coal Demand Data Flow and Software Logic

Caseyear(FUAPLANT) is the coal tonnage by sulfur type assigned to each FUA plant, as illustrated in Table 2.10. Each record of these data sets contains:

- · FUA plant zone node code (e.g., 038F011 for Bridgeport Harbor)
- · State code (first two digits in the FIPS code)
- · Coal demand (in tons) for each of the six sulfur types

FNEMLIB.CLIST(DEMAND) is a WYLBUR macro language program which prompts the user for a case and year, sets up the JCL in the FNEMLIB.CNTL(DEMAND) program for that case and runs it.

FNEMLIB.CNTL(DEMAND) first computes the total non-FUA coal in each DRI demand region by subtracting the state totals of Caseyear(FUAPLANT) from Caseyear(DRIDEMD). NONUTIL.SHARE and UTILBS.SHARE or UTIL91.SHARE are then used to apportion the non-FUA demand projections to the county level. The resulting forecasts are contained in Caseyear(DEMAND) for each of the seven scenarios.

Just as in the production disaggregation routine, these county level forecasts are aggregated to the transportation zone level using FIPSZONE data and the FNEMLIB.CLIST(ZONEDEMD) and FNEMLIB.CNTL (ZONEDEMD) programs. The resulting data sets are called Caseyear(ZONEDEMD).

The final step in this process is to convert the demand node names (for example, in the form 078D000 for zone 78) into the corresponding FNEM codes. After this is complete, the coal demand data is contained in the data sets Caseyear(COALDEM).

4.2.3 FUA Coal Demand

The only change needed in Caseyear(FUAPLANT) is to replace the powerplant zone node code with the corresponding FNEM node code. As before, this is accomplished by use of FNEMLIB.CLIST(SUPDEM) and FNEMLIB.CNTL(SUPDEM) (see Fig. 4.5). The final data sets used by FNEM are called Caseyear-(FUADEM).




Fig. 4.5. FUA Coal Demand Flow and Software Logic

REFERENCES

- IBM. 1972. Mathematical Programming System Extended (MPSX), and Generalized Upper Bounding (GUB), Document No. SH20-0968-1, pp. 199-209. See also Mathematical Programming System/360 Version 2, Linear and Separable Programming - User's Manual, Document No. H20-0476-2, pp. 141-151.
- Murtaugh, B.A., and M.A. Saunders. 1977. MINOS User's Guide. Tech. Rep. 77-9. Systems Optimization Laboratory, Dept. of Operations Research, Stanford University, Stanford, Calif.

5. TEST PROBLEM AND MODEL VALIDATION

5.1 TEST PROBLEM

The algorithm and software comprising the Freight Network Equilibrium Model (FNEM) may be better understood through application to a hypothetical test problem. In the test network chosen (shown in Fig. 5.1), there are 34 arcs, 15 nodes, and 20 0-D pairs. Nodes 8 and 9 are transshipment points for carriers 1 and 2 and modes A and B. The numbers in circles show the arc numbers in the above network. The 0-D pairs are shown in Table 5.1.

For the test network, a maximum of 25 iterations were allowed with line search tolerance = 0.01 and Frank-Wolfe Tolerance = 2,000,000 tons.

For the preloading phase of non-coal commodities, the following data are assumed:

Zonal Production/Demand Amounts--Tons of Noncoal

Origin-Destination (0-D)	Amount				
1	47,500,000 (production site)				
2	40,000,000 (production site)				
3	30,000,000 (production site)				
4	75,000,000 (demand site)				
5	42,500,000 (demand site)				

The production sites for non-coal commodities are at nodes 1, 2 and 3 and demand sites are at nodes 14, 15. The demand variables as calculated by the shipper submodel for non-coal commodities are given in Table 5.2.

To input this data requires the use of 6 data files:

- · Basic data
- · 0-D pairs
- · Point array
- · Supply amounts
- · Demand amount
- · Arc specifications

The point array and the arc specification files are the same for either preloading or coalloading. The basic data file is also the same for both, except for the entry that signals the model as to whether it is preloading or coal-loading. The supply and demand amounts are different for each mode of operation. The format of each file is given in Table 5.3. The definition of entries is given in Table 5.4. The results are given in Tables 5.5 through 5.11. The activity log for the shippers' model, which should only be interpreted as interim results for any run of the model, is given in Table 5.5. The decomposition subroutine, which is the bridge between the shipper and carrier submodels, uses the demands given in Table 5.2 to produce the carrier-specific demands given in Table 5.6. These demands were then used as inputs to the carrier model. The carrier activity log, which is a synthesis of the results, for each carrier and which represents the final solution of the preloading case, is given in Table 5.7. Figure 5.2 is a map of the network indicating this final preload flow pattern. In all cases arcs not listed carry zero flow.

Using the flows given in Table 5.7 as "preloading," the multiple commodity coal case was run. The input amounts are given in Tables 5.8 and 5.9.




Fig. 5.1. Test Network

Table 5.1. O-D Pairs in the Test Problem

O-D Pair	Origin	Destination
1	1	2 3
	1	
2 3	1	14
4	1	15
4 5 6 7	2	1 3
6	2	
7	2	14
8	2	15
9	2 2 2 2 3 3 3 3	1
10	3	2
11	3	14
12	3	15
13	14	1
14	14	1 2 3
15	14	3
16	14	15
17	15	2
18	15	2 2 3
19	15	3
20	15	14

Table 5.2. Non-Coal Demand by O-D Pair

O-D Pair	Origin	Destination	Amount (ton)
3	1	14	47,500,000
7	2 .	14	27,500,000
8	2	15	12,500,000
12	3	15	30,000,000

Demand on other O-D pairs is zero.

Table 5.3. Input Data Files

Input File				Input Rec	ord			
BASIC DATA	NSTATE MAXARC IODSC1 NETDES	NCAR MAXP IODSC2	IARCS ICLTYP IODSC3	NODES IPZONE IODSC4	IODS ICLZON IODSC5			MAXS NEZONE
PRELOAD D-D PAIRS	NXROOT(1) NXROOT(2) NXROOT(3)	NXDES(1) NXDES(2) NXDEX(3)						
	State Section							
	NXROOT (IXODS)	NXDES (IXODS)						
COAL O-D PAIRS	NROOT(1) NROOT(2) NROOT(3)	NDES(1) NDES(2) NDES(3)						
	NROOT (IODS)	NDES (IODS)						
POINT ARRAY	POINT(1) POINT(2)							
	POINT(NODE	s)						
PRELOAD SUPPLY	IPO(1) IPO(2) IPO(3)							
	IPO(IXODS)							
PRELOAD DEMAND	IPD(1) IPD(2) IPD(3)			,				
	IPD(IXODS)							
COAL SUPPLY	ICO(1,1)	ICO(2,1)	ICO(3,1)	ICO(4,1)		ICO(ICLTY	P,1)	
	ICO(1,ICLZ	ON) .				ICO(ICLTY	, ICLZON)	
COAL ZONAL	ICD(1,1)	ICD(2,1)	ICD(3,1)	ICD(4,1)		ICD(ICLTY	P,1)	
DEMAND	ICD(1,IDMZ	ON) .				ICD(ICLTY	P,IDMZON)	
COAL	ICDFUA(1,1		FUA(2,1)	ICDFUA(3,1)		ICDFUA(IC	LTYP,1)	
FUA DEMAND								
	ICDFUA(1,N	IUMFUA)				ICDFUA(IC	LTYP, NUMF	UA)
ARSPECS	TO(1) TO(2)	CAR(1) CAR(2)	ARCNAM(1) ARCNAM(2)	IATTR1(1) IATTR1(2)	IATTR2(1) IATTR2(2)	IATTR3(1) IATTR3(2)	ICFCN(2) ICFCN(2)	ITWIN(1) ITWIN(2)
	TO(IARCS)	CAR (IARCS)	ARCNAM (IARCS)	IATTR1 (IARCS)	IATTR2 (IARCS)	IATTR3 (IARCS)	ICFCN (IARCS)	ITWIN (IARCS)

Table 5.4. Definition of Input Terminology

Term	Definition						
NSTATE	Variable defining operational mode (4 = preloading, 5 = coal)						
NCAR	Number of carriers						
IARCS	Number of arcs						
NODES	Number of nodes						
IODES	Number of coal O-D pairs						
IXODS	Number of preload O-D pairs						
MAXC1	Maximum number of Frank-Wolfe iterations (carrier model)						
MAXS	Maximum number of Frank-Wolfe iterations (shipper model)						
MAXARC	Maximum number of arcs in a path						
ICLTYP	Number of coal types						
MAXP	ICLTYP X maximum number of paths						
IPZONE	Number of preloading origins (or destinations)						
ICLZON	Number of coal origins						
IDMZON	Number of coal destinations						
NUMFUA	Number of FUA powerplants						
IODSC1	Maximum number of 0-D pairs for carrier 1						
IODSC2	Maximum number of 0-D pairs for carrier 2						
IODSC3	Maximum number of 0-D pairs for carrier 3						
IODSC4	Maximum number of 0-D pairs for carrier 4						
IODSC5	Maximum number of 0-D pairs for carrier 5						
EPSC	Frank-Wolfe tolerance						
NETDES	Network description (alpha)						
NXROOT (I)	Preloading origin of 0-D pair I						
NXDES (I)	Preloading destination of O-D pair I						
NROOT (I)	Coal origin of O-D pair I						
NDES (I)	Coal destination of 0-D pair I						
POINT (I)	[22] [12] [12] [13] [13] [13] [13] [13] [13] [13] [13						
IPO (I)	First arc leaving node I						
IPD (I)	Amount of preloading commodity produced at I						
ICO (I, J)	Amount of preloading commodity demanded at I						
ICD (I, J)	Amount of coal type I produced at J						
	Amount of coal type I demanded at J						
ICDFUA (I, J) TO (I)	Amount of coal type I demanded at FUA plant J B-node of arc I						
	가는 마른 사람들은 사람들이 가는 것 같아. 나는 사람들은 사람들이 되었다면 하는 것이 없는데 그렇게 되었다면 하는데 그렇게 되었다면 그렇게 그렇게 되었다면 그렇게 그렇게 되었다면 그렇게						
CAR (I)	Carrier controlling arc I						
IATTR1 (I)	First attribute of arc I						
IATTR2 (I)	Second attribute of arc I						
IATTR3 (I)	Third attribute of arc I						
ICFCN (I)	Cost function used for arc I						
ITWIN (I)	Return arc for arc I						

Table 5.5. Activity Log for Shippers' Model for Non-Coal Commodities--Preloading Phase

Arc	Flow (ton)	Arc Cost for Non-Coal (\$/ton)
3	47,500,000	0.04
4	27,500,000	0.05
5	12,500,000	0.05
6	30,000,000	0.06
12	42,500,000	0.05
15	75,000,000	0.07
22	42,500,000	0.15
24	75,000,000	0.13

Flow on all other arcs is zero.

Table 5.6. Carrier Demands

O-D Pair	Origin	Destination	Demand
	Deman	dCarrier 1	
1	1	14	47,500,000
2	2	14	27,500,000
3	2	. 8	12,500,000
4	3	8	30,000,000
	Deman	dCarrier 2	
1	8	15	42,500,000

Table 5.7. Activity Log for Carriers' Model for Non-Coal Commodities--Preloading Phase

Arc	Flow (ton)	Arc Cost for Non-Coal (\$ton)	Carrier	Mode
1	6,431,920	0.0588188	1	A
2	34,609,700	0.163114	1	Α
3	6,458,350	0.588380	1	Α
4	27,500,000	0.0729190	1	Α
5	12,500,000	0.0671802	1	Α
6	26,277,800	0.132675	1	Α
7	3,722,180	0.0954291	1	A
9	3,722,180	0.113992	1	Α
12	38,777,800	0.0785597	1	Α
15	33,958,300	0.106373	1	A
18	6,431,920	0.104459	1	Α
19	1,660,160	0.105384	2	В
22	40,839,800	0.467812	2	В
24	75,000,000	0.215599	1	A
25	1,660,160	0.171250	2	В
34	1,660,160	0.186863	2	В




Fig. 5.2. Final Preload Test (106 ton)

Table 5.8. Zonal Production/Demand Amounts of Coal (ton)

Origin/ Destination	Type 1	Type 2	Type 3	Type 4	Type 5	Type 6	Site
1	60,000,000	10,000,000	5,000,000	1,000,000	0	20,000,000	Production
2	15,000,000	20,000,000	2,500,000	0	10,000,000	0	Production
3	10,000,000	30,000,000	10,000,000	2,000,000	0	0	Production
4	30,000,000	15,000,000	7,500,000	1,500,000	10,000,000	0	Demand

Table 5.9. FUA Demand Amounts of Coal (ton)

FUA Plant	Type 1	Type 2	Type 3	Type 4	Type 5	Type 6
1	55,000,000	45,000,000	10,000,000	1,500,000	0	20,000,000

The coal production sites are at nodes 1, 2 and 3 and demand sites are at nodes 14 and 15. The FUA plant is located at node 15. The demand variables for coal as calculated by the shipper submodel are given in Table 5.10. As in the preloading case, these demands are used by the decomposition subroutine to produce carrier specific 0-D pairs. These carrier specific demands are given in Table 5.11. The activity log for the coal-loading phase of the shippers' model, which should only be interpreted as interim results, is given in Table 5.12 and for the two carrier modes, the activity log is given in Table 5.13, along with the arc cost.

The final results of the test run are given in the two carrier activity logs (Table 5.13) and the network flow map (Figure 5.3). The carrier activity log indicates the flow of coal on each arc by coal type as well as the total preloaded flow. In addition the arc-costs corresponding to the final total flow on the arc is given in the last column. The flow map indicates only the total flow.

From the arc information available in this final activity log, issues such as total arc congestion, percent of congestion attributable to coal (by coal type if desired) and total arc costs can be analyzed by the user.

There are numerous optional reports for any application of FNEM; for the sake of brevity these are not described, but they include shipper and carrier paths, rank orderings of arcs according to congestion/seriousness of bottlenecks, and delivered prices of commodities. Some of these optional reports are used for the FUA impact analyses described in Section 6.

Table 5.10. Coal Demand by O-D Pair and Type

O-D Pair	Origin	Destination	Type 1	Type 2	Type 3	Type 4	Type 5	Type 6
3	1	14	30,000,000	10,000,000	5,000,000	1,000,000	0	0
4	1	15	30,000,000	0	0	0	0	20,000,000
7	2	14	0	5,000,000	2,500,000	0	10,000,000	0
8	2	15	15,000,000	15,000,000	0	0	0	0
11	3	14	0	0	0	500,000	0	0
12	3	15	10,000,000	30,000,000	10,000,000	1,500,000	0	0

Table 5.11. Coal Loadings by Carrier

0-D Pair	Origin	Destination	Type 1	Type 2	Type 3	Type 4	Type 5	Type 6
1			Dei	mandCarrier	1			
1	1	14	30,000,000	10,000,000	5,000,000	1,000,000	0	0
2	1	8	30,000,000	0	0	0	0	20,000,000
3	2	14	0	5,000,000	2,500,000	0	10,000,000	0
4	2	8	15,000,000	15,000,000	0	0	0	0
5	3	8	10,000,000	30,000,000	10,000,000	2,000,000	0	0
6	9	14	0	0	0	500,000	0	0
			Der	mandCarrier	2			
1	8	15	55,000,000	45,000,000	10,000,000	1,500,000	0	20,000,000
2	8	9	0	0	0	500,000	0	C

Table 5.12. Activity Log for Shippers' Model for Coal-Loading Phase

					Arc Cost for			
Arc	Type 1	Type 2	Type 3	Type 4	Type 5	Type 6	Preloading	Coal (\$/ton)
3	60,000,000	10,000,000	5,000,000	1,000,000	0	20,000,000	6,458,350	0.04
4	0	5,000,000	2,500,000	0	10,000,000	0	27,500,000	0.05
5	15,000,000	15,000,000	0	0	0	0	12,500,000	0.05
6	10,000,000	30,000,000	10,000,000	2,000,000	0	0	26,277,800	0.06
12	25,000,000	45,000,000	10,000,000	2,000,000	0	0	38,777,800	0.05
14	30,000,000	0	0	0	0	20,000,000	0	0.09
15	30,000,000	15,000,000	7,500,000	1,000,000	10,000,000	0	33,958,300	0.07
19	0	0	0	500,000	0	0	1,660,160	0.08
22	55,000,000	45,000,000	10,000,000	1,500,000	0	20,000,000	40,839,800	0.150
24	30,000,000	15,000,000	7,500,000	1,500,000	10,000,000	0	75,000,000	0.130

Flow on other arcs is zero.

Table 5.13. Activity Log for Carriers' Model for Coal-Loading Phase

			Coal			Arc Cost for		
Arc	Type 1	Type 2	Type 3	Type 4	Type 5	Type 6	Preloading	Coal (\$/ton)
				Carrier 1	, Mode A			
1	6,824,122	2,274,709	1,137,353	227,471	0	0	6,431,920	0.0752950
2	23,175,850	7,725,290	3,862,644	772,529	0	0	34,609,700	0.157856
3	30,000,000	0	0	0	0	20,000,000	6,458,350	0.501533
4	3,648,005	8,648,005	2,500,000	0	10,000,000	0	27,500,000	0.0762392
5	11,351,990	11,351,990	0	0	0	0	12,500,000	0.0621810
6	5,097,337	15,292,000	5,097,337	1,019,467	0	0	26,277,800	0.7523
7	4,902,660	14,707,980	4,902,660	980,532	0	0	3,722,180	0.632634
8	1,126,098	3,378,295	1,126,098	225,220	0	0	0	0.052358
9	3,776,562	11,329,690	3,776,562	755,313	0	0	3,722,180	0.208994
10	2,432,004	7,296,011	2,432,004	486,401	0	0	0	0.0629098
12	15,143,420	22,726,250	3,791,431	758,286	0	0	38,777,800	0.123244
14	36,079,980	10,944,010	2,432,004	486,401	0	20,000,000	0	0.118151
15	0	5,000,000	2,500,000	0	10,000,000	0	33,958,300	0.105554
18	6,824,122	2,274,709	1,137,353	227,471	0	0	6,431,920	0.0836325
24	30,000,000	15,000,000	7,500,000	1,500,000	10,000,000	0	75,000,000	0.714081
				Carrier 2	, Mode B			
19	18,761,900	15,350,650	3,411,254	1,011,688	0	6,822,509	1,660,160	0.716384
22	36,238,080	29,649,320	6,588,745	988,312	0	13,177,490	40,839,800	1.88075
5	18,761,900	15,350,650	3,411,254	511,688	0	6,822,509	1,660,160	1.08396
34	18,761,900	15,350,650	3,411,254	511,688	0	6,822,509	1,660,160	0.188246

Flow on other arcs is zero.




Fig. 5.3. Final Test Run, Coal Flows (106 ton)

5.2 MODEL VALIDATION

To ensure that the FNEM is a reliable forecasting tool, it must be shown to replicate historical freight system usage. This check was performed for the Northeast rail system for the base year 1978 and indicates that the accuracy of FNEM is considerably greater than previous predictive freight network models for the U.S.

The validation was performed using the version of FNEM described in Section 2.1 for a single aggregate freight commodity (i.e., there is only a single commodity index, r=1). The parameter $\gamma^{=1}/\theta$ in the demand functions and the objective function of that version of the model (Equations 6 and 7, respectively, of Section 2.1) were approximated by comparison to the appropriate waybill statistics to ensure the demand for transportation used in the model was consistent with observed 0-D pairings and 0-D volumes. Knowledge of these demand-related parameters allowed FNEM to be run for the Northeast with 1978 commodity supplies (0,) demands (D,) and compared to FRA published density codes for each link of the Northeast rail network. The PFRA density codes are a compact way of describing flow ranges for rail links; the coding scheme is described in Table 5.14. The only previous modeling effort to report a direct comparison with the FFRA density codes is the Multimodal Network Model (MNM) (see Bronzini 1980). The MNM used an aggregate national version of the FFRA network with 7 density codes; the codes used by MNM are the same as those given in Table 5.14 except that Code 6 corresponds to 30-40 million tons and Code 7 greater than 40 million tons.

Table 5.14. FRA Density Codes

Code	Annual	Gross	Tons	(10^6)
1		0-1		
2 3 4		1-5	5	
3		5-1	10	
		10-2	20	
5		20-3	30	
6		>30)	

The cumulative frequency distribution of the differences between the 1978 FRA historical record and the computed density codes produced by FNEM and by MNM are exhibited in Table 5.15. As can be seen from these results, FNEM predicted nearly three-fourths of all arcs to within one density code. This performance is markedly better than that of MNM.

Table 5.15. Differences between Predicted Railroad Link Traffic Densities and FRA Estimates

Density Code	Cumulative % of Links					
Difference	MNM	FNEM				
0	21	43				
<u>+</u> 1	55	74				
<u>+2</u>	76	84				
<u>+</u> 3	90	92				
<u>+</u> 4	97	96				
<u>+</u> 5	99	100				
<u>+</u> 6	100					

REFERENCES

Bronzini, M.S. 1980. Evoluation of a Multimodal Freight Transportation Network Model. Working paper, University of Tennessee. February.

6. APPLICATION OF FREIGHT NETWORK FOULLIBRIUM MODEL

6.1 INTRODUCTION

As discussed in Section 1, the Freight Network Equilibrium Model (FNEM) was used to predict the extent of railroad and port congestion due to increases in traffic attributable to FUA conversions in conjunction with other increases in traffic, as well as a detailed assessment of rail and water modal shares. This section is a summary of outputs of FNEM predicting coal movements under the Oil SIP within the Northeast Region of the United States. The data inputs are coal supplies and demands at the transportation zone level, obtained by disaggregating regional coal supplies and demands (discussed in Secs. 2.2 and 3.2); network data including rail, water, transhipment, supply and demand links (discussed in Sec. 3.1); and transportation cost functions, including operating costs, rates, and delays (discussed in Secs. 3.3 and 3.4). The summary analysis includes expected impacts to rail systems and ports associated with the movement of FUA coal as an incremental increase over the movement of all other commodities, including non-FUA coal.

The roles of both the shipper and carrier in route selection are considered in the model. For example, the shipper determines the coal source, the transportation mode (rail, water, or both), and the carrier. The model allows the rail carrier to optimize the route over its own system to minimize operating costs. The carrier's actions in the model are accounted for by allowing the routing to travel by both mainlines and branchlines of the rail system, but only allowing the shipment to interline with another rail carrier system if there is no alternative.

Four powerplants are not capable of receiving coal deliveries by water: Oswego in New York, and Mt. Tom and West Springfield, both in Massachusetts, and Cromby in Pennsylvania. Although Oswego is located on Lake Ontario, it is assumed that shipments of northern Appalachian coal will not be transported via the Great Lakes. The Mt. Tom and West Springfield powerplants are in western Massachusetts, where water deliveries are impossible. Cromby is located on the Schuylkill River, but the river is not navigable to the plant. These four powerplants must receive their coal shipments by rail. The remainder of the plants can receive coal by either rail or water, and mode selection is determined by delivered price by the shipper model.

The only assumption made regarding changes in the transportation system was an additional port on the eastern seaboard. For this analysis, it was assumed that a second or expansion port would exist in the New York-New Jersey area, commonly referred to as Perth Amboy. This assumption is based upon discussion with officials of the New York-New Jersey Port Authority and their extensive planning and firm commitments to construct a coal port to handle both domestic and export shipments. This port would have ample water depth to service deep-draft colliers for the domestic coal trade in 1991 (John E. Nikolai, Manager, Coal Projects, The Port Authority of New York and New Jersey).

In this application of FNEM, non-coal traffic was preloaded on the rail network using the six traffic densities in the FRA networks (see p. 3-7) expanded by 10% for 1991, that is, 1.1, 5.5, 11, 22, 33, and 55 million tons of two-way traffic per link as per the respective density codes. Coal was then loaded onto the system so that its incremental impact could be analyzed.

6.2 MODEL OUTPUT

6.2.1 Overview

The outputs of the model are traffic volumes on each link and a series of origin-destination pairs and path information for all coal movements. The origins and destinations are given in codes generated by the FNEM algorithm and the path links are given in FRA link identification codes. (The theory and methodology of the model are discussed in Section 2.) Each 0-D pair provides a path or a route for that particular coal shipment. An example of two such detailed routes is presented in Figure 6.1. The first is a combined rail-water route from New Castle, Pa., to Middletown, Conn., via Conrail with transshipment at Perth Amboy, N.J., to intercoastal barge. The second is an all-rail CSX Corporation route from Uniontown, Pa., to Riverside, Md. The model output is translated into two reports generated by Report Writer 1 and Report Writer 2,

						CARRIERS	USED						44.4	
31 1 11	1	1	1	1	1	1 1	1	1	1	1	1	1	1	21
-D PAIR: 27	8 ORIG	IN: 88	5 New Ca	stle	PA	DESTIN	MATION:	2175 M	iddletow	1	СТ			
			TYPE 1	TYPE	2	TYPE 3	ТҮР	E 4	TYPE 5	TYPI	E 6			
FLOW ON P	ATH 133		0		0	0		0	0	681	000			
TRANSPORT	ATION COS	T = 1.1	19677E+01	DELAY	COST =	1.89752	2E+00	TOTAL C	:OST = 1	.38652E+	01			
SUPAC RDG70 HX045	P0090 P0625		P0792 P0738	P0791 P0624	P0784 RDG06	P0785 RDG20	P0066	P0068 P0056	RDG41 P0736	RDG49 P0053	RDG73 P1041	RDG58 P0052		RDG57 TRS91
						CARRIERS	USED							
31 1 11	1	1	1	1	1	1	1	1	1	1	1	1	1	1 21
O-D PAIR:	92 OR	IGIN:	990 Unior	ntown	P	A DEST	:NOITANI	2238	Riversio	de	MD			
			TYPE 1	TY	PE 2	TYPE 3	T	PE 4	TYPE !	5 T	YPE 6			
FI 011 011	РАТН 1	77	0		0	0			19650					
			. 18752E+0		- 17	= 3.388	52E-01	TOTAL	COST =	7.526371	E+00			
IKANSFOR	(IAIIOII C					ARCS US								
SUPAI				BX042 HM008	BX043 WM009	BX058	BX058 PPL07	BX249	BX187	BX188	BX 186	BX185	BX184	WM02
						CARRIER	RS USED							
3	1 2	2	2	2 2	2	2	25		2 2	2	2	2 2	: :	2

Fig. 6.1. Two Examples of Detailed FNEM Route Output from Oil SIP Scenario, 1991

respectively. Report Writer 1 provides, for FUA coal only, the coal sources; destinations (which are the FUA powerplants); demand, by sulfur content; estimated transport and delay costs; the carrier (either the rail system or type of water vessel) and, if the shipment moves by water, the transshipment port. The rail transport costs are based on engineering characteristics of the rail routes and the cost functions described in Section 3.3. The delay costs are based upon time delays in the rail and water systems. Although these delay costs do not add to the actual tariffs, they do represent a cost to the shipper for excess time the shipment of coal requires to travel through the system. Figure 6.2 is a sample page of the report. The two detailed route illustrations in Figure 6.1 are included in this sample page. The complete Report Writer 1 outputs for the 0il SIP and NSPS 1991 scenarios are presented in Appendix E.

Report Writer 2 provides, for each coal-carrying arc (link) in the network, a listing of traffic volumes ordered by the change in the FUA scenario case (0il SIP or NSPS) versus the Base Case, which assumes no FUA conversion. Thus, the report writer highlights impacts to the transportation system and is discussed in Section 6.3. However, it should be noted that although the FUA scenarios always produce an increase in the total network traffic volume, many individual system links have a lower flow volume under the FUA case. This is the end result of the adjustment of origin-destination pairs exercised by FNEM in arriving at the final, equilibrium solution. The Report Writer 2 outputs for the 1991 0il SIP and NSPS scenarios are presented as Appendix F.

6.2.2 Summary of Routes

The movement of coal to the FUA powerplants can be separated according to originating rail carrier--Conrail or CSX Corporation. Conrail is the originating carrier for coal moving from the New Castle and State College transportation zones in northwestern Pennsylvania. CSX is the originating carrier for coal sources in the transportation zones of Athens and Portsmouth, Ohio; Clarksburg, West Virginia; Uniontown, Pennsylvania; and Hagerstown, Maryland. Figure 6.3 is an illustration of the Conrail routes from the coal sources to those plants taking final delivery from Conrail and to the ports of Perth Amboy and Curtis Bay, from which water deliveries to FUA plants will be made. Most of the coal moved by Conrail follows a Conrail mainline east through Williamsport and then into Sunbury. At this point the route splits; one segment continues eastward and the other goes south to Harrisburg. At Harrisburg, it splits into two routes, one serving the Baltimore area plants, H.A. Wagner and C.P. Crane and the port of Curtis Bay, and the other serving Edge Moor near Wilmington. The movements continuing eastward from Sunbury split into many routes to serve Cromby, Burlington, Sayreville, Kearny, Bergen, Sewaren, Hudson, Lovett, West Springfield, Mount Tom, and the port of Perth Amboy. A separate route carries coal from the New Castle area on a route north to Lake Erie and along the Lake Erie and Lake Ontario shore lines to Rochester. At this point, coal destined for the Oswego plant follows a route along the lake to the plant. Coal destined for the Albany plant continues eastward on Conrail's "New York State Mainline" through Syracuse, Rome, and Utica to the plant near Albany.

Figure 6.4 is an illustration of the CSX routes from the coal sources to those plants taking final delivery from CSX and to the port of Curtis Bay, from which water deliveries to FUA plants will be made. The route follows the "B&O Mainline", now operated by the Chessie System of the CSX Corporation, eastward into Baltimore where it serves the C.P. Crane and Riverside plants and the port of Curtis Bay.

The plants that will take final delivery by water are shown in Figure 6.5. The plants served by barge moving along the intercoastal waterway from Perth Amboy are Danskammer, Middletown, Glenwood, E.F. Barrett, Ravenswood, Far Rockaway, Arthur Kill, Montville, Devon, Bridgeport Harbor, Norwalk Harbor, Port Jefferson, and Northport. The plants served by collier from Perth Amboy are Mason, Schiller, Salem Harbor, Mystic, New Boston, South Street, Somerset, and Canal. Coal from Curtis Bay is moved by barge on the intercoastal waterway to the plants of Deepwater and Brandon Shores.

The Springdale plant, located in western Pennsylvania, is close to many coal sources. FNEM selected two coal supply regions to provide coal for Springdale; they are New Castle and Pittsburgh, both in Pennsylvania.

6.2.3 Modal Split

All FUA coal movements originate by rail, with 89% on Conrail and 11% on CSX Corporation (see Table 6.1). FNEM forecasted 64% of final coal deliveries to be via water in 1991. Approximately 23.4 million tons of coal will have final delivery via coastal barge or deep-draft collier. The split between barge and collier traffic indicates that slightly more than three-quarters of water traffic will travel by coastal barge for final delivery (see Table 6.2).

6.3 IMPACTS TO TRANSPORTATION SYSTEMS

As previously mentioned, Report Writer 2 output (see Appendix F) highlights impacts to the transportation system by listing all coal-carrying links in the network ordered by changes in traffic volumes of the respective FUA scenarios versus the Base Case. The report also lists, for each link, the coal volume, in tons, of the FUA and Base Case; the preload volume (all

			Annua	l Deman	d by Co		(% Sul	fur)	Trans-	Delen	
FUA Plant	State	Coal Source	0.00-	0.65- 1.04%		1.85-	2.25- 3.04%	3.05	port Cost (\$/ton)	Delay Cost (\$/ton)	Carriers
Middletown	СТ	New Castle, PA 	0.0	0.0	0.0	0.0	0.0	681.0	11.97	1.90	Conrail Ferth Amboy, NJ Intercoastal Barge
Plant Totals & Me	ean Tran	sport & Delay Cost:	1 0.0	0.0	0.0	0.0	136.0	681.0	11.54	1.85	
Edge Moor	DE		0.0	0.0	0.0	0.0	838.0	0.0	6.86	0.51	Conrail Fower Plant RR Link
Plant Totals & Me	ean Tran	sport & Delay Cost:	1 0.0	0.0	0.0	0.0	838.0	0.0	6.86	0.51	
Mason	ME	New Castle, PA 	0.0	0.0	0.0	436.0	0.0	0.0	13.61	2.47	Conrail Perth Amboy, NJ Collier
Plant Totals & Me	ean Trans	sport & Delay Cost:	1 0.0	0.0	0.0	436.0	0.0	0.0	13.61	2.47	
Brandon Shores	МД	Uniontown, PA 	0.0	0.0	0.0	0.0	2288.2	0.0	8.31	0.51	CSX Corp. Curtis Bay, MD Intercoastal Barge
Brandon Shores	MD	Johnstown, PA	0.0	0.0	0.0	0.0	746.8	0.0	7.35	0.45	CSX Corp. Curtis Bay, MD Intercoastal Barge
Plant Totals & Me	an Trans	sport & Delay Cost:	1 0.0	0.0	0.0	0.0	3035.0	0.0	8.07	0.49	
Riverside	MD	State College, PA	0.0	0.0	0.0	0.0	137.0	0.0	6.46	0.49	Conrail Power Plant RR Link
Riverside	MD	Uniontown, PA	. 0.0 	0.0	0.0	0.0	196.5	0.0	7.19	0.34	CSX Corp. Power Plant RR Link
Riverside	MD	Johnstown, PA	0.0	0.0	0.0	0.0	27.5	0.0	6.23	0.28	CSX Corp. Power Plant RR Link
Plant Totals & Me	an Trans	port & Delay Cost:	1 0.0	0.0	0.0	0.0	361.0	0.0	6.84	0.39	
Crane, C.P.	MD	State College, PA	0.0	0.0	0.0	0.0	859.0	0.0	6.46	0.49	Conrail Power Plant RR Link
Plant Totals & Me	an Trans	port & Delay Cost:	0.0	0.0	0.0	0.0	859.0	0.0	6.46	0.49	
√agner, H.A.	MD	State College, PA	0.0 	0.0	0.0	0.0	618.0	0.0	6.46	0.49	Conrail Power Plant RR Link
Plant Totals & Me	an Trans	port & Delay Cost:	1 0.0	0.0	0.0	0.0	618.0	0.0	6.46 1	0.49	

Fig. 6.2. Sample Page from Report Writer 1 - Oil SIP Scenario, 1991




Fig. 6.3. Conrail Routes to Powerplants Receiving Final Delivery by Rail and to Perth Amboy and Curtis Bay




Fig. 6.4. CSX Corporation Routes to Powerplants Receiving Final Delivery by Rail and to Curtis Bay




Fig. 6.5. Water Deliveries from Perth Amboy and Curtis Bay

Table 6.1. FUA Coal Movements by Rail, 1991, under the Oil SIP Scenario

Rail Carrier	Tonnage (10 ³ ton)
Conrail	
Direct Delivery	12,212
To Perth Amboy To Curtis Bay	19,858 523
Subtotal	32,632
CSX Corporation	
Direct delivery	979
To Curtis Bay	2,975
Subtotal	3,954
Total	36,547

Source: FNEM outputs, Oct. 31, 1981, summary data.

Table 6.2. FUA Coal Deliveries Via the Water Mode, 1991, under the Oil SIP Scenario

Port/Vessel Type	Tonnage (103)
Perth Amboy	
Coastal	14,152
Collier	_5,706
Subtotal	19,858
Curtis Bay	
Coastal	3,498
Collier	0
Subtotal	3,498
Total	23,356

Source: FNEM outputs, Oct. 31, 1981, summary data.

non-coal traffic); the total FUA case volume, and finally, the ratio of total FUA case volume to estimated link capacity. All traffic volumes are two-way, annual values, in millions of tons. The link capacities used are practical limits defined as 2/3 of the F value (theoretical capacity parameters) of Equation 1 in Section 3.3. In some instances, there are zero values of volume/capacity. These always apply to water links where the network capacity is taken as infinite.

6.3.1 Rail

Only two out of a possible thirteen New England powerplant candidates are predicted to use the rail mode for their final deliveries; this emphasizes the difficulty of shipping via rail into New England. (The two powerplants that selected rail for their final delivery can accept coal deliveries only by rail.) The rail carriers are forecasted to make final delivery on 13.2 million tons in 1991. Although only 36% of FUA coal final deliveries will be by rail, all FUA and non-FUA coal travels on the rail system at some point, either to final delivery or to a transshipment port for final delivery by water.

Impacts and congestion are forecasted for certain branch lines of the rail system. Severe impacts are predicted to occur along branch lines between Sunbury and Bethlehem, Pennsylvania, and on the branch lines that approach the ports in northern New Jersey. FNEM forecasted that the quantities of FUA conversion-related coal hauled over these lines may be as great as 27.5 million tons in 1991. This amount of forecasted tonnage would be difficult for Conrail to haul in this area of Northeast Pennsylvania. Possible remedies for this congestion are upgrading track, adding a second or third track along the current route, or diverting the traffic over other longer, more costly (in time and money) routes.

Another severe area of traffic congestion occurs on branch lines in the port area of northern New Jersey. The branch lines that approach Port Reading and Perth Amboy have had historically low levels of traffic. The high demand for use of the coal transshipment ports in this region means that there will be a large increase in traffic for both FUA and non-FUA coal in 1991 on some branch lines serving these ports.

In the northern New Jersey area, congestion on Conrail branch lines will result from increased traffic to the ports and direct delivery to powerplants. These branch lines serve as delivery routes to the Hudson, Kearny, and Bergen powerplants in the Newark area as well as a traffic connection to the Danskammer and Lovett powerplants in New York state.

There should be no negative impacts to the Conrail New York-State-Mainline due to FUA coal shipments in 1991, since this mainline has multiple tracks and a high traffic density.

Two areas of potential impacts that were described by Transportation and Economic Research Associates (1980b) were not substantiated in this analysis. It was thought possible that routing coal traffic on the Northeast Corridor would cause problems for Amtrak operations and a more rapid deterioration of the road bed. It was also thought that rail deliveries into New England and Long Island could cause impacts in passing through New York City on the Northeast Corridor. Since the only bridge crossing the Hudson River is in Selkirk, New York, it was also suggested that a large amount of coal traffic would take this route and perhaps cause congestion. The rail routes into New England and onto Long Island were not used because water delivery was the preferred mode, and therefore the impacts of rail traffic on the Northeast Corridor did not occur. The powerplants under consideration in New England receive their final deliveries by water in all possible cases with two exceptions—the Mt. Tom and West Springfield powerplants, which are capable of receiving coal only by rail. These plants were assigned routings over the Hudson River at Selkirk. These two all-rail deliveries are in Western Massachusetts, which is not close to the Northeast Corridor, and they do not affect Amtrak passenger services nor are they large enough to cause congestion at the Selkirk Bridge.

Final delivery to the Edge Moor powerplant in Delaware does intersect with the Northeast Corridor for a short distance. Final deliveries enter the corridor at Perryville, Maryland, and move approximately 41 miles northeastward into the Wilmington area for delivery to the powerplant. The large proportion of final delivery via water to Long Island and New England powerplants is discussed in the following section.

6.3.2 Water

Of the predicted 36.5-million-ton coal demand for the FUA candidate powerplants in 1991, 64% will have final delivery via water. Approximately 23.4 million tons will move by either barge or collier to the candidate powerplants. Final delivery is by water for all candidate powerplants on Long Island and in New England (except where the powerplants did not have access to a navigable water channel). Coastal barge deliveries were chosen to Long Island, Connecticut, and New York City powerplants. Deep-draft colliers served the northern New England powerplants.

In the northern New Jersey area, Port Reading is the only presently operating rail-to-water coal transshipment port. Port Reading is limited by the 17-foot depth of water in the adjacent

channel and thus only allows coastal coal barges (Transportation and Economic Research Associates, Inc., 1980, p. 5). The combined capacity of Port Reading and the new port, Perth Amboy, should be capable of providing adequate service to those FUA powerplants that obtain coal via water. Historically, coal ports have had logistical problems with their rail yards and lack of storage capacity. The new expansion port at Perth Amboy should overcome this problem with a loop track and large storage capacity. The new port and the existing Port Reading are approximately 5 miles apart; thus when they both use the same approach route, there will probably be congestion. Approximately 20 million tons of coal is predicted to move to these ports for transshipment.

The planned New York expansion port at Perth Amboy becomes important for 1991 forecasted deliveries to northern New England candidate powerplants. Since this planned port will be capable of loading deep-draft vessels, it has this advantage over Port Reading, which will be important for coastal barge trade.

Curtis Bay, which is owned and operated by the Chessie System, will be a transshipment point for coal for coastal barge traffic for coal conversion in 1991. This port also is used for coal export trade, similar to other coal ports. There have been large delays at Curtis Bay since the spring of 1980; the Coal Exporters Association (1980, p. 10) indicates that on May 27, 19 vessels were waiting to load at Curtis Bay. Assuming that these delays remain until 1991, the Curtis Bay facility will most likely have additional delays resulting from the FUA conversions. The delays probably will occur in the rail yards and not at the pier, since domestic traffic currently has a loading priority over export traffic.

REFERENCES

- Coal Exporters Association. 1980. Report on Coal Export Capacity and Port Congestion.
- Federal Railroad Administration. 1977. Final Standards, Classification, and Designation of Lines of Class I Railroads in the United States. U.S. Department of Transportation.
- Transportation and Economic Research Associates, Inc. 1980a. Port Reading Rail to Barge Coal Terminal, New York Harbor. Falls Church, Va.
- Transportation and Economic Research Associates, Inc. 1980b. Transportation Impact Statement: Mandatory Coal Conversions for Northeast Utilities. Falls Church, Va.
- U.S. Department of Energy. 1981a. Draft Northeast Regional Environmental Impact Statement: The Potential Conversion of Forty-Two Powerplants from Oil to Coal or Alternate Fuels. DOE/EIS-0083-D. Washington, D.C.
- U.S. Department of Energy. 1981b. The Northeast Regional Environmental Impact Study: Air Quality Technical Report. ANL/ES-122. Argonne National Laboratory, Argonne, Ill. (In press)

A.1 DESCRIPTION OF THE MODEL

The DRI coal model is a resource-based tool for analyzing issues in coal consumption, production, prices, and distribution. The model considers 18 producing states, 13 consuming regions, 8 demand sectors, 2 types of mining, and 36 types of coal—6 regional averages of Btu content, and 6 sulfur classes (see Table A.1). The model generates annual projections. The flexible structure of the model allows users to tailor the model to their particular needs. For example, users may interactively change the definition of demand regions by specifying regional demands, emission standards and transportation costs that are consistent with their regional aggregation. The model provides those interested in coal with a consistent methodology for investigating changes within the coal industry, including the regulatory and economic environment of the coal industry.

The coal demand forecast input to the DRI model may be either the user's own projection or the DRI energy model's forecast. Since the DRI energy core model is interlinked with the macroeconomic model, it is internally consistent with the broad forecasts of the economy.

The DRI energy core model considers five coal-consuming sectors. The largest (73% of total production in 1978) is the electric utility sector. Regional electric utility coal demand forecasts are derived from a structural econometric model. This model accounts for types of generating capacity, fuel types, fuel prices, and assumptions on the rate of return. Other factors taken into consideration include weather degree days and planned capacity expansion.

The other consuming sectors considered are the metallurgical, industrial, household/commercial, and export sectors. Coal consumed for producing coke (metallurgical coal) is forecast in the energy model as a function of industrial output in the iron and steel sector. Industrial non-coking coal and household and commercial coal use are forecast using structural demand equations where industrial output (by sector), relative energy prices, and other variables are included in the formulation. The energy model provides national annual demand forecasts for these sectors. The figures were regionalized by using weights obtained from historical distribution patterns. Finally, total regional coal demands were obtained by summing the regional demands of all sectors.

The coal demand forecasts, emission control standard, and the transportation costs are parameters in the coal model and may be altered by the user. The regional demands for coal are matched by the model with the least-cost source of supply while satisfying sulfur emission control standards. Costs include minemouth cost of coal, transportation, and (if applicable) scrubbing cost. The model minimizes the total delivered cost of coal to the total system (all regions).

The majority of coal consumed in 1977 was either purchased through previously signed contracts or came from captive mines (user-owned coal mines). Therefore, the actual distribution of coal may not be optimal as long as old contracts are in effect and as long as captive mines are productive. The DRI optimization process accounts for these constrained coal movements and allocates only unconstrained coal.

Metallurgical coal demands and coal exports are allocated to supply regions and sulfur category based on historical distribution trends. This allows the optimization model to consider domestic steam coal demands and require those demands to meet sulfur emission standards.

The DRI coal model specifies 13 consuming demand regions, but each region usually includes several states. The Northeast Regional Environmental Impact Statement includes only the 11 states of the northeastern United States. It was therefore necessary (and the model permits this) to specify certain DRI demand regions as individual states. In addition to the region definitions the emission scenarios, the time frame for analysis (annually, 1985 thru 1991), and the quantities of coal required by the converted plants for each year were also specified (Table A.2).

A base case (called base case) was established that did <u>not</u> include the demand that results from conversion of the 42 plants from oil to coal. The emission scenario for the base case was the current situation as embedded in the DRI model if no plants were converted to coal.

Two other emission scenarios were developed to analyze the coal flows among the supply and demand regions; these were called the Oil SIP and 1977 NSPS cases. These scenarios used the State

Implementation Plan (SIP) air quality standards for oil burning and New Source Performance Standards, respectively. These two cases included the increase in demand from conversion of plants, while the base case excluded conversions. The Oil SIP and 1971 NSPS emission standards were applied to the coal demand resulting from conversion; base-case emissions are added to these emissions to estimate the total for the region.

Table A.1. DRI Coal Model Input Parameters

		Supp	oly Regions	
Notation	Regional Name	Regional Designation	States Included	Regional Btu Content of Coal (10 ⁶ Btu/ton)
A	Northern Appalachia	NAPP	MD, OH, PA, Northern WV	24.1
В	Southern Appalachia	SAPP	AL, Eastern KY, TN, VA, Southern WV	23.7
С	Midwest	MIDWEST	IL, IN, Western KY	22.0
D	Montana-Wyoming	MT-WY	MT, WY	17.2
E	Colorado-Utah	CO-UT	CO, UT	21.9
F	Arizona-New Mexico	AZ-NM	AZ, NM	20.2

Notation	Regional Name	<u>Demand Regions</u> Regional Designation	Original DRI Regions States
1	New England	NENG-ME, NH, VT	MA, ME, VT, RI, NH, CT
2	Middle Atlantic	MATL-PA	PA, NJ, NY
3	South Atlantic	SATL	DE, MD, DC, VA, WV, GA, FL, SC, NC
4	East North Central	ENC	OH, WI, IN, MI, IL
5	East South Central 1	ESC1	KY, TN
6	East South Central 2	ESC2-MA	AL, MS
7	West North Central	WNC-CT	KS, NE, ND, SD, MN, IA, MO
8	West South Central 1	WSC1-MD	ОК
9	West South Central 2	WSC2-DE	TX, AR, LA
10	Mountain 1	MTN1-RI	NM
11	Mountain 2	MTN2-NY	MT, CO, WY, ID, UT
12	Mountain 3	MTN3-NJ	NV, AZ
13	Pacific	PAC	CA, OR, WA, AK, HI

· .	Consuming Sectors	Sulfur	Sulfur Content Categories					
No.	Name	Notation	Actual Sulfur Content					
1	Electric utility	5	0.00 to 0.64%					
2	Metallurgical coal	10	0.65 to 1.04%					
3	Industrial noncoking coal	15	1.05 to 1.84%					
4	Household commercial	20	1.85 to 2.24%					
5	Export	30	2.25 to 3.04%					
		3&	3.05 and above					

Table A.2. Northeast Region States FUA-Converted Utility Capacity and Coal Demand

DRI Region		Transportation	Oila		Cor	verted Coal Capacity, MW and Coal Demand (10 ³ ton)						
Designation	State(s)	Centroid	SIP	NSPSa	1985	1986	1987	1988	1988 1989 199	1990	1991	
1-NENG	ME,NH,VT	Portsmouth, NH	1.21	0.6		150 (425)	299 (881)	299 (881)	299 (881)	299 (881)	299 (881	
2-ESC2	MA	Boston, MA	0.85	0.6		417 (959)	417 (959)	989 (2,067)	2,291 (5,028)	2,291 (5,028)	2,435 (5,327)	
3-WNC	СТ	New Haven, CT	0.28	0.6	1,163 (2,459)	1,377 (2,911)	1,458 (3,149)	1,458 (3,149)	1,458 (3,149)	1,458 (3,149)	1,458 (3,149)	
4-MTN2	NY	New York, NY	0.69	0.6	792 (2,110)	2,638 (5,968)	4,545 (10,705)	4,983 (11,923)	5,563 (13,262)	6,231 (14,903)	6,231 (14,903)	
5-MTN3	NJ	Newark, NJ	0.22	0.6			626 (1,528)	1,702 (3,948)	2,272 (5,142)	2,272 (5,142)	2,272	
6-MATL	PA	Allentown, PA	0.28	0.6						367 (836)	946 (2,593)	
7-WSC1	MD	Baltimore, MD	0.45	0.6			610 (1,589)	2,018 (5,104)	2,018 (5,104)	2,018 (5,104)	2,018 (5,104)	
8-WSC2	DE	Wilmington, DE	0.54	0.6						389 (877)	389 (877)	
9-MTN1	RI	Providence, RI	0.54	0.6							100 (305)	

^aEmission standard in 1b S/ 10^6 Btu. Coal heat content is 23×10^6 Btu/ton.



APPENDIX B. METHODOLOGY TO CORRECT NATIONAL NETWORK DATA BASE

The National Network Data Base (NNDB) is an analytical model and information data base developed by the Federal Railroad Administration (FRA), U.S. Department of Transportation. The original purpose of developing this rail-link by rail-link data base was for analyses of bankrupted railroads in the Northeast quadrant of the United States in the early 1970s. After the initial effort was completed, development of a national network data base began for the remaining sections of the country. (The national model excludes the Alaskan Railroad, and Hawaii does not have a commercial freight rail system.)

The NNDB contains approximately 18,000 nodes and 15,000 links. The network model contains software programs that are employed for railroad analysis and planning. (The Northeast Regional Environmental Impact Study does not use these programs.) There are ancillary data files that can interact with the NNDB to assist in analyses. These data files contain longitude and latitude coordinates for computer mapping, rail yard locations and data, historical commodity flows per link, and freight station locations.

The core of the NNDB is the link and node characteristics. Each link in the data base has its own file of link attributes describing the characteristics of that particular segment of track. The nodes do not have corresponding files, but they are coded by unique seven-digit numbers that describe its location and purpose.

B. 1 PROBLEM AREAS

Due to the size of the data base and the magnitude of information it contains, there are continual problems with the data files. Any available magnetic tape copy of the NNDB contains deficiencies. These errors are either links that are missing or links that are disconnected from their proper nodes.

The original NNDB had constraints in the software that did not allow more than four links to join one node. To compensate for this weakness, the data base contains numerous dummy links and dummy nodes, especially in the urban areas where four or more tracks join. These dummy links had values of zero but their incorporation did increase the size of the data base and computation time.

The rail systems of the United States are dynamic. Each rail company has non-profitable links that it abandons or sells to another rail company. Rail systems presently are going through a stage of mergers, where two or three railroads form a new and larger rail system. New rail lines recently were constructed in the coal-producing regions of the West. All of these changes need to be reflected in the NNDB.

B.2 METHODOLOGY TO IMPROVE AND CORRECT THE NNDB

The methodology that was employed to verify the junction connectivity required that the node numbers and Link Identification Codes (LICs) of each junction be examined. For each LIC entering a junction, the node numbers were extracted and a diagram of that junction was plotted. The node numbers were compared and cross-referenced with other incoming LICs to verify their connectivity, i.e., connected LICs shared the same node number. This was repeated for each complex/urban junction.

The method used to check for missing rail links required cross-referencing among various data sources. The first data source was a listing of links not in the available NNDB tape. The second source contained a listing of approximately 1500 links that had one node as a stub end. The third source was the master FRA LIC file. Each rail link in question was compared among these sources to verify that links were actually stub-end branch lines or disconnected mainlines. If proven to be a disconnected mainline, the connectivity issue was resolved. If there was a missing link, the link and its characteristics were replaced in the data base.

Another task in the correction effort incorporated abandoned rail links that were approved by the Interstate Commerce Commission. These approved abandonments included decisions as recent as July 1, 1981. The corresponding LIC for the abandoned rail line was searched and removed from the current data base.

Improvements to the acquired network data based centered on two primary tasks. Current free speeds were added to the LICs remaining in the data base and the dummy nodes and dummy links in the urban areas were removed.

The speed data were obtained via a telephone survey of the major national railroads in the study region. The appropriate operating personnel in these railroads were interviewed. The mainline speeds for each railroad were obtained on a route-by-route basis. Essentially, this referred to a series of LICs between major cities. The branch lines for the surveyed railroads were treated differently. The major branch lines, which had speeds ranging between 25 and 40 mph, were obtained in a fashion similar to mainline speeds--route by route. The light-density branch lines were grouped together and assigned a speed that was assumed reasonable by the operations personnel surveyed.

Software programs were developed to eliminate and consolidate unnecessary dummy links. A program entitled "Reduce" eliminated the dummy nodes and thus the LICs "collapsed" into the actual physical node for that particular urban area.

To update the data base to consider recent and proposed mergers, a new numbering code was developed for the new rail systems. The same code was assigned to two or more rail companies that recently had merged or had announced a merger. The links within the new system maintain the original rail company's identification.

APPENDIX C. RAIL AND WATER FREIGHT COST FUNCTIONS

C.1 THE CONCEPT OF COST

The ease with which the term costs often is used is very misleading, in that it implies that there is a single cost associated with providing goods or a service. It is true that in principle it may be possible to identify a single total cost to society resulting from producing a product or service such as transportation, but the term usually refers to the cost borne by a particular person, group or organization, and thus may be very different from the total cost to society. The multifaceted characteristic of cost arises because in general different costs are borne by different persons or groups, and usually such persons or groups are interested only in those costs that accrue to them.

The various groups can be identified as follows:

- · Users of the system
- · Owners and/or operators of the system
 - · Affected non-users of the system (such as those living in residences near the facility)
 - · Government at various levels
 - · The region as a whole

This list is in no way meant to be exhaustive or to imply that the groups are mutually exclusive. On the contrary, a person may experience a certain set of costs associated with transport as a result of his/her use of the system and a quite different set of costs as a result of living near a link in the system, thereby experiencing non-user costs. The various groups are presented in Table C.1, along with typical examples of the costs experienced by each group.

In this appendix, the discussion concerns much more direct costs, primarily those that are reflected in identifiable market transactions where money changes hands and places a value on resources used (e.g., fares, tolls, freight, travel time, loss and damage of freight, etc.). It may be difficult to associate a monetary value with many of the costs that could be considered, such as the time travelers spend in traveling, as the traveler is not directly paid (or charged for) the travel time.

C.2 COST-ESTIMATING METHODS

There are basically two approaches to estimating costs, although in practice a combination of both often is used: (1) the engineering unit cost method and (2) the statistical cost or cost-output method.

C.2.1 Engineering Unit Cost Method

This method actually traces the process, first estimating the amount of physical resources needed and then applying prices to yield the total cost. The first step is to develop a relationship between the various scarce resources to be used and the nature of the transportation capacity and service to be provided. The advantages of the engineering unit cost approach are essentially that it enables exploration of changes in the technology and also examination of particular components of costs. Since the technological relationships are explicitly taken into account, any change in the technology can be treated, as long as the price of any new or modified items can be estimated or ascertained.

C.2.2 Statistical Cost Methods

Statistical cost models are developed with the aid of data on the costs incurred in actual transport systems. The usual procedure is to specify an expected mathematical relationship between cost and output, in which the functional form of the relationship is specified but the numerical values of the parameters are not. Then data on the actual costs incurred for the types of systems being considered are examined and the parameter values are estimated, usually using statistical regression or related methods. Often if the hypothesized model with the initial estimate of parameter values does not adequately predict or reproduce these costs, the model is modified or refined until a satisfactory degree of correspondence is achieved.

The cost models are different for different modes and technology. Road-costs models used for trucks are quite different from those used for railroads, or for barges or ships (waterway trans-portation). Truck firms do not have to own the right-of-way on which they operate, whereas railroads do. A clear picture of variation in cost by different modes for both passenger and freight transportation is given in Tables C.2 and C.3.

Table C.1. Groups that Experience Different Transport Costs

User

Direct prices (fares, tolls, freight, etc.) Time consumed (travel time) Discomfort of travelers (fatigue, etc.) Loss and damage of freight

System owner-operator

Direct costs of construction, operation, maintenance

Nonuser

Changes in land value, productivity, etc. Environmental degradation (noise, pollution, esthetics, etc.)

Government

Subsidies and capital grants
Loss of tax revenues (e.g., when road or other publicly owned facility replaces tax-paying land use)

Region

Usually indirect, through reorganization of land uses, altered rate of growth, etc.

From Morlok (1978, p. 347).

Table C.2. Typical Costs for U.S. Intercity Passenger Service

	Long-Run Marginal Cost, 1955		Average Total
	Cents/Seat-Mi ^a	Cents/ Passenger-Mi ^b	Cost, 1974 (cents/passenger-mi)
Airplane	1.8-3.2	3.6-6.4	7.3
Automobile	0.63-1.33	1.9-4.0	7.7 ^c
Bus	1.25	2.5	3.9
Railroad			
Day coach	1.3-1.4	2.6-2.8	
Overnight coach	2.2-2.3	4.4-4.6	
Parlor	2.7-3.0	5.4-6.0	
Pullman	5.0-6.0	10.0-12.0	
All service			13.1 ^d

From Morlok (1978, p. 402).

 $^{^{\}rm a}{\rm Air}$ costs are for jet aircraft and trips over 1000 mi. Auto costs are for a six-seat auto.

 $^{^{}b}\mathrm{Using}$ average load factors of 50%, except for auto and rail accommodations, 33.3%.

c₁₉₆₉ cost increased by 30%.

^dFor Amtrak, including operating costs (11.9 cents passenger-mi) plus 10% to reflect normal investment level in contrast to the higher level currently experienced.

Table C.3. Typical Costs for U.S. Intercity Freight Carriers

Type of Carrier and Commodity	Long-Run Marginal Costs, 1952-1955 (cents/ton-mi) ^a	Average or Typical Revenue, 1973 (cents/ton-mi)
Airmerchandise	Unavailable	23.31 ^b
Inland water		
Bulk	0.105-0.332	0.25-0.80 ^C
Merchandise	0.55-1.85	Unavailable
All commodities	Unavailable	0.378 ^b
Pipelineoil	0.513-0.581	0.290 ^b
Railroad		
Bulk	0.390-0.810	0.41-1.60 ^C
Merchandise	0.722-1.511	Unavailable
All commodities	Unavailable	1.62 ^b
Trailer on flat car	0.875-1.83	Unavailable
Truck		
Merchandise (TL)	1.82-4.90	1.93-3.02 ^C
All commodities (TL and LTL)	Unavailable	8.24 ^b

From Morlok (1978, p. 403).

C.3 RAIL COST MODELS

Railroad is an important mode of transportation for both freight and passengers. In the United States, for example, railroads handle more than 35% of all freight (measured in ton-miles). Since the railroad industry has a large investment in equipment and a sizeable number of employees, its management faces a complex decision-making environment where a broad spectrum of planning and operational issues have to be settled. As in many other transportation environments, the rail transportation system may be regarded as a network. The links of this network refer to lines of track where long-haul movements of traffic take place. The nodes refer to stations where carriers pick up or deliver traffic, or yards where trains are formed and classified. The various activities performed in a yard are referred to as "yard activities." The decisions affecting the movement of a train between yards are known as "line activities." In the following sections, only the "yard cost" and the "line-haul cost" incurred by a railroad are considered.

C.4 YARD COST MODELS

According to data gathered by Reebie Associates (1972), the average rail car spends about 56% of its time in various yards and spends only 16% of its time actually moving in trains. This underscores the importance of representing yard activities if railroad operations are to be reflected with any reasonable degree of accuracy. Here, yard models are sought that give the following:

- · Yard delay or put-through time of a car
- · Operating cost in dollars per car or per ton

 $^{^{}m a}$ Ranges are for 0 to 100% empty returns, 200 to 1500 mi, and for rail operations include 30% added to line-haul costs to reflect yard and local freight costs.

bComplete current data on costs are not available; hence revenue is used as a surrogate for 1973. Revenue averages reflect differences in commodity types, shipment sizes, length of haul, and that the data for rail and truck (all commodities) are for Class I carriers only, for water are for ICC-regulated lines only, and air data are for scheduled domestic carriers only.

CAll revenues for 1970.

 $^{{}^{\}mathrm{d}}\mathrm{Costs}$ of independent owner-operator truckers carrying primarily merchandise.

A discussion of the yards and various yard activities is useful before a discussion of the various models.

C.4.1 Yards and Yard Activities

One of the best ways of classifying yards is by size, structure, and resources, emphasizing those elements that cause congestion or delay to the progress of freight railcars through the yard. The following types of yards exist in most railway systems:

- · Simple yard
- · Single-ended flatyard
- Double-ended flatyard

RECEIVING - DEPARTURE TRACKS

- · Directional flatyard
- · Humpyard

This ordering is from the smallest to the largest yards, with each type shown schematically in Figure C.1.

Hump yards are the largest and most complex yards. Their dominant characteristic is the efficiency with which the classification operation is performed. In a flatyard, the yard engine moves the block of cars being classified back and forth over the classification lead, with the yard crew setting the switches so as to direct each car onto the desired classification track.

In a hump yard, each car is released from the train at an elevated point. The individual cars roll through the switching network onto the desired classification track. The necessary switching and retarding operations are highly automated in most hump yards. The classification and train assembly operations are always separate in a hump yard.






Fig. C.1. Types of Rail Yards. Redrawn from Petersen (1977a).

The various yard activities can be grouped into the following major categories:

- · Receiving and inbound inspection
- · Classification or sorting
- · Train marshalling or assembly
- · Outbound inspection and departure

The modeler may correspondingly break up the yard into subsystems involving the operations listed above. Once the yard subsytems are clearly defined, queueing or simulation models may be used to provide information on the behavior of each subsystem.

C.4.2 Yard Delay Models

Although many yard delay models have appeared in the literature, most of them require a detailed knowledge of the yard characteristics and operations. They are aimed at operator optimization of yard activity and as such are not relevant to this study. The models presented below are the ones that are general enough to be applicable to a region-wide study.

C.4.2.1 Model 1

The simplest yard delay model is one that specifies a constant put-through time. Such a model was developed by Bronzini (1979a). Bronzini reports a constant delay of 12.28 hours, for all yards. This is, of course, a large simplification of reality. Each yard varies in size, type, available resources, the amount of traffic handled, etc.

C.4.2.2 Model 2

This model was suggested by Petersen (1977a,b) presented in a series of papers. Petersen provides a systematic analysis of all the delay terms. For the yards under investigation, Petersen concludes that operations--receiving and inbound inspection and outbound inspection and departure--are not bottlenecks and can, therefore, be modeled realistically by fixed service times (the amount of time required is not significant and not highly variable). However, the classification and assembly operations have been explicitly modeled by queueing theory. He suggests several possible models, including:

M/G/1: Poisson arrivals of cars on trains, a general service time distribution, and one server;

M/M/S: Poisson arrivals, exponential service times, and s servers;

M/D/S: Poisson arrivals, deterministic (constant) service times, and s servers.

Thus, we can say that the average time in the yard is the sum of delays due to classification, assembly, and a constant term to account for inbound and outbound inspection delay, as shown in Equation 1 below:

$$T_{\mathbf{Y}} = T_{\mathbf{I}} + T_{\mathbf{C}} + T_{\mathbf{A}} , \qquad (1)$$

where $T_v = average time in yard,$

 T_{τ} = inbound and outbound inspection time,

T_c = average delay for classification, and

 T_A = average connection/assembly delay before outbound inspection and departure.

Here, $T_{\rm I}$ is a fixed service time, depending upon the personnel and facilities available at each yard. This information can be taken from the yards or from the various railroad statistics presented by the American Association of Railroads (AAR), which will give the average inspection time (inbound and outbound) per car or per train.

Petersen reports that the time to classify a train depends on the most heavily utilized classification engine, and is given as

$$T_{C} = A_{C} + B_{C} \left(\max_{i} \gamma_{Ci} \right) \ell / \beta , \qquad (2)$$

where A_{Γ} = the standard time to pull a train and initiate classification,

 B_{C} = the standard time to make a classification switch,

l = the average train length in cars,

 β = the average number of cars per cut,

 $\gamma_{\text{Ci}} = \text{the expected number of classification switches performed}$ by engine per cut through the yard, and

$$\gamma_{Ci} = \rho_i \left[1 + \sum_{j=1}^{r} \frac{(\rho_{ij}/\rho_i)^2}{(1 - \rho_{ij}/\rho_i)} + \frac{\rho_{i+1}^2}{1 - \rho_{i+1}} \right]^{-1}.$$
 (3)

In Equation 3, p; is the probability that a cut will be handled by engine i and is given as

$$p_{i} = \sum_{k=i}^{m} \sum_{j=1}^{r_{k}} p_{kj} \qquad \text{for } i = 1, 2, \dots m \text{ and } p_{m+1} = 0 . \tag{4}$$

In Equation 4, p_{kj} is the probability that a cut will be switched onto track j and is given as

$$P_{ij} = \sum_{k=1}^{n} p(b_{ijk}) \qquad \forall i, j, \qquad (4a)$$

where b_{ijk} = block numbers for k = 1,2,.... n_{ij} , and

 n_{ij} = blocks assigned to a track.

Here we have let v, be the number of classification tracks (or differently used groups of tracks) associated with engine i. Similarly, the time to assemble an outbound train is

$$T_a = A_a + B_a \ell + C_a \gamma_a \ell / \beta , \qquad (5)$$

where A_a = the standard fixed time to assemble a train,

 B_a = the standard assembly time per car,

 C_a = the standard time for the assembly engines to make a switch,

 ℓ,β are the same as defined above,

 γ_a = the total number of assembly switches per cut through the yard, and

$$\gamma_{\mathbf{a}} = \sum_{\substack{j=1 \ j=1}}^{m} \sum_{i=1}^{r_j} \rho_{ij} \gamma_{\mathbf{a}ij}, \qquad (6)$$

where γ_{aij} = the proportion of cuts on track j of engine i that are reswitched.

This is given as

$$\gamma_{\text{aij}} = \begin{cases} \left[1 + \sum_{k=1}^{n_{ij}} \frac{(p(b_{ijk})/p_{ij})^2}{1 - p(b_{ijk})/p_{ij}} \right]^{-1} & n_{ij} > 1 \\ 0, \text{ otherwise} \end{cases}$$
(6a)

where $p(b_{ijk})$ and p_{ij} are the same as given in Equation 4a.

It is assumed in the above that sufficient standing room (track capacity) is available to perform the required switching operations. If there is an insufficient number of departure tracks, then the effective train assembly rate is given by

$$\mu_{a} = \min \{ 1/T_{a}, n_{d}/(T_{a} + T_{o}) \},$$
 (7)

where nd = the number of departure trucks and

To = expected outbound inspection and departure time.

The effective rate of classification is given by

$$\mu_{C} = q/t_{C} , \qquad (8)$$

where q = the probability that the system is not blocked due to classification storage

$$= \pi_{i+1}^{m} \pi_{i+1}^{r} q_{i,i}^{r} , \qquad (9)$$

where $q_{ij}^{}=$ the probability that the number of arrivals is less than or equal to the standing capacity of the track

$$= \sum_{k=0}^{\ell_{ij}} f_{ij}(k)G_{ij}(\ell_{ij}-k)$$
(10)

$$= \sum_{k=0}^{\ell_{ij}} f_{ij}(\ell_{kj}^{-k})q_{ij}(k) , \qquad (11)$$

where $F_{ij}(k)$ and $G_{ij}(k)$ are the cumulative distribution functions for $f_{ij}(n)$ and $g_{ij}(n)$, respectively. If the train departures are regular, that is, constant service time τ , then for long trains $f_{ij}(n)$ approaches a Poisson distribution with parameters $p_{ij}x_{\tau}$ where x is the total flow of cars through the yard and p_{ij} is the probability of a car being switched onto this classification track (track j with engine j), given in Equation 2.

It also is assumed in the above model that marshalling does not always change, with the same proportion of traffic in each block. Secondly, it is assumed that the service frequency is either (a) constant or (b) increases proportionally to the traffic. Constant service frequency implies that the size of the blocks pulled increases with the traffic through the yard. Service frequency proportional to traffic implies that the block size remains constant.

Even though this model results in a flexible analytical tool, it is criticized for the fact that it considers the basic units of arrival to the system to be trains, not individual cars, and thus Petersen (1977a,b) derives parameters for service time to classify an entire inbound train. It leads to some confusion about the relationship of the output process at one queue to the input for another.

C.4.2.3 Model 3

The model developed by Daughety and Turnquist (1979) recognizes the fact that the individual rail cars arrive in batches on trains. They use a more general batch arrival queueing model (compared to Petersen 1977a,b), given as

MX/G/1: Poisson arrivals in batches of size x; arbitrary service time; and 1 server,

where x is a random variable corresponding to train length.

In this case Daughety and Turnquist report the average classification delay (time in queue plus service) as

$$T_{C} = \left[\frac{\rho}{2(1-\rho)} \left(\frac{\delta_{2}}{\delta_{1}} + \mu^{2} \sigma^{2} \right) + 1 \right] / \mu , \qquad (12)$$

where δ_1 = average train length (cars),

 δ_2 = second moment of train length,

 $\rho = \bar{\lambda} \delta_1 / \mu = \text{traffic intensity of system},$

 $\bar{\lambda}$ = arrival rate of trains (trains/hr),

 μ = average service rate (cars/hr), and

 σ^2 = variance of service time distributions.

The distribution of service times for classifying cars depends greatly on the physical layout and operating plan of a particular yard and probably the most important distinction is between hump yards and flat yards.

Daughety and Turnquist observed a sample of flat switching operations in a yard and recorded the total time required and number of cars switched. For each of these observations, an equivalent "minutes/car" value was then computed. Finally, a gamma distribution was fit to these values. The probability density function of a gamma distribution with parameters α and β is

$$f(x) = \frac{\beta^{\alpha}}{T_{(\alpha)}} x^{\alpha-1} e^{-\beta x} \qquad 0 \le x < \infty , \qquad (13)$$

where α/β is the mean value of the gamma random variable x, and α/β^2 its variance. For the yard studies by Daughety and Turnquist it was found that α and β were 1.3 and 0.28, respectively. This gave the mean switching time as 4.6 minutes/car and a variance of 16.6 minutes²/car. This estimate seemed to be well within the range of plausible values given by Wright (1960) and Martland and Rennicke (1978) of from 3 to 10 minutes/car for different levels of work load. The predicted delay by this model, for example (for the yard studied) is given as 8.2 hours, which is again within the plausible range of classification delay values reported by Folk (1972), Beckmann, et al. (1956) and Gentzel (1979) for various yards at different times. This range was found to be 4.6 to 22.4 hours.

The assembly delay has been derived as

$$T_{a} = \frac{S}{n} = \frac{\frac{k}{2} \int_{0}^{\infty} t^{2}g(t)dt}{k \int_{0}^{\infty} t g(t)dt} = \frac{E(t^{2})}{2E(t)}.$$
 (14)

If desired, Equation 14 may be rewritten as

$$T_{a} = \frac{E(t)}{2} + \frac{\sigma_{t}^{2}}{2E(t)}, \qquad (15)$$

where T_a = expected assembly delay and

g(t) = probability density function (0 < t < ∞) of distribution of time intervals between successive outbound trains for a given block of cars.

In Equation 15, σ_s^2 is the variance in the time interval between successive departures. Note that if departures are completely regular ($\sigma_s^2=0$), the second term vanishes, and the expected delay is one-half the interval between trains (e.g., 12 hours for trains dispatched once per day). On the other hand, if dispatches occur very irregularly, the second term indicates that expected delay to cars will increase.

Equation 15 is analagous to a result widely used in studies of urban mass transit systems, expressing the mean waiting time of passengers at a bus stop. Derivations of the result in the mass transit context can be found in Welding (1963), Osuna and Newell (1972) or Kulash (1971).

The derivation of Equation 15 assumes that outbound train length is unlimited, or in queueing terms, that the batch size is infinite. In practical terms, this assumption is not really true, since there are limits to the length of train that can be dispatched. Such limits can be the result of mainline track configuration, power availability, etc. More sophisticated batch-service queueing models can be constructed to reflect these constraints, but for batch sizes in excess of 25-30, the numerical results are essentially the same as for infinite batch size (see Petersen [1971]). Since train length constraints would typically be well in excess of these values, use of a simpler, infinite-batch-size model is appropriate.

Thus, by obtaining the classification delay and the assembly delay from the two models described above, we can get the total delay each railroad car has in the yard.

C.5 LINE-HAUL COST MODELS

The purpose of the line-haul model is to reflect first the relationship between locomotive horsepower, trailing load, and velocity for a train; and second, the delays en route due to interactions among trains (meets, overtakes, etc.). Basically, interest is in the movement of trains. Here, also, two models are of interest: (1) for travel time and delay en route; and (2) for operating costs.

C.5.1 Models for Travel Time and Delay en Route

The various models available are described in the following subsections.

C.5.1.1 Model 1

This is the model described by Bronzini (1979a). In this model, the rail line-haul links have been divided into various classes as shown in Table C.4. Horsepower per trailing ton is a characteristic of the operating policy of the railroad that owns the link. Terrain and region in combination give a general indication of track layout and operating restrictions. Even though the exact influences of terrain and region are not known, they include grade, curvature, and speed limits.

Table C.4. Rail Line-Haul Link Classes

	Region ^b							
	E	ast		South	W	est		
Average Horsepower per Gross Trailing Ton ^C	Hilly Terrain	Flat or Rolling Terrain	Hilly Terrain	Flat or Rolling Terrain	Hilly	Flat or Rolling Terrain		
3.0		EF130			WH130 WH230	WF130		
2.5	EH125	EF125 EF225	SH125 SH225	SF125		WF125 WF225		
2.0	EH120 EH220 EH320	EF120 EF220 EF320	SH120 SH220	SF120 SF220 SF320		WF120 WF220 WF320		
1.7	EH117 EH217	EF117 EF217 EF317	SH117	SF117 SF217		WF117 WF217		

^a5-digit class names shown in table are constructed as follows:

Digits	Symbol (Meaning)
1	E (East), S (South), W (West)
2	F (Flat), H (Hilly)
3	1 (single track), 2 (double track),
	3 (3 or more tracks)
4,5	(HP per gross trailing ton) × 10

 $^{^{}m b}$ Based on ICC regions East = Official, South = Southern, West = Western Trunk, Southwestern, and Mountain Pacific.

^CCalculated from data reported in <u>AAR Statistical Summary 57</u>, "Statistics of the Railroads of Class I", Nov., 1973, assuming the average freight locomotive has a horsepower of 2500 hp.

These influences are captured by using the U.S. Department of Transportation's Transportation Systems Center (TSC) train performance calculator (TPC) over an actual route in the region-terrain class. The resulting free speeds have been given in Table C.5.

Table C.5. Rail Link Free Speed Travel Rates

	East	Region	South F	Regiona	West Region	
Horsepower per Trailing Ton	Hilly Terrain	Flat Terrain	Hilly Terrain	Flat Terrain	Hilly Terrain	Flat Terrain
3.0	0.024/C	0.023/B	0.029/D	0.025/C	0.022/B	0.019/A
2.5	0.025/C	0.023/B	0.029/D	0.026/C	STALLED	0.019/A
2.0	0.027/C	0.023/B	0.031/D	0.026/C	STALLED	0.020/A
1.7	0.029/D	0.024/C	0.033/D	0.027/C	STALLED	0.020/A
Representative route (round trip)	Allentown to Buffalo	Weehauken to Buffalo via Selkirk	see note	see note	Los Angeles to N. Platte via Salt Lake City	Topeka to Tucumcari

From Bronzini (1979a, p. 20).

 $^{
m a}$ Since no track charts were accessible, free speed in the south was calculated from those of the East and West using the formula

$$S_S = \frac{1}{2} \qquad \frac{S_E A_S}{A_E} + \frac{S_W A_S}{A_W},$$

where S_i = speed by region (S = South, E = East, W = West),

A; = AAR reported average speed by region,

 $A_{c} = 17.4 \text{ mph or } 0.057 \text{ hr/mi,}$

 $A_c = 16.5$ mph or 0.061 hr/mi, and

 $A_{W} = 23.5 \text{ mph or } 0.043 \text{ hr/mi.}$

The free speed calculated by the TPC is used in a train delay model to produce estimates of delay due to congestion as a function of the number of trains on the links (Fig. C.2). (The train delay model, program and documentation, is given in Bronzini 1979b, pp. 189-193.) Delay and free speed (see Table C.5) can be combined to produce an estimate of effective speed over the link. The sets of single-track delay functions developed for these three regions are presented in Figures C.3, C.4, and C.5. (The number of trains on a link per day can be converted to net kilotons per year with a constant that reflects the average net tons per train.)




Fig. C.2. Single Track Train Delay Functions. Redrawn from Bronzini (1979a, p. 22).




Fig. C.3. Eastern Region Rail Time Functions. Redrawn from Bronzini (1979a, p. 23).




Fig. C.4. Southern Region Rail Time Functions. Redrawn from Bronzini (1979a, p. 24).




Fig. C.5. Western Region Rail Time Functions. Redrawn from Bronzini (1979a, p. 25).

C.5.1.2 Model 2

Model 2 is a simple analytical model of the mean running time for trains on a single track rail-way, given by Petersen (1974). This mean running time includes delay because of train priority schemes, meets, and overtakes that may occur. Trains operating at several different speeds in each direction are permitted. It is assumed in this model that sidings are long enough to accommodate the resulting meets and overtakes. It is also assumed that the trains within each class (priority system based on speed of train) are uniformly distributed over the time period of interest and the distributions of each speed class are independent. The resulting mean running times for trains in each speed class, in each direction, are found by solving a set of linear equations. This results in a simple model for estimating the congestion delays and interaction between different types of trains over a single track section.

Consider an index set for I different inbound speeds and J different outbound speeds $k = \{-1,-1+1,\dots-1,1,2,\dots J\}$ such that iɛk, then i < 0 refers to inbound trains and i > 0 refers to outbound trains.

The average transit time, W;, for a train at speed i is given by

$$W_{i} = T_{i} + \Sigma_{i \in k} D_{i j} M_{i j} , \qquad (16)$$

where T_i = free running transit time

$$=\begin{cases} d/s_{i} & i > 0 \\ -d/s_{i} & i < 0 \end{cases}$$
 (16a)

for two yards connected by a single track railway at a distance d apart. Let \mathbf{s}_{i} be the free running speed and

 $M_{i\,j}=$ the number of encounters (meets or overtakes) by a single train of type i with all trains of type j on its trip between yards.

 $\mathbf{D}_{ij} = \mathbf{Constant}$ delay incurred by train i, whenever a train at speed i encounters a train at speed j.

Peterson, after considering the three cases of interferences shown in Figure C.6, calculates the expected number of interferences and concludes that

$$W_{i} = d/v_{i} = d/s_{i} + \Sigma_{j \in k} E_{ij} N_{j} (d/v_{i} - d/v_{j}), \qquad (17)$$

where
$$E_{ij} = \begin{cases} -D_{ij} & j < i < 0, \ 0 < i < j \\ D_{ij} & otherwise \end{cases}$$
 (18)

v_i = average speed of train i.

This equation gives us a set of (I+J) linear equations that can be solved for the (I+J) variables d/v_i , which are the expected transit times for each class of train.




Fig. C.6. Number of Interferences. Redrawn from Petersen (1974).

An expression may be derived for the expected delay, $\mathrm{D_{ij}}$, to train i, when it encounters an interference with train j. Petersen considers three cases of interference delay, as shown in Figure C.7. The lower-case delta in Figure C.7 refers to the distance from the projected interference point to the siding where the meet or overtake actually occurs. The expression derived is

$$D_{ij} = s_i + \frac{p_{ij}^2}{2(\ell+1)} d/s_i - d/s_j \quad \text{for } i > 0 ,$$
 (19)

where s; = the required switching time for train i,

 ℓ = the number of equally (assumed) spaced sidings, and

 p_{ij} = the relative amount of time that train i waits for train j.

One of the limitations of the model is that by assuming a constant delay, for all interferences, it is implicitly assumed that the meets and overtakes that occur involve only two trains and multiple train interactions are handled two trains at a time. Thus, the above model can best be described as a low-density traffic model.




Fig. C.7. Interference Delays. Redrawn from Petersen (1974).

C.5.1.3 Model 3

Model 3 is given by Daughety and Turnquist (1979). The schematic illustration of the model is given in Figure C.8.

Suppose that the mean free speed of the train is V (miles per hour), which takes into account the track profile in-between two stations; then the model gives the following equation:

$$TL = \frac{309 \text{HP/V} - (65.6 \text{n} + 0.96 \text{Vn} + 0.29 \text{V}^2 + 640 \text{Sn})}{37.6 (\text{W}_e^2 + \text{W}_f^2) + 0.16 \text{V} (\text{W}_e + \text{W}_f) + 0.087 \text{V}^2 + 805 (\text{W}_e + \text{W}_f) + 100}} 4 (\text{W}_e \text{W}_f) ,$$
(20)

where TL = trailing load in tons.

HP = locomotive power in horsepower,

n = number of axles per locomotive,

S = grade encountered in %,

W_e = axle weight of an empty car in tons,

 $W_{\rm f}$ = axle weight of a full car in tons, and

V = mean free speed of the train in mph without delay (due to meets and overtakes).




Fig. C.8. Schematic Illustration of Model 3

Daughety and Turnquist have used standard values of W = 7 and W = 19.5 in the above equation, but other values of W and W may be substituted, depending on the policy on which tonnage ratings are based. To use this model, to obtain V, first find the ruling gradient and some assumed speed V. For example, in the track profile given in Figure C.9, Section 2-3 is chosen as the ruling gradient, and the required locomotive power for some speed V is found. Once the available locomotive power is known, the speed for the remaining sections of the track profile can be found.




Fig. C.9. Typical Track Profile

Figure C.9

Figure C.3

Then the expected velocity, V_a , will be given as

$$V_a = min[V_t, V_g, V_{TL}]$$
,

where V_{t} = speed restriction on line imposed by timetable,

 V_{α} = maximum achievable locomotive speed, and

 V_{TL} = speed attainable with given trailing load.

Once the free expected velocity of train V_a is known, the delay due to meets and overtakes by other trains en route can then be found.

The model for delays en route proposed by Daughety and Turnquist draws heavily on work done by Petersen (1974). Daughety and Turnquist use the same notation and conventions, as used by Petersen, with K different inbound train (speed) classes, and L different outbound classes (outbound speeds are negative). The average total transit time (travel time + the delays) is given as follows:

$$W_{i} = R_{i} S_{i} + \sum_{j=1}^{L} D_{jj} M_{jj} , \qquad (21)$$

where W; = average total transit time from train class i,

 R_i = average travel time for train class i (this is distance between yards/ V_a),

S. = average delays en route from all other occurrences,

 D_{ij} = average delay to train i, on each encounter with train j, and

 $M_{i,j}$ = expected number of encounters (meets or overtakes) between a single train of class i and all trains of class j, on its trip between yards.

This equation may be further modified to give

$$\begin{aligned} w_{i} &= R_{i} + S_{i} + \sum_{j \in I}^{\Sigma} D_{ij} N_{j} (W_{i} + W_{j}) + \sum_{j \in O_{S}}^{\Sigma} D_{ij} N_{j} (W_{j} - W_{i}) \\ &+ \sum_{j \in O_{E}}^{\Sigma} D_{ij} N_{j} (W_{i} - W_{j}) \quad , \end{aligned}$$
(22)

where N_{i} = rate of dispatching of train class j (trains/unit time),

Oc = set of outbound train classes of lower speed than i, and

 $0_{\rm f}$ = set of outbound train classes of higher speed than train i.

This gives K+L simultaneous linear equations that can be solved for K+L unknowns, Wi. If the line under study is double track then the term delay due to meets $j_{\tilde{b}}^{\rm L} I \, D_{ij} N_{\rm J} (W_{i} + W_{j})$ will vanish. This model is similar to Petersen's work, but it has been modified by English (1977) so that it can reflect operations on high-density line more accurately. These modifications account for multiple meets and delays induced by signal systems in very high-density operations. In the modification of the above model, a more general expression for M_{ij} is sought.

In the above model and the model given by Petersen, it was assumed that trains are dispatched randomly with constant mean interdispatch time throughout the day. In real life, this generally is not true. In fact, trains are normally dispatched at some regular schedule and line-haul delay might be less, as the dispatcher tries to minimize the number of meets and overtakes. The modified model gives the total transit time as

$$W_{i} = R_{i} + S_{i} + \sum_{j}^{\Sigma} D_{ij} \sum_{x=1}^{\infty} p[xk, (W_{i} + W_{j})], \qquad (23)$$

where x = number of dispatches in a period of length W,

$$W = \frac{(W_i + W_j)}{\lambda} ,$$

 $\boldsymbol{\lambda}$ and \boldsymbol{k} are the parameters of Erlang-k distribution that fits the interdispatch time of trains,

 λ = average rate of dispatching (= 1/mean time between trains), and

p is a distribution function given as
$$p(z,t) = \sum_{i=z}^{\infty} \frac{e^{-t}t^i}{i!}$$
. (24)

This equation also gives us a set of (K+L) non-linear equations in the (K+L) unknowns, \mathbf{W}_{I} . They can be used to provide a more general solution for line-haul delays.

C.6 OPERATING COST MODEL FOR YARDS AND LINE-HAULS

In this section, those models that will give the operating cost for railroads in terms of dollars, both for yards and line-hauls are considered. Before any other model is discussed, there will be a discussion of a model given by Daughety and Turnquist (1979) that gives the operating cost, which includes the costs of yard activities, line-haul, and even the yard and line-haul delays in terms of dollars.

C.6.1 Model 1

Model 1 was developed by Daughety and Turnquist (1979). First, average shipment velocity is estimated given by the following:

$$\overline{V} = \frac{L}{\frac{L}{V_a} + T_y} = \frac{LV_a}{L + T_yV_a} , \qquad (25)$$

where \overline{V} = average shipment velocity through the system (yards and line-haul),

L = average length of haul,

V_a = overall average velocity, aggregated over track segments (line-haul), and

 T_{v} = total delay to cars passing a yard.

In Equation 25, it is assumed that each shipment passes through one classification yard. If a shipment passes through more than one classification yard, $T_{\rm p}$ must be the sum of the delays in passing through various yards. Moreover, L/V must be the sum of the transit times over different line segments, rather than one aggregate time.

The cost model is as follows:

$$\begin{split} &\text{C} = \alpha_0 + \alpha_{10} \text{ PCAR} + \alpha_{20} \text{ PFUEL} + \alpha_{30} \text{ PCREW} + \alpha_{40} \text{ PLOCO} + \alpha_{50} \text{ PMNGT} + \beta_{10} \text{ Y} + \gamma_{10} \text{ S} + \delta_{10} \text{ QK} \\ &+ \frac{1}{2} \, \alpha_{11} \text{ (PCAR)}^2 + \alpha_{12} \text{ PCAR·PFUEL} + \alpha_{13} \text{ PCAR·PCREW} + \alpha_{14} \text{ PCAR·PLOCO} + \alpha_{15} \text{ PCAR·PMNGT} \\ &+ \frac{1}{2} \, \alpha_{22} \text{ (PFUEL)}^2 + \alpha_{23} \text{ PFUEL·PCREW} + \alpha_{24} \text{ PFUEL·PLOCO} + \alpha_{25} \text{ PFUEL·PMNGT} \\ &+ \frac{1}{2} \, \alpha_{33} \text{ (PCREW)}^2 + \alpha_{34} \text{ PCREW·PLOCO} + \alpha_{35} \text{ PCREW·PMNGT} \\ &+ \frac{1}{2} \, \alpha_{44} \text{ (PLOCO)}^2 + \alpha_{45} \text{ PLOCO·PMNGT} \\ &+ \frac{1}{2} \, \alpha_{55} \text{ (PMNGT)}^2 \\ &+ \frac{1}{2} \, \beta_{11} (\text{Y})^2 + \frac{1}{2} \, \gamma_{11} (\text{S})^2 + \frac{1}{2} \, \tau_{11} \text{Y·S} \\ &+ \theta_{11} \text{ PCAR·Y} + \theta_{21} \text{ PFUEL·Y} + \theta_{31} \text{ PCREW·Y} + \theta_{41} \text{ PLOCO·Y} + \theta_{51} \text{ PMNGT·Y} \\ &+ \sigma_{11} \text{ PCAR·S} + \sigma_{21} \text{ PFUEL·S·S} + \sigma_{31} \text{ PCREW·S} + \sigma_{41} \text{ PLOCO·S} + \sigma_{51} \text{ PMNGT·S} \\ &+ \delta_{11} (\text{QK})^2 + \mu_{11} \text{QK·Y} + \varepsilon_{11} \text{QK·S} \\ &+ \delta_{11} \text{ PCAR·QK} + \eta_{21} \text{ PFUEL·QK} \, \eta_{31} \text{ PCREW·QK} + \eta_{41} \text{ PLOCO·QK} + \eta_{51} \text{ PMNGT·QK} \, , \end{aligned} \tag{26}$$

where $C = \ln (\cos t / \operatorname{average} \cos t)$,

PCAR = ln (price of cars/average price of cars),

PFUEL = ln (price of fuel/average price of fuel),

PCREW = &n (price of crews/average price of crews),

PLOCO = &n (price of locos/average price of locos),

PMNGT = ln (price of non-crews/average price of non-crews),

Y = ln (loaded car-miles/average loaded car-miles),

S = ln (speed/average speed), and

QK = ln (FRA category four percentage/average FRA category four percentage).

There are 5 prices, 2 outputs, and 1 fixed factor, resulting in 45 coefficients to be computed.

As will be observed from the cost function description, all variables are divided by their means, i.e., an observation is divided by the mean of the observations before taking the logarithm. This is done mainly to protect the proprietary nature of the data. By so transforming the variables, only the intercept term is affected, leaving the important coefficients undisturbed. This way, actual costs for the railroad under study are predictable only by those with a proprietary interest while cost relationships are open to perusal by all. In view of this, the variable means have not been published since they add nothing to an understanding of the cost functions, and only reveal proprietary information. The estimated cost function is given in Table C.6.

C.6.2 Model 2

Model 2 was given by Bronzini (1979a). The model presents different models for yard and line-haul operating costs. Different models have been given for different regions: East, South, and West.

C.6.2.1 Yard Operating Cost Model

The yard operation cost consists of node cost and the energy use cost. The node cost has been given as the sum of the capital cost of idle railcars plus the switching cost. Idle railcar cost is

$$RCC = (CC \times IT \times (1 + FEB_p)/NET_p) \times 1000 , \qquad (27)$$

where RCC = railcar capital cost per kiloton,

CC = average railcar capital cost per hour,

IT = idle time per node,

 FEB_R = fraction of freight movements that result in an empty back-haul in region R, and

NET_p = average net tons per loaded car in region R.

Data to calculate idle railcar cost per node for each region, along with the calculated cost, are presented in Table C.7.

The switching cost is given as

$$SC = (SM_R \times CPSM \times (1 + FEB_R)/NET_R) \times 1000 , \qquad (28)$$

where $SC = switching cost per <math>10^3$ ton per node,

SM_R = switch minutes per car per node in region R,

CPSM = cost per switch minute,

and FEB_R and NET_R are previously defined and reported in Table C.7.

Deboer (1974) reports the average distance between yards as 200 miles. This fact, the average trip length, and number of nodes (yards) per trip, along with the assumption that two interchange switches occur for every intertrain or intratrain switch (Table C.8), give the regional switch minutes per car per node and switch cost per 10^3 ton per node.

The yard (node) energy consumption is given as

$$SE_R = (GPM \times SM_R (1 + FEB_R)/NET_R) \times 1000$$
 , (29)

where SE_R = switch energy (gallons per 10^3 ton) per node in region R,

GPM = switch engine fuel consumption (gallons per switch minute),

and $\mathrm{SM}_{R},\ \mathrm{FEB}_{R}$ and NET_{R} are the same as defined above.

Table C.6. Cost Functions

Variable	Coefficient	Estimate	Std. Error
-	α ₀	0.03997	0.01123
PCAR	^α 10	0.31748	0.00494
PFUEL	α20	0.04767	0.00086
PCREW	α30	0.15185	0.00130
PLOCO	α40	0.08354	0.00084
PMNGT	^α 50	0.39945	0.00300
QK	δ ₁₀	-0.92323	0.13530
Υ	β ₁₀	0.08939	0.07851
S	γ ₁₀	-0.04843	0.05306
(PCAR) ²	α ₁₁	-0.02637	0.02267
PCAR · PFUEL	α12	0.00526	0.00628
PCAR · PCREW	^α 13	0.00216	0.00766
PCAR-PLOCO	α14	0.04086	0.00765
PCAR · PMNGT	α ₁₅	-0.02167	0.01535
(PFUEL) ²	α22	0.05928	0.01022
PFUEL · PCREW	α23	-0.01716	0.00835
PFUEL · PLOCO	α24	-0.02293	0.00706
PFUEL · PMNGT	α25	-0.02422	0.00133
(PCREW) ²	α33	0.10596	0.01404
PCREW-PLOCO	α ₃₄	-0.01861	0.00729
PCREW · PMNGT	α35	-0.07234	0.01491
(PLOCO) ²	α44	0.03863	0.00936
PLOCO · PMNGT	α45	-0.03794	0.01019
(PMNGT) ²	α ₅₅	0.15617	0.02461
(Y) ²	β ₁₁	0.23904	0.49667
(S) ²	γ ₁₁	-0.07679	0.14596
Y-S	τ11	-0.21683	0.20978
PCAR•Y	θ11	0.024151	0.04496
PFUEL•Y	θ21	0.00451	0.00800
PCREW-Y	θ31	0.01064	0.01191
PLOCO-Y	θ41	-0.01131	0.00777
PMNGT · Y	θ ₅₁	-0.02800	0.02758
PCAR+S	σ ₂₁	0.01480	0.01839
PFUEL·S	σ ₂₂	-0.00463	0.00324
PCREW-S	σ ₂₃	-0.00381	0.00487
PLOCO·S	σ ₂₄	0.00367	0.00319
PMNGT · S	σ ₂₅	-0.01004	0.01120
(QK) ²	δ ₁₁	-12.84350	3.36250
QK•Y	μ ₁₁	0.81675	0.78897
QK·S	ε ₁₁	-0.00451	0.28319
PCAR · OK		-0.21474	0.08022
PFUEL · QK	η ₁₁	0.02840	0.01436
PCREW-QK	η ₂₁	0.05061	0.02123
	η ₃₁ η ₄₁	0.00755	0.01399
PLOCO · QK			

Table C.7. Idle Railcar Cost

Region	Railcar Capit Cost (\$/hr)	al	Idle Time per Node (hr)	Fraction Empty Return ^b	Net Tons per Loaded Car ^c	Railcar Capital Cost per 10 ³ Ton per Node
East	0.246	4 1 0	12.3	0.768	54.6	\$97.98
South	0.246		12.3	0.832	59.3	\$93.48
West	0.246		12.3	0.748	56.0	\$94.45

From Bronzini (1979a).

Table C.8. Switch Cost per Node by Region

Region	Interchange Switch Time per Car (min)	Intertrain and Intratrain Switch Time per Car (min) ^a	Avg. Switch Time per Node per Car (min)	Cost per Switch Min (\$) ^b	Switch Cost per 10 ³ Ton per Node
East	13.9	4.0	3.5	0.98	\$112.05
South	12.6	2.9	3.2	0.98	\$ 95.45
West	14.1	3.2	3.7	0.98	\$111.87

From Bronzini (1979a).

Murphy (1976) reports that switch engine fuel consumption is 10 gallons per hour. Fuel consumption per node is presented in Table C.9 along with the node cost (idle railroad car cost + switching cost).

So, to calculate the energy cost, the present price of energy (\$/gal) is multiplied by the energy consumed. Bronzini (1979a) further multiplies these costs by what is known as rail node commodity factors, because the average net tons per loaded car, the ratio of empty to loaded car miles, and the average railcar cost vary depending on the commodity shipped. Table C.9 contains the standard costs and energy consumed, which should be multiplied by the commodity adjustment factors given in Table C.10.

Table C.9. Railroad Node Cost and Energy per Region

Region	Cost	Energy					
	$(\$/10^3 \text{ ton})$	$gal/10^3$ ton	Btu/ton ^a				
East	210.03	18.89	2620				
South	188.93	16.48	2285				
West	206.32	19.25	2670				

^aCalculated from 1970 costs presented in <u>Railway Age</u>, Nov. 29, 1976, p. 3; an inflator based on the Association of American Railroad index of prices for materials and supplies other than fuel; and a capital recovery factor based on a 20-yr life, 10% salvage value, and a 10% interest rate.

^bCalculated from percent of total freight car miles loaded reported by the Association of American Railroads (1972).

CReported in Association of American Railroads (1980, p. 40).

^aFrom Interstate Commerce Commission (1975, pp. 138, 140).

^bFrom Murphy (1976, p. 76).

^a1 gal = 138,690 Btu.

In the Bronzini model also, the interchange switch time per car, intertrain and intratrain switch time per car, and average switch per node per car all are constant for a given region and are shown independent of node (yard) characteristics, which is not true. Moreover, it is not clear how they have been derived.

Table C.10. Commodity Adjustment Factors

		Net Tons Per Loaded	Fraction	Average Railcar Capital	Adjustment Factor		
Commodity	STCC	Cara	Empty Return	Cost/Hr ^c	Time	Cost	Energy
Field crops	01	70.6	0.90	0.217	1.0	0.85	. 85
Forestry & fishery products	08,09	1			1-1-		
Metallic ores	10	80.7	0.95	0.208	1.0	0.77	0.77
Coald	11	77.3	0.91	0.185	0.5	0.53	0.53
Crude petroleum	13	55.1	1.07	0.293	1.0	1.19	1.19
Nonmetallic minerals	14	75.2	0.93	0.203	1.0	0.81	0.81
Food & kindred products	20	46.2	0.88	0.230	1.0	1.29	1.29
Textiles & apparel	22,23	19.7	0.69	0.199	1.0	2.72	2.72
Lumber & furniture	24,25	49.0	0.86	0.216	1.0	1.21	1.21
Pulp, paper & allied products	26	37.8	0.71	0.195	1.0	1.44	1.44
Chemicals	28	65.2	0.99	0.254	1.0	0.97	0.97
Petroleum & coal products	29	70.0	1.00	0.211	1.0	0.91	0.91
Primary metal products	33	63.6	0.82	0.206	1.0	0.91	0.91
Fabricated metal products	34	34.4	0.81	0.205	1.0	1.67	1.67
Nonelectrical machinery	35	23.5	0.69	0.213	1.0	2.28	2.28
Electrical machinery	36	16.1	0.70	0.201	1.0	3.35	3.35
Transport equipment	37	23.2	0.70	0.206	1.0	2.33	2.33
Misc. manufactured		64.9	0.91	0.212	1.0	0.93	0.93
TOFC ^e		30.6	0.45	0.310	1.0	1.30	1.46

^aCalculated from average tons per car by railroad car type and commodity, 1972, Table B-2, and percent of tons moving on each railroad car type by commodity, 1972, Table B-5, in Peat, Marwick, Mitchell & Co. (1976).

^bCalculated from the ratio of empty to loaded freight car miles by railcar type in Table B-6 and the percent of tons moving on each railroad car type by commodity, 1972, Table B-5, in Peat, Marwick, Mitchell & Co. (1976).

^CCalculated: the percent of tons moving on each railroad car type by commodity, 1972, Table B-5, Peat, Marwick, Mitchell & Co. (1976); 1970 railroad car costs reported in Railway Age, Nov. 29, 1976, pp. 3; an inflator based on the Association of American Railroads index of prices for material and supplies other than fuel, and a capital recovery factor based on a 20-year life, 10% salvage value and a 10% interest rate.

 $^{^{}m d}$ One-third of the coal volume is assumed to be shipped in unit trains which do not experience node interchange or intratrain switching, or intermediate yard delay.

eData on TOFC are taken from Reebie Associates (1972), pp. 70.

C.6.2.2 Line-Haul Operating Cost Model

The model is based upon determination of the cost of rail transportation over a particular rail segment, which is defined as a mainline route with no intervening terminals or major functions. The approach used is "engineered economic costs," in which the resources required to provide rail transport are determined using engineering relationships and resource "prices" including both capital and operating expenses to determine the costs incurred.

The following cost elements are included in the model:

- · Line-haul facility
- Locomotive
- Crew
- Fuel
- Railcar
- · Overhead

Rail line-haul cost functions are based on fuel consumption and effective speed functions given in Section 5.1.1, and on train and operating characteristics. The model is basically a modified version of the TSC model described in Murphy (1976). Modifications made by Bronzini (1979a) include removal of costing elements related to rail terminals, introduction of travel time and fuel consumption as functions of annual tonnage, and generation of a complete cost vs. tonnage function in a single run of the model.

The train and operating data used to generate the costs given in Bronzini (1979a, p. 29) are given in Table C.11. Cost functions for the major line-haul link classes are given in Figures C.10-C.14.

The fuel consumption for the line-haul is calculated as a function of net annual tonnage. The variables that give the fuel consumption are: the fuel consumption on the route produced by the TPC; the idling fuel consumption; and the delay/mile as a function of net annual tons. The idling fuel consumption by locomotives is given in Murphy (1976). Delay-caused fuel consumption is given by:

$$DF_{LC} = (NT \times G/N_R \times HP/TT_{LC}/3000)6, \qquad (30)$$

where

 $\mathrm{DF}_{\mathrm{LC}}$ = delay fuel consumption in gal/train-hour for link class LC,

 NT_R = net tons per train in region R,

 G/N_p = gross trailing ton to net ton ratio for region R,

 ${\sf HP/TT}_{\sf LC}$ = horsepower per gross trailing ton for link class LC,

3000 = horsepower/locomotive (GP-40), and

6 = idling fuel consumption of a GP-40 in gal/hr.

These functions are given in Table C.12.

As in the case of yards, commodities differ substantially with regard to the average attributes influencing cost. Average net tons per car, average car tare weight, car cost and fraction empty backhaul combine to produce commodity-specific line-haul adjustment factors. Table C.13 contains this information along with the line-haul link adjustment factors.

Table C.11. Sample Rail Line-Haul Cost Data

Train	
Horsepower/trailing ton	3.0
Number of loaded cars	35.30
Number of empty cars	0.0
Fraction of empty backhaul	0.768
Interest rate	0.100
Roadway 1 track	
Welded (1) or jointed (2)	2.
K1-inspection	0.830
K2-rails	0.830
K3-ties	0.830
K4-surfacing	0.830
Investment, ¢ per gross trailing ton	0.023
Investment life (year)	25
Locomotive	
Maintenance/mile	0.55
Horsepower/locomotive	3,000
Locomotive weight (ton)	133
Value/locomotive (\$)	360,000
Salvage (fraction)	0.100
Locomotive life (year)	15
Annual hours utilization	3,482
Railcar	
Tare weight (ton)	30.2
Maintenance/mile (\$)	0.032
Value/car (\$)	18,661
Salvage (fraction)	0.100
Railcar life (year)	20
Annual hours utilization	8,760
Net tons/loaded car	54.6
Miscellaneous	
Crew cost/mile (\$)	2.72
Fuel cost/gallon (\$)	0.12
Helper locomotive, mills/ton-mile	0.0
Inflator/deflator from 1972	1.00
Factor to convert to gallons	0.460
Misc. costs (¢/gross trailing ton-mile)	0.740




Fig. C.10. Rail Line-Haul Link Cost Functions, East. Redrawn from Bronzini (1979a).




Fig. C.11. Rail Line-Haul Link Cost Functions, East. Redrawn from Bronzini (1979a).




Fig. C.12. Rail Line-Haul Link Cost Functions, South. Redrawn from Bronzini (1979a).




Fig. C.13. Rail Line-Haul Link Cost Functions, South. Redrawn from Bronzini (1979a).




Fig. C.14. Rail Line-Haul Cost Link Functions, West. Redrawn from Bronzini (1979a).

Table C.12. Fuel Consumption by Rail Link Class (gal/net ton-mile)

	Vo	I. Net Annu	Consumption			
Link Class	0	20	40	60	at 0.07 hr/mi	Vol
EF130	0.0040	0.0040	0.0041	0.0044	0.0046	62
EF125	0.0038	0.0038	0.0039	0.0041	0.0043	62
EF120	0.0036	0.0036	0.0037	0.0039	0.0040	62
EF117	0.0035	0.0035	0.0036		0.0038	57
EH130	0.0051	0.0051	0.0052		0.0057	57
EH125	0.0045	0.0045	0.0046		0.0050	57
EH120	0.0042	0.0042	0.0043		0.0046	57
EH117	0.0039	0.0039	0.0041		0.0042	45
SF130	0.0039	0.0039	0.0040	1-2 (1997)	0.0047	59
SF125	0.0038	0.0038	0.0039		0.0043	59
SF120	0.0036	0.0036	0.0037		0.0040	59
SF117	0.0034	0.0034	0.0035		0.0037	59
SH130	0.0051	0.0052	0.0054		0.0056	45
SH125	0.0045	0.0046	0.0048		0.0049	45
SH120	0.0041	0.0042	0.0043		0.0044	45
SH117	0.0039	0.0039	0.0041		0.0042	45
WF130	0.0042	0.0042	0.0043	0.0045	0.0049	70
WF125	0.0040	0.0040	0.0041	0.0043	0.0046	70
WF120	0.0038	0.0038	0.0039	0.0040	0.0043	70
WF117	0.0037	0.0037	0.0038	0.0039	0.0041	70
WH130	0.0054	0.0054	0.0056	0.0060	0.0061	61

Table C.13. Commodity Adjustment Factors for Rail Line-Haul Links

Commodity	SICa	Net Wt.b	Car Tare Weight		Fraction Empty	Commodity Adjustment Factors		
	Code	(ton/car)b	(ton) ^C	Car Cost ^b	Backhau1 ^b	Time	Cost	Energy
Field crops	01	70.6	30.4	\$16,458	0.90	1.0	0.94	0.92
Forestry & fishery	08,09					1.0	1.0	1.0
Metallic ores	10	80.7	28.8	\$15,719	0.95	1.0	0.89	0.84
Coald	11	77.3	26.1	\$13,981	0.91	1.02	0.75	0.70
Crude petroleum	13	55.1	31.1	\$22,198	1.07	1.0	1.16	1.10
Nonmetallic minerals	14	75.2	28.0	\$15,358	0.93	1.0	0.91	0.87
Food & kindred	20	46.2	32.6	\$17.418	0.88	1.0	1.16	1.18
Textiles & apparel	22,23	19.7	32.2	\$15,036	0.69	1.0	1.65	1.90
Lumber & furn.	24,25	49.0	31.3	\$16,357	0.86	1.0	1.11	1.11
Paper & allied	26	37.8	30.7	\$14.745	0.71	1.0	1.19	1.21
Chemicals	28	65.2	31.2	\$19,211	0.99	1.0	1.03	0.99
Petro. & coal prod.	29	70.0	27.0	\$16,000	1.00	1.0	0.96	0.90
Primary metals prod.	33	63.6	31.1	\$15,558	0.82	1.0	0.95	0.96
Fab. metals	34	34.4	31.3	\$15,532	0.81	1.0	1.33	1.34
Non-elect. machinery	35	23.5	35.4	\$16,128	0.69	1.0	1.70	1.79
Elect. machinery	36	16.1	32.6	\$15,228	0.70	1.0	2.18	2.25
Transport equipment	37	23.2	33.3	\$15,618	0.70	1.0	1.68	1.74
Misc. manuf. e		64.9	30.2	\$16,087	0.91	1.0	0.97	0.95
TOFC ^f		30.4	46.1	\$23,483	0.45	1.0	2.03	2.93

^aStandard Industrial Classification.

C.6.3 Model 3

Model 3 is given by the Interstate Commerce Commission (ICC) (1975) for railroad. The ICC models are in the form of tables broken down by the various factors that are taken into account, such as shipment, weight, distance, etc. The ICC tables or models estimate two types of cost: variable and fully allocated. The variable cost is the same as defined in classical economics, the cost that depends on the amount of output. The variable cost in ICC models is the same but with liberal allowances for many items, such as car-ownership, to vary, so that they represent a relatively long period of adaptation. The fully allocated costs include allocations of all costs incurred to various units of traffic with much arbitrary allocation of some costs, since it is unclear exactly how such costs would actually vary (if at all except over a very long period) with variations in traffic. Railroads pay the total cost of their tracks, etc., in the form of an essentially fixed cost, which makes their total cost appear quite different with respect to the fraction of all costs that are fixed. If someone else owned the rail lines and charged on the basis of use, then these costs would become variable. We would be interested in variable cost per shipment, compared to the fully allocated cost, for our use. The variable cost includes both the yard and line-haul operating costs.

bFrom Bronzini (1979a).

 $^{^{\}rm C}$ Calculated from average tare weight by car type and percent of tons moving on each railroad car type by commodity, 1972, Peat, Marwick, Mitchell & Co. (1976).

 $^{^{}m d}$ One-third of the coal volume is transported in unit trains which have four locomotives and 70% lower horsepower per trailing ton (HP/TT).

ePredominantly stone, glass, and clay products.

fTOFC is assumed to use 1/3 higher HP/TT.

Morlok (1978) developed equations for variable costs as close approximates to ICC tables. For a standard boxcar (in ICC jargon, Boxcar, general services, unequipped), moving in the official territory (the northeastern and midwestern states), the variable cost is given as

$$VC_R = [116 + 0.00036S + L(0.31735 + 0.0001482S) + (36.54I - 0.06669L) + (12.04Y - 0.06017L)]$$
 (31)

$$FAC_{R} = [116 + 0.024465 + L(0.31735 + 0.00028615)] + (36.54I - 0.6669L) + (12.04Y - 0.06017L),$$
(32)

where VCp = rail variable cost per shipment (\$),

FAC_p = rail fully allocated cost per shipment (\$),

S = shipment weight (cwt),

L = actual length of haul (mi),

I = number of railroad to railroad interchanges, and

Y = number of intermediate (not two end points) switching in vards.

In Equation 31 the first part is the line-haul cost:

Line-haul cost = 116 + 0.00036S + L(0.31735 + 0.0001482S.

Moreover, the remainder of Equation 31 is the railroad yard operations cost:

Yard operations cost = (36.54I - 0.06669L) + (12.04Y - 0.06017L).

An analagous result holds for Equation 32.

These costs include only movement in the railcar, not trucking to and from a rail line, which is not true in the case of tailer-on-flat-car (TOFC). Morlok (1978) reports the cost of one TOFC shipment for a movement between New York and Chicago as:

$$VC_{TOFC} = \frac{193 + 0.001185 + (0.206 + 0.00013675)L + (30.79I - 0.04266L)}{+ (10.14Y - 0.033610L)}$$

$$FAC_{TOFC} = \frac{193 + 0.02528S + (0.206 + 0.00026225)L + (30.79I - 0.04266L)}{+ (10.14Y - 0.033610L)}$$
(33)

where VC_{TOFC} = TOFC variable cost per shipment (\$) and

FAC_{TOFC} = fully allocated cost per shipment (\$) for TOFC.

All other terms are the same as defined above.

The Interstate Commerce Commission recently developed a new computerized regulatory costing methodology, known as the Uniform Rail Costing System (URCS). The system will be used primarily by the ICC as the basis for developing rail service costs for input into regulatory rate proceedings. The system also may be acquired by carriers and shippers for similar purposes, and as familiarity is gained with the system, it may be used by carriers in other cost-related activities. Yevich and Johnson (1980) comment that apart from other major functions, it can be used to calculate the variable cost per unit of output within each functional rail activity area by account or cost element, and to calculate the total variable cost of the movement by applying the unit costs to specific rail movement output statistics.

C.7 WATERWAY TRANSPORTATION OF COAL

C.7.1 Introduction and Some Statistics

Coal transportation by barge is possible on about 25,000 miles of inland waterway in 48 states. The principal waterways in use in the United States for all commodities are listed in Table C.14.

Approximately 1700 companies are engaged in barge operations, using 4,100 towboats and 22,000 dry cargo barges with a total capacity of 26 million net tons. Of the coal shipped by barge in 1973, more than 69% was moved over the Mississippi River and Gulf Intracoastal Waterway. The remaining 26% and 5% were moved over the Great Lakes and tidewaters, respectively. In 1974, some 83% of all domestic coal loading was in the Ohio, Monongahela, and Green rivers in the Appalachian region. Principal export ports were Hampton Roads, Virginia (77%), and Baltimore (12%).

Table C.14. Waterways Handling More than 10 Million Tons, 1976

	Tons	Ton-Miles (10 ³)	Mile: per to
tlantic Cost			
Cape Cod Canal, Mass.	13,016,499	231,187	18
Channel to Newport News, Va.	17,967,014	89,835	5
Delaware River	17,507,014	05,055	,
Trenton, N.J. to the sea	133,696,091	10,431,935	78
Between Philadelphia, Pa., & Trenton, N.J.	15,626,657	305,644	20
Philadelhpia, Pa., to the sea	133,123,319	10,126,290	76
East River, N.Y. Hudson River	45,806,570	528,337	12
Deep water in Upper Bay, N.Y. to Waterford, N.Y. Mouth of Spuyten Duyvil Creek (Harlem River) to	28,308,347	1,923,483	68
Waterford, N.Y.	24,279,222	1,657,641	68
Hudson River Channel, N.Y. & M.J. Inland waterway from Delaware River to Chesapeake	26,491,184	265,843	10
Bay, Del. & Md.	11,257,613	517,533	46
			10
Lower entrance channels, N.Y. Harbor	114,082,796	1,140,828	
New York & New Jersey channels, N.Y. & N.J.	130,130,897	1,518,526	12
Newark Bay, N.J.	26,058,970	65,465	3
Schuylkill River, Pa.	13,781,512	41,981	3
Upper Bay, N.Y. Harbor, N.Y. & N.J.	159,285,234	512,431	3
reat Lakes	00 441 001		
Channels in Lake St. Clair, Mich. a	92,441,331	252 - 22	
Chicago Sanitary & Ship Canal, Ill.	23,629,761	360,139	15
Detroit River, Mich.	104,551,813	2,800,853	27
Illinois Waterway, DIII.	46,853,608	8,988,508	192
Rouge River, Mich.	11,061,877		
St. Clair River, Mich.	96,360,190	3,530,997	37
St. Marys Fall Canal, Mich. & Sault St. Marie,			
Ontario Ship Canal, Canada	76,739,521		· Facilia
St. Marys River, Mich.	78,930,737	4,631,981	59
ulf Coast		01.050	4
Bayou Casotte, Miss.	20,478,068	91,952	
Black Warrior & Tombigbee Rivers, Ala.	14,705,635	4,403,614	299
Calcasieu River & Pass, La.	20,221,283	457,493	23
Corpus Christi Ship Channels, Tex. Gulf Intracoastal Waterway:	43,492,959	930,884	21
Between Apalachee Bay, Fla. & the Mexican border	99,085,379	16,511,686	167
Married City Dark Allen pouts	18,961,414	1,160,489	61
Morgan City-Port Allen route Sabine-Neches Waterway, Tex.	100,852,284	3,000,149	30
ississippi River System	36,489,211	1,519,898	42
Monongahela River, Pa. & W.Va.	148,417,810	34,371,649	23
Ohio River, Pittsburgh to mouth of Tennessee River, Tenn., Ala., & Ky.	26,254,165	3,663,745	140
Cumberland River:			
Mouth to Mile 552 (NET)	11,318,873	1,085,376	90
Mouth to Nashville, Tenn.	11,227,048	1,074,627	9
Green & Barren Rivers, Ky.	13,781,231	1,203,359	8
This is Diver III	43,065,859	8,475,497	197
Illinois River, Ill.	12,250,362	662,228	5
Kanawha River, W.Va.	12,200,002		
Mississippi River:	256 102 727	135,220,849	38
Minneapolis, Minn. to mouth of passes	356,183,727		17
Minneapolis, Minn. to mouth of Missouri River	68,420,307	11,696,551	16
Mouth of Missouri River to mouth of Ohio River Mouth of Ohio River to, but not including,	78,138,431	13,217,186	10
Baton Rouge, La.	121,912,345	73,329,306	60
Baton Rouge, La. to, but not including,	243,831,754	16,757,970	6
New Orleans, La. New Orleans, La. to mouth of passes	232,614,050	20,219,837	8
		162,245	
acific Coast	24,224,013		
Carquinez Strait, Calif.	24,244,013	162,245	
Columbia River:		2 520 244	
Mouth to International Boundary	41,960,981	3,630,341	8
Columbia & Lower Willamette Rivers below	42 305 122	2,496,838	5
Vancouver, Wash. & Portland, Oreg.	42,395,122	339,567	1
San Pablo & Mare Island Strait, Calif.	29,491,610	339.36/	1

From U.S. Department of the Army (1977).

^aIncluded in St. Clair River, Mich.

bTon-miles--not reported.

C.7.2 Operations, Towboats and Barges

The towboats that operate on the inland waterways range in size from less than 1,000 hp to 10,500 hp. The distribution probably represents the optimal sizes given the present state-of-the-art in towboat design. Any further increase in horsepower is limited due to such physical restrictions as lock size and channel depth (9 feet).

The crew size of a towboat ranges from 7 to 14 for line-haul service. The crew work in six-hour shifts with six hours off between shifts. The boats generally operate year-round and 24 hours a day except for the time off needed for maintenance.

Most coal barges today are open-hopper designs with capacities ranging from 900 to 1800 metric tons, with an expected trend towards the lower half of this range.

The hopper barge is basically a double-skinned steel box, the inner shell forming a long open cargo hold, free of any obstructions and adapted for unloading with clamshell buckets, pallets, or continuous belt buckets. Table C.15 shows some typical sizes for open hopper barges.

Length (ft)	Width (ft)	Draft (ft)	Capacity (metric ton)
175	26	9	900
195	35	9	1350
290	50	9	2700

Table C.15. Typical Barge Sizes

The 175-ft barges may be used on almost all waterways but are required on those with small, typically old, locking facilities. The 195-ft barges may be used in tows operating through 600-ft or larger locks. Larger barges may operate, with a smaller number per tow, on rivers with 600-ft locks but are more efficiently placed on open channel rivers or those with 1200-ft locks.

The push-towing method is used in all line-haul operations on the inland waterway system. In push-towing operations, barges in the tow are lashed together by a complex system of cables to form a single unit. This unit is lashed solidly against the towboat's towing knees. The assembling, breaking, and reassembling of a tow consumes costly time and manpower. Constant readjustment of the towing cables is necessary during a voyage. Equipment failures are expensive and potentially dangerous. Given the number of lockages and double lockages required on some of the waterways with their attendant delays, it would seem that a moderate expenditure of research time and money spent on alternatives to lashing would produce major time and cost savings.

A towboat may push one barge or any multiple of barges ranging upwards of 45 barges when the tow is operating in open water.

On channels the number of barges in a tow is generally between 10 and 36, determined by lock sizes and also by the capacity of the river. As with unit train, most barges return empty when the distance is less than 800 km.

For passage through locks, barges are grouped four wide and three long or three wide and three or four long, depending on the size of the barges and the size of the locks to be transited. For maximum efficiency, tows are arranged as much as possible as dedicated tows. In this type of tow, the towboat remains with the barges during loading, unloading, and round trip transit. The towboat is generally owned by the shipper or contracted for exclusive use over a stipulated period of time. The advantages of this form of service are the ability to utilize an integrated towing operation, since all barges will be carrying one type of bulk commodity to a common destination; fast turn-around time resulting in reduced inventory cost; insurance; and reduced leasing cost or ownership cost of the barges per ton of shipment handled.

C.7.3 Waterway Network

The waterway modal network represents major U.S. inland waterway systems, including the Atlantic Intracoastal Waterway, the Gulf Intracoastal Waterway, the Pacific Intracoastal System, and the

Great Lakes. The St. Lawrence Seaway, which provides access to the Great Lakes, is part of the domestic deep-draft system and is also considered. For 1975, the network had the following dimensions:

	Elements	Classes
Nodes	434	23
Line-haul links	457	30
Access links	234	11
ICFs	116	

The waterway network requires a relatively large number of classes and functions to allow for variation of river characteristics, lockage times, and other factors which affect commodity flow. Since lock characteristics vary, the node classes, for the most part, correspond to locks on different river systems. Each class uses functions that describe the locks on the river system.

C.7.4 Waterway Costs

The barge industry, unlike other transportation industries, is largely unregulated. All liquid bulk commodities and most dry bulk commodities transported by for-hire carriers and companies engaged in private transportation for their own commodities are exempted from ICC regulations. As a result, only 15% of the total ton-miles of barge traffic is under regulation (Rieber 1977).

A fuel tax of 4¢/gal for towing operations was introduced on October 1, 1980. This only applies to inland waterways; thus, it does not affect the transportation cost along the Atlantic coast. The 4¢/gal tax is scheduled to rise by 2¢/gal each year until it reaches 10¢/gal in 1985.

Some general guidelines on the financial status of waterway towing firms have been prepared (Burns and Mickle 1979). These data give approximations of the financial nature of the industry and are listed in Table C.16.

As indicated in Table C.16, expenses or operating costs, when compared with the revenue dollar, differ significantly between small firms and large firms. For small firms, profit before tax represents 8% of the revenue dollar; for larger firms, it represents 12.8%. For whatever reasons, the smaller firms display less efficiency in converting the revenue dollar into income.

Table C.16. Analysis of Tow Firms

Size of Firm	Turnover ^a	Margin ^b (%)
Small	1.0	8.0
Large	0.64	12.8
A11	0.74	11.2

aSales/total assets.

Due to the unregulated nature of the industry, it can be concluded that if the firm's operating cost can be estimated, then the cost to the shipper is simply that cost plus the profit margin.

The revenue profit given above was based on a sample of 13 firms that represent about 48% of Tennessee-based towing firms.

Barge transport costs can be estimated by first determining towboat and barge ownership and operating costs on an annualized basis from facility descriptions. Then these are converted to hourly ownership and operating costs specific to each waterway and for the relevant range of barge and towboat sizes. Terminal costs, tow make-up and break-up costs, and operating costs must be estimated and added. Among Tennessee firms surveyed, fuel averaged 31.2% of operating costs.

bIncome/sales.

Other studies have shown that tow-related costs are dominated by fuel and depreciation, whereas most of the remaining costs in the crew category are dominated by wages and fringe benefits. In these studies, it was found that fuel costs currently represent about one-third of total operating costs.

The size and shape of a tow, the size of the towboat, the cargo capacity of a barge, and the capacity of a waterway are largely determined by the physical dimensions of the waterway as well as by the locks located on them. On most of the waterways in the system dams are constructed to provide adequate channel depth for barge navigation by creating a stepped series of lakes, at least 9 feet deep in most cases, in place of the flowing river. The size of the lock chamber controls the dimensions of the vessels using the waterways. For example, a 110-ft by 600-ft lock allows a group of nine 35-ft by 195-ft barges to pass through in one lockage operation and a tow of 15 barges and a towboat to pass through using a double lockage operation. Second, smaller lock chambers require the breakup of large tows. This breakup and reassembly of tows requires additional time which, together with two lockage operations, imposes an additional cost on barge transportation.

Actual capacities are considerably smaller than theoretical ones. First, navigation may not be possible year-round. Second, many tows are not optimally sized; lock capacity is wasted. Third, pleasure craft may not be denied a lockage for more than two lockings; every third lockage could be non-cargo. Fourth, all barges are not loaded. Perhaps as many as 40% are returning empty. Fifth, many barges are not in the 1500-ton class (Rieber 1977).

C.7.5 Lock Cost and Time Functions

Locks are represented as nodes in the waterway network. They are grouped into node classes according to river system, lock chamber size, and lock capacity and transit time characteristics.

Lock capacity and transit time have been estimated with U.S. Department of Transportation's Transportation Systems Center (TSC) LOKCAP model, which uses queueing theory to predict locking time and delay for individual locks. Inputs to LOKCAP, including tow size distributions and locking times, were derived from data collected by the Corps of Engineers Performance Monitoring System in 1975.

The results of the lock classification and capacity analysis are presented in Table C.17. The final three columns in the table provide parameter estimates for the lock time functions. The following hyperbolic function is used:

$$t = 2t_0 - T_1 + \frac{Q(T_1 - T_0)}{Q - q} ,$$

where t = lock transit time, including delay time.

 $q = annual lock traffic (net weight, <math>10^3 ton)$,

Q = theoretical lock capacity (10³ ton),

 $T_0 = lock$ transit time at q=0, and

 $T_1 = lock transit time at q=0.5Q$.

Parameters Q, ${\rm T_0}$, and ${\rm T_1}$ are provided directly in the LOKCAP output. This function is plotted for a number of different lock classes in Figure C.15.

Data on costs experienced by the towing industry in locking operations were taken from a run of the TSC Water Cost Model. Some of the unit cost input to that run, based on industry surveys conducted by the Corps of Engineers, are summarized in Table C.18.

The lock cost function is also of the hyperbolic type, namely

Cost =
$$2C_0 - C_1 + \frac{Q(C_1 - C_0)}{Q - Q}$$
 [\$/103 ton],

where $C_0 = lock cost at q=0$ and

$$C_1 = lock cost at q=0.50$$
.

Table C.19 and Figure C.16 display this function for a variety of lock classes and parameter values.

Table C.17. Lock Classes and Time Functions

		Locks In	ncluded				(65 - 538)	
			Dimensi	ons (ft)		T:	F	
	River	Chamber A		Chamber B		Time Functions		
Class		Length	Width	Length	Width	(10 ³ ton)	(min)	(mtn)
UM600.110	Mississippi	600	110	1		50,000	65	100
UM. LD26	Mississippi	600	110	360	110	70,000	100	150
IL600.110	Illinois	600	110			50,000	75	125
	Ohio	600	110					
	Tennessee Cumberland	600	110					
W500 110		800	110					
4K600.110	Arkansas	600	110			45,000	40	60
	Monongahela GIWW ^a	600 797	84 75					
	Alabama/Coosa	655	84					
	B1. Warrior/Tom-	600	110					
	bigbee/Mobile	520	95					
	Ouichita/Black	655	84					
)H12+6.110	Ohio	1200	110	600	110	120,000	50	70
	Mississippi	1200	110	600	110	120,000	30	70
		1200	110	357	110			
H. NAVPASS	Ohio	(LD52,	LD53)			195,000	40	60
H. GALLPLS	Ohio	600	110	360	110	60,000	70	110
H600+360	Ohio	600	110	360	56	•	50	
	Tennessee	600	110	360	60	60,000	50	75
		600	110	400	60			
		600	110	292	60			
	Atchafalya/01d	1200	75					
N360.56	Monongahela	360	56			40,000	60	90
	Allegheny	360	56			,	-	
	Ouichita/Black	300	55					
IN720. XX+	Monongahela	720	84	720	- 84	100,000	38	60
		720	56	360	56			
		720	110	360	56			
NUM. 360+	Tennessee	360	60			30,000	80	125
	Mississippi	400	56					
X400+.75+	Clinch/Emory	400	75			35,000	30	50
	Cumberland GIWW	400	84					
	GIWW ^a b	425	75					
	Ap/Ch/F1 ^b	505	82					
W2X360.56	Kanawha	360	56	360	56	60,000	80	120
	Mississippi	400	56	400	56			
IWW. XXXX	GIWW ^a	750	75			55,000	40	60
		1158	75			55,555		00
		1204	75					
		1200	56					
		640	75					
		1198	84					
		800	75					
Y145. XX	Kentucky	145	38			4,500	55	90

^aGulf Intracoastal Waterway.

b Apalachicola/Chattahoochee/Flint.




Fig. C.15. Lock Time Functions. Redrawn from Bronzini (1979a).

Table C.18. Towboat and Barge Operating Costs

	Towboat Costs							
Towboat	Max. Labor Tow Cost		Other Cost	Total Variat	Total Variable Cost (\$/hr)			
	(\$/hr)	(\$/hr)	Operating	Maneuvering	Cost (\$			
300	2	15.70	3.63	20.83	20.09	54,600		
600	4	15.70	3.63	22.33	20.83	54,600		
1,200	8	26.30	11.10	43.40	40.40	117,000		
1,800	12	28.80	13.70	51.50	47.00	152,000		
2,500	14	34.30	18.30	65.08	58.85	222,000		
3,300	17	39,30	22.60	78.46	70.16	293,000		
4,300	23	39.50	26.90	87.88	77.15	358,000		
5,000	26	41.10	29.40	95.46	82.98	396,000		
5,700	28	42.30	31.80	102.66	88.38	437,000		
7,000	33	42.90	36.00	113.94	96.42	524,000		
8,400	36	45.30	40.80	128.10	107.10	611,000		
9,000	38	45.30	42.30	132.60	110.16	646,000		
10,100	40	45.30	44.90	140.72	115.40	706,000		

Barge Costs					
Capacity (ton)	Variable Cost (\$/hr)	Annual Fixed Cost (\$)			
1700	0.55	19,300			
1700	0.66	22,900			
1700	1.75	37,900			
	Capacity (ton) 1700	Capacity Cost (\$/hr) 1700 0.55 1700 0.66			

^aNumber of jumbo barges. Tow size may also be limited by channel characteristics.

 $^{^{}b}$ Sum of previous two columns plus fuel cost (based on 12¢/gal and fuel consumption of 1.0 gal/hp/day while operating and 0.5 gal/hp/day while maneuvering).

Table C.19. Lock Cost Function

			Average Locking		Cost Function ^a			
Lock Class	No. of		(\$/kton-hr)	0	Co	C ₁		
	Locks	Mean	Std. Dev.	(Ktons)	(\$/kton)	(\$/kton)		
UM600.110	23	17.26	0.21	50,000	18.70	28.80		
UM. LD26	1	16.92		70,000	28.20	42.30		
IL600.110	24	16.92	1.35	50,000	21.20	35.20		
AK600.110	32	16.39	7.30	45,000	10.90	16.40		
OH12+6.110	10	15.59	1.35	120,000	13.00	18.20		
OH. NAVPASS	2	18.58	1.46	195,000	12.40	18.60		
OH. GALLPLS	1	15.49		60,000	18.10	28.40		
OH. 600+360	7	17.03	1.65	60,000	14.20	21.30		
MN360.56	12	25.22	12.21	40,000	25.20	37.80		
MN720. XX+	4	14.33	0.37	100,000	9.10	14.30		
TNUM. 360+	4	22.07	1.55	30,000	29.40	46.00		
XX400+.75+	5	31.91	12.99	35,000	16.00	26.60		
KW2X360.56	4	16.86	2.85	60,000	22.50	33.70		
GIWW. XXXX	7	17.09	3.95	55,000	11.40	17.10		
KY145.XX	6	46.29	0.04	4,500	42.40	69.40		






Fig. C.16. Lock Cost Functions. Redrawn from Bronzini (1979a).

C.7.6 Link Cost and Time Functions

Waterway channels are represented as line-haul links in the waterway network. They are grouped into link classes according to major river systems.

Channel travel speeds were obtained from a run of the INSA inland navigation simulation model, which is also available as part of the TSC Waterway Cost Model. Downstream and upstream travel speeds were plotted against annual channel traffic. The resulting travel time functions selected for each link class are given in Table C.20. In all cases, the function is either constant or exhibits a small positive slope. Slower speeds occur with increasing traffic because tow sizes tend to increase, with a consequent increase in tow resistance and a decrease in the horsepower-to-tonnage ratio.

Link function multipliers are used for certain classes to adjust for differences in upstream and downstream costs and time. The link cost is obtained by multiplying the travel time with actual cost per hour. The results of this calculation are displayed in Table C.21.

Table C.20. Waterway Line-Haul Link Classes and Time Functions

		Trav	stream el Rațe r/mi)	
Link Class	Rivers Included	A	BX1000	Upstream Factor
LWR. MISS. R	Lower Mississippi	0.04	0.678	1.5
UPR.MISS.R	Upper Mississippi	0.128	0	1.25
ARKANSAS.R	Arkansas	0.155	0	1.46
OHIO.RIVER	Ohio	0.10	0.457	1.0
L. MONONGHL	Lower Monongahela	0.132	0	1.0
U. MONONGHL	Upper Monongahela	0.132	0	1.0
ALLEGHENY	Allegheny	0.139	0	1.0
TENNESSEE	Tennessee	0.115	0.171	1.0
CLINCH/EMY	Clinch/Emory	0.128	0	1.0
CUMBERLAND	Cumberland	0.128	0	1.0
KANAWHA. R	Kanawha	0.146	0	1.0
KENTUCKY. R	Kentucky	0.139	0	1.0
ILLINOIS.R	Illinois Waterway	0.135	0	1.0
GIWW. WEST	Gulf Intracoastal Waterway (West)	0.155	0	1.0
GIWW. EAST	Gulf Intracoastal Waterway (East)	0.132	0	1.31
BW/TOMB/MO	Black Warrior/Tombigbee/Mobile	0.155	0	1.0
ALABA/COOS	Alabama/Coosa	0.146	0	1.0
MISSOURI.R	Missouri	0.110	0	2.05
AP/CHAT/FL	Apalachicola/Chattahoochee/Flint	0.114	0	1.65
ATCHAF/OLD	Atchafalaya/01d	0.106	0	2.13
RED. RIVER	Red	0.135	0	1.0
OUACHTA/BL	Ouachita/Black	0.146	0	1.0
P. ALLEN. RT.	Morgan City-Port Allen Route	0.135	0	1.0

 $^{^{}a}$ Travel rate = A+Bq where q = annual link traffic, 10^{6} ton.

BRatio of upstream travel rate to downstream travel rate. In most cases, no differential was observable in the simulation model output. The small downstream current in slackwater pools is apparently counteracted by reduced draft due to a tendency toward movement of empty barges upstream.

Table C.21. Waterway Line-Haul Link Energy and Cost Functions

	Fuel Use	Avg. Tow Cargo Load		Downstream Energy Use (Btu/ton-mi)			Downstream Cost
Link Class	(gal/tow-hr)	Α	В	С	D	Upstream Factor ^C	(mills/ton-mi)
LWR.MISS.R	191	5960	58	178	0.678	1.5	2.75
UPR.MISS.R	111	5960	58	277	0	1.25	3.40
ARKANSAS.R	45	4950	0	195	0	1.46	3.90
OHIO. RIVER	75	5440	25	191	0	1.0	2.75
L. MONONGHL	26	2190	35	187	0	1.0	3.15
U. MONONGHL	26	2190	35	187	0	1.0	3.15
ALLEGHENY	23	2240	0	198	0	1.0	2.75
TENNESSEE	78	6450	0	193	0.286	1.0	3.15
CLINCH/EMY	41	3260	0	223	0	1.0	3.00
CUMBERLAND	41	3260	0	223	0	1.0	3.00
KANAWA.R	33	3600	0	187	0	1.0	3.00
KENTUCKY. R	25	670	0	719	0	1.0	5.50
ILLINOIS.R	82	6190	0	248	0	1.0	3.15
GIWW. WEST	25	3070	0	175	0	1.0	3.60
GIWW. EAST	27	3070	0	164	0	1.31	3.80
BW/TOMB/MO	25	3280	0	164	0	1.0	3.15
ALABA/COOS	25	960	0	527	0	1.0	5.00
MISSOURI.R	73	3530	0	315	0	2.05	5.50
AP/CHAT/FL	25	970	0	379	0	1.65	9.40
ATCHAF/OLD	25	2100	0	175	0	2.13	7.50
RED. RIVER	25	910	0	514	0	1.0	6.30
OUACHTA/BL	25	910	0	556	0	1.0	5.50
P. ALLEN. RT	25	1600	0	293	0	1.0	3.60

aTons/tow = A+Bq where q = annual traffic, 10^6 ton.

C.7.7 Ports

Waterway ports were grouped into node classes according to the relative amount of fleeting activity occurring, as revealed in a simulation of the inland waterway system conducted for the Corps of Engineers. Fleeting costs were derived from analysis of output from the TSC Waterway Cost Model, which indicated that fleeting type activities at ports incur an average cost of \$0.25 per ton. It was assumed that cargo would be delayed awaiting a tow for 24 hours, and that a fleeting stop would delay a tow for 3 hours. The average tow in the model consists of 7 barges and a 2000-horsepower towboat, with a net load of 5600 tons. Port time and cost estimates based on this analysis are given in Table C.22.

According to a study based on Corps of Engineers' data, the average terminal time for loading coal is 72 hours; for unloading, it is 120 hours. The basis for these estimates is not given, however (Rieber 1977).

C.7.8 Waterway Coal Terminals--Rail to Barge

Major requirements include a car dumper, a system for conveying coal to either storage piles or directly to the barges for loading, equipment for storing coal and subsequently reclaiming it for barge loadout, and a barge loading system. The barge loading system is simply a conveyor on a structural boom with head level adjustable to the level of the river.

Btu/ton-mile = C+Dq.

^CRatio of upstream energy use and cost to downstream energy use and cost.

Table C.22. Port Time, Cost and Energy Functions

Avg. of Tows Stopping	Time (hr)	Energy Use (Btu/ton)	Cost (\$/10 ³ ton)
100	27	3000	250
90	24	2700	225
60	16	1800	150
30	8	900	75
0	0	0	0
	5topping 100 90 60 30	Stopping Time (hr) 100 27 90 24 60 16 30 8	Stopping Time (hr) (Btu/ton) 100 27 3000 90 24 2700 60 16 1800 30 8 900

A terminal designed for an annual throughput of 10^6 ton/yr would require coal storage capacity for about 500,000 tons. It would handle approximately three 100-car unit trains per day over a 350-day working year. Normal processing time is 40 cars per hour (30) if the coal requires thawing). Barge loading can be accomplished at the rate of 6,000 ton/hr. However, if the barges are loaded directly from the unit train, the loading rate is 4,000 ton/hr. On a daily basis, the throughput of 30,000 tons amounts to loading 1.3 tows, of 1.5 barges each, per day (Rieber 1977).

The hours required to break up an incoming tow for loading (T_b) and to make up a tow after loading (T_m) may be, respectively, expressed as (2):

$$T_b = 0.34 + 0.2 \times (number of barges)$$

$$T_m = 0.21 + 0.44 \times (number of barges).$$

The approximate capital cost for a 10-million-ton-per-year facility, including equipment, material, contract services, and labor is \$16.5 million (1976). Operation requires approximately 40 people, including supervisors, equipment operators, mechanics, clerks, electricians, and general labor. While no estimates were available, operating costs are a function of throughput. However, the relationship is not linear. There are economies of scale. The limits to these economies depend on the time required to dump a train, maximum conveyor belt carrying capacity, barge arrival time irregularities, and dock space for barges (five barges in the description above). The facility described above may be optimal for a large facility with a single loading boom.

Based on the above admittedly sketchy data, it is possible to make a gross estimate of per-ton terminal costs. Adding contingencies and working capital to the \$16.05 million, a total capital cost of \$19.41 million is estimated. Given a 25-year life, annual fixed charges, including depreciation, taxes and insurance, may be estimated at \$2.193 million. Operation and maintenance costs are estimated at \$1.866 million. This includes \$600,000 for labor, \$281,000 for fuel, \$607,000 for maintenance and supplies, and \$378,000 for overhead. The above is consistent with the costing parameters used for rail and slurry pipelines. Total annual costs are therefore \$4,059,000 or 40.66/ton at the receiving end. Assuming that the delivery end, assumed to be an electric utility, requires only one-fifth the throughput capacity, total terminal costs are estimated at 48.76/ton (Rieber 1977).

C.7.9 Transportation Cost as a Function of Distance

An overall profile emerges in which the most important factor in modal choice is the distance between origin and destination: the longer the distance is, the more likely is the movement by water. The cost and time of barge loading and unloading require a reasonably long haul to make the water mode attractive. Increasing value per ton has a depressing effect over long hauls because of the slower speed of the water mode and its effect on inventory costs.

The following equation was given by Szabo (1978), and expresses the relationship of cost to distance for barge transportation of coal:

$$C = 20.93 \, \mathrm{p}^{-0.285}$$

where C = barge transportation rate (based on 1970 dollars), mills/metric ton-km (mills/ton-mi) and

D = one-way barge distance, km (mi).

In addition, a charge of 36¢ per metric ton (40¢ per ton) was included for all barge/rail or rail/barge transfer.

REFERENCES

- Association of American Railroads. 1972. Operating and Traffic Statistics. Washington, D.C.
- Association of American Railroads. 1977. Yearbook of Railroad Facts. Washington, D.C.
- Beckmann, M., C.B. McGuire and C.B. Winsten. 1956. Studies in the Economics of Transportation. Yale University Press, New Haven.
- Bronzini, M.S. 1979a. Freight Transportation Energy Use, Vol. III--Freight Network and Operations Data Base. Prepared by CACI, Inc.--Federal for the U.S. Department of Transportation, Washington, D.C.
- Bronzini, M.S. 1979b. Freight Transportation Energy Use, Vol. II. Prepared by CACI, Inc.--Federal for the U.S. Department of Transportation, Washington, D.C.
- Burns and Mickle. 1979. Water User Charges: Some Likely Impacts in the Tennessee Area. TRR No. 704. Memphis State University, Memphis, Tenn.
- Daughety, A., and M.A. Turnquist. 1979. Development of Hybrid Cost Functions from Engineering and Statistical Techniques: The Case of Rail. Prepared by Northwestern University, Evanston, Ill., for U.S. Department of Transportation.
- Deboer, D.J. 1974. The railroad's role in movement of merchandise freight. Trans. Res. Rec. 511:13-19.
- English, G.W. 1977. An Analytical Model for the Analysis of Single Track Railway Capacity. CIGGT, Queens University at Kingston, Ontario.
- Folk, J.F. 1972. Some Analyses of Railroad Data. MIT Department of Civil Engineering, Studies in Railroad Operations and Economics, Volume 6.
- Gentzel, R. 1979. Queueing Models for Analysis of Railroad Classification Yards. M.S. Thesis (in progress), The Transportation Centre, Northwestern University, Evanston, Ill.
- Interstate Commerce Commission. 1975. Rail Carload Cost Scales, Statement No. 1C1-73. Bureau of Accounts, Washington, D.C.
- Kulash, D.J. 1971. Routing and Scheduling in Public Transportation Systems. Ph.D. Dissertation, MIT, Department of Civil Engineering, Cambridge, Mass.
- Martland, C.D., and W.J. Rennicke. 1978. Unit Costs and Capacity Relationships at Railroad Terminals. Proc. Trans. Res. Forum XIX:136-144.
- Morlok, E.K. 1978. Introduction to Transportation Engineering and Planning. McGraw-Hill Book Company, New York. 346-408.
- Murphy, J.F. 1976. Rail Cost Modeling, Vol. I, Rail Freight Operations Cost Methodology. DOT Transportation Systems Center, Cambridge, Mass.
- Osuna, E.E., and G.F. Newell. 1972. Control strategies for an idealized public transportation system. Trans. Sci. 6:52-72.
- Peat, Marwick, Mitchell & Co. 1976. Energy and Economic Impacts of Projected Freight Transportation Improvements. U.S. DOT, Transportation Systems Center, Cambridge, Mass.
- Petersen, E.R. 1971. Bulk Service Queues: With Applications to Train Assembly Times. School of Business Working Paper Series 71-2, Queen's University, Kingston, Ontario.
- Petersen, E.R. 1974. Over-the-road transit time for a single track railway. Trans. Sci. 8:65-74.
- Petersen, E.R. 1977a. Railyard modeling: part I. Prediction of put-through time. Trans. Sci. 11:37-49.
- Petersen, E.R. 1977b. Railyard modeling: part II. The effect of yard facilities on congestion. Trans. Sci. 11:50-59.
- Reebie Associates. 1972. Toward an Effective Demurrage System. Prepared for U.S. Department of Transportation, Federal Railroad Administration.

- Rieber. 1977. Comparative Coal Transportation Costs, Volumes 1-8. U. of Illinois.
- Szabo, M.F. 1978. Environmental Assessment of Coal Transportation. EPA 600/7-78-081. Prepared by PEDCo Environmental, Inc., Cincinnati, Ohio, for the Industrial Environmental Research Laboratory, Office of Research and Development, U.S. Environmental Protection Agency, Cincinnati, Ohio.
- U.S. Department of the Army. 1977. Waterborne Commerce of the United States, Calendar Year 1976, Parts 1-5, Vicksburg, Miss. Corps of Engineers.
- Welding, P.O. 1963. Time series analysis as applied to traffic flow. Proceedings of the Second International Symposium on the Theory of Road Traffic Flow, OECD, London.
- Wright, W.B. 1960. How cars in multiple cut cost. Railway Age, January 4.
- Yevich, S.C., and M.A. Johnson. 1980. An overview of the ICC's uniform rail costing system. Proc. Trans. Res. Forum XXI:379-387.

APPENDIX D. RAIL FORM A CALCULATIONS

In this appendix, the derivation of operating (\$) cost functions for rail line haul is presented by way of an example. The example considered here is handling coal in general open hopper type of car. The Official Rail Territory (eastern) Rail Form A-1977 is used in these calculations. Single line operations and no interline exchanges are assumed (see Tables D.1 and D.2).

Divide the equation in line 16 of Table D.1 by T to obtain

Cost/ton in cents =
$$51.0539093 \frac{1}{T} + 0.92874 1_a + 3.191$$
. (1)

It is assumed that 83.5 tons of coal can be loaded on a general hopper car. Substituting T=83.5 tons in Equation 1 the cost of transporting coal in cents/ton can be expressed as:

$$C_c = 3.191 + 1.5401641 \, 1_a$$
 (2)

To calculate the line haul operating cost function for non-coal commodities, the same method as for coal is used. Other types of railroad cars to transport non-coal commodities and their cost functions are considered. A general open-type hopper car is not condidered here as it is assumed to transport coal only. The other types of cars considered and the fleet statistics that are given in Armstrong (1979) are presented in Table D.3. The cost functions in cents/ton for the cars are given in Table D.4. The cost functions for various car types were aggregated by the number of cars of that type to obtain a cost function for non-coal commodities:

$$C_{nc} = \frac{\sum_{i}^{\Sigma} C_{i} n_{i}}{\sum_{i} n_{i}} , \qquad (3)$$

where $C_{\rm nc}$ = cost of transportation of non-coal commodities,

C; = cost of transportation of non-coal commodity by railroad car type i, and

 n_i = number of railroad cars of type i, given in Table D.3.

The aggregate cost function for transporting non-coal commodities using Equation 3 is:

$$C_{\text{DC}} = 18.561 + 2.363624 \, 1_{\text{a}} \, .$$
 (4)

REFERENCES

Armstrong, J.H. 1979. The Railroad--What It Is, What It Does: Introduction to Railroading. Simmons-Boardman Publishing Corp., Omaha, Neb.

Interstate Commerce Commission. 1977. Report Statement No. ICI-77, pp. 133, 134.

Table D.1. Line Haul Operating Cost for Handling Coal in General Open Hopper

	Total Variable Cost	Reference in Rail Form A, Output	Cost
1.	Cost/car-mile (average train, including empty)	Sum.1, Sh _a 1.2, L.18, c.8 (B3612)	51.0539093 €
2.	Cost/gross-ton-mile	Sch.B, Sh.1.9, L.19, c.5 (B3417)	0.50080 €
3.	Tons of loading (contents of car)		T tons
4.	Loading cost/car-mile	L.2 X L.3	0.50080T €
5.	Total cost/car-mile	L.4 X L.1	51.0539093 + 0.5008T €
6.	One way actual miles		1 _a
7.	Cost/car	L.6 X L.5	(51.0539093 + 0.5008T) 1 _a
Frei	ight Claims		
8.	Carload claims clerical, cost/ton	Sum.1, Sh _c 1.2, L.244, c.8 (B3738)	1.009 €
9.	Loss and damage claim payment, cost/ton	Statement ICI-77, STC11 ^d	2.182 €
10.	Total cost/ton		3.191 €
11.	Cost/car	L.3 X L.10	33.1917 €
12.	Total variable cost	Σ lines 7, 11	$[(51.0539003 + 0.5008T)1_a + 3.191T]$
Tota	al Constant Cost		
13.	Cost/ton-mile	See Table D.2	0.42794 €
14.	Cost/ton	L.13 X L.6	0.42794. 1 _a
15.	Cost/car		0.42794 1 _a ·T ∉
16.	Total line haul cost	Σ Line 12, 15	[(51.0539093 + 0.92874T) 1 _a + 3.191T]

^aSum.1, Sh.1.2, L.18, c.8 is a reference in Rail Form-A. Procedure: look up Summary 1, Sheet 1.2, Line 18 and column 8, for hopper open general type of car, which gives the reference number B3612. Then refer to the variable B numbers output and the number B3612, to find 51.0539093 €.

 $^{^{\}rm b}$ Sch.B, Sh.1.9, L.19, c.5 is a reference in Rail Form-A. Procedure: refer to Schedule B, Sheet 1.9, Line 9 and Column 5 to obtain B3417, which is 0.50080 \rlap/c .

 $^{^{\}rm C}$ Sum.1, Sh.1.2, L.24, c.8 is a reference in Rail Form-A. Procedure: refer to Summary 1, Sheet 1.2, Line 24 and column 8 to get B3728, which is 1.009 £.

 $^{^{}m d}$ Statement ICI-77. is the Rail Carload Cost Scales Report published in 1977. STCC II refers to the commodity code for coal which is II. In Appendix A of Statement ICI-77, find for coal, carload freight claims paid by railroad due to loss and damages to commodity in shipment.

Table D.2. Calculation of Constant Cost for Line Haul Operating Cost for Coal

Constant Cost Parameter		Reference in Rail Form-A, Output	Cost	
1.	Constant cost/ton-mile (interline)	Sch.D, Sh.1.9, L.2S, c.59 (B3413) ^a	0.46177 €	
2.	Interchange car-cost	Sch.D, Sh.1.7, L.5, c.48 (B3156) ^b	\$7,357,993	
3.	Interchange engine-minute	Sch.D, Sh.1.8, L.5. c.56 (B3163) ^C	\$64,100,576	
4.	Total interchange cost	L.2 + L.3	\$71,458,569	
5.	Carload net ton-mile	Sch.D, Sh.1.10, Footnote 2 (B3365) ^d	211,254,837,248 ton-miles	
6.	Constant interchange cost per carload net ton-miles	L.4 + L.5	0.03383 ¢	
7.	Total constant cost/ton- mile (single line)	L.1 - L.6	0.42794 €	

 $^{^{\}rm a}$ Sch.D, Sh. 1.9, L.25, c.59 is a reference in Rail Form-A. Procedure: refer to Schedule D, Sheet 1.9, Line 25 and column 59 to obtain B3413, which is 0.46177 \not £.

Table D.3. U.S. Railroad Fleet Statistics by Car Type as of 1979

Type of Car	No. of Cars	Average Capacity (ton)
Box car, general, equipped	174,000	31.8
Box car, general, unequipped	321,500	31.8
Gondola, general	1,016,000	67.2
Livestock car	4,400	54.2
Flat, general	141,000	54.3
Refrigerator	101,000	35.0
Tank, 28K	171,000	62.5

The average capacity of the car, by car type, has been taken from Interstate Commerce Commission (1977).

Table D.4. Line Haul Operating Cost Functions for Various Types of Cars

Type of Car	Cost Function
Box car, general, equipped	18.561 + 2.3251845 La
Box car, general, unequipped	18.561 + 2.8066253 la
Gondola, general	18.561 + 1.6929369 la
Livestock car	18.561 + 1.9025128 la
Flat, general	18.561 + 1.896161 La
Refrigerator	18.561 + 3.1778485 La
Tank, 28K	18.561 + 2.2141297 l _a

 $[\]ell_a$ = length of haul in miles.

bSch.D, Sh. 1.7, L.5, c.48 is a reference in Rail Form-A. Procedure: refer to Schedule D, Sheet 1.7, Line 5 and column 48 to obtain B3156, which is \$7,357,993.

 $^{^{\}text{C}}\text{Sch.D},~\text{Sh. }1.8,~\text{L.5},~\text{c.56}$ is a reference in Rail Form-A. Procedure: refer to Schedule D, Sheet 1.8, Line 5 and column 56 to obtain B3163, which is \$71,458,569.

 $^{^{}m d}$ Sch.D, Sh. 1.10, Footnote 2 is a reference in Rail Form-A. Procedure: refer to Footnote 2 in Schedule D, Sheet 1.10 to obtain B3365, which is 211,254,837,248 ton-miles.



APPENDIX E. REPORT WRITER 1 NORTHEAST REGIONAL COAL FLOWS FOR FUA CONVERSION CANDIDATES

Table E.1. Northeast Regional Annual Coal Flows for FUA Conversion Candidates, 1991 Oil SIP

			Annua	1 Demar	d by Co	al Type	(% Su	lfur)	Trans-	Delay	
FUA Plant	State	Coal Source	0.00-	0.65- 1.04%		1.85-	2.25- 3.04%	3.05	port Cost (\$/ton)	Cost	Carriers
Bridgeport Harbor	СТ	State College, PA 	0.0	0.0	0.0	0.0	145.0	0.0	8.93	1.36	Conrail Perth Amboy, NJ Intercoastal Barge
Bridgeport Harbor	СТ	New Castle, PA	0.0	0.0	0.0	0.0	0.0	728.0	11.53	1.63	Conrail Perth Amboy, NJ Intercoastal Barge
Plant Totals & Me	an Tran	sport & Delay Cost:	1 0.0	0.0	0.0	0.0	145.0	728.0	11.09	1.59	
Devon	ст	State College, PA	0.0	0.0	0.0	0.0	72.0	0.0	8.97	1.38	Conrail Perth Amboy, NJ Intercoastal Barge
Devon	СТ	New Castle, PA 	0.0	0.0	0.0	0.0	0.0	359.0	11.56	1.65	Conrail Parth Amboy, NJ Intercoastal Barge
Plant Totals & Me	an Trans	sport & Delay Cost:	1 0.0	0.0	0.0	0.0	72.0	359.0	11.13	1.61	
Norwalk Harbor	СТ	State College, PA 	0.0	0.0	0.0	0.0	109.0	0.0	8.82	1.30	Conrail Ferth Amboy, NJ Intercoastal Barge
Norwalk Harbor	СТ	New Castle, PA 	0.0	0.0	0.0	0.0	0.0	546.0	11.42	1.57	Conrail Ferth Amboy, NJ Intercoastal Barge
Plant Totals & Mea	an Trans	oport & Delay Cost:	0.0	0.0	0.0	0.0	109.0	545.0	10.99	1.52	
Montville	CT	State College, PA	0.0	0.0	0.0	0.0	38.0	0.0	9.36	1.62	Conrail Perth Amboy, NJ Intercoastal Barge
Montville	CT	New Castle, PA	0.0	0.0	0.0	0.0	0.0	189.0	11.96	1.89	Conrail Perth Amboy, NJ Intercoastal Barge
Plant Totals & Mea	n Trans	port & Delay Cost:	0.0	0.0	0.0	0.0	38.0	189.0	11.52	1.85	
Middletown	CT	State College, PA	0.0 	0.0	0.0	0.0	136.0	0.0	9.37	1.63	Conrail Perth Amboy, NJ Intercoastal Barge

FUA Plant State	 	0.00- 0.64%	0.65- 1.04%	(Kilot	oal Type (ons) 1.85- 2.24%	2.25-	fur) 3.05 +%	Trans- port Cost (\$/ton)	Delay Cost (\$/ton)	 Carriers
Middletown Ci	New Castle, PA	0.0	0.0	0.0	0.0	0.0	681.0	11.97	1.90	Conrail Ferth Amboy, NJ Intercoastal Barge
Plant Totals & Mean Tra		1 0.0	0.0	0.0	0.0	136.0	681.0	11.54	1.85	
Edge Moor DI	State College, PA	0.0	0.0	0.0	0.0	838.0	0.0	6.86	0.51	Conrail Power Plant RR Link
Plant Totals & Mean Tra		1 0.0	0.0	0.0	0.0	838.0	0.0	6.86	0.51	
	E New Castle, PA 	0.0	0.0	0.0	436.0	0.0	0.0	13.61	2.47	
Plant Totals & Mean Tra		1 0.0	0.0	0.0	436.0	0.0	0.0	13.61	2.47	
	Uniontown, PA	0.0	0.0	0.0	0.0	2288.2	0.0	8.31	0.51	CSX Corp. Curtis Bay, MD Intercoastal Barge
Brandon Shores M	J Johnstown, PA	0.0	0.0	0.0	0.0	746.8	0.0	7.35	0.45	CSX Corp. Curtis Bay, MD Intercoastal Barge
Plant Totals & Mean Tr		1 0.0	0.0	0.0	0.0	3035.0	0.0	8.07	0.49	
	D State College, PA	0.0	0.0	0.0	0.0	137.0	0.0	6.46	0.49	
Riverside M	D Uniontown, PA	0.0	0.0	0.0	0.0	196.5	0.0	7.19	0.34	CSX Corp. Power Plant RR Link
Riverside M	D Johnstown, PA	0.0	0.0	0.0	0.0	27.5	0.0	6.23	0.28	CSX Corp. Power Plant RR Link
Plant Totals & Mean Tr		1 0.0	0.0	0.0	0.0	361.0	0.0	6.84	0.39	
Crane, C.P. M	D State College, PA 	0.0	0.0	0.0	0.0	859.0	0.0	6.46	0.49	Conrail Power Plant RR Link
Plant Totals & Mean Tr		0.0	0.0	0.0	0.0	859.0	0.0	6.46	0.49	
	D State College, PA	0.0	0.0	0.0	0.0	618.0	0.0	6.46	0.49	
Plant Totals & Mean Tra	ensport & Delay Cost:	1 0.0	0.0	0.0	0.0	618.0	0.0	6.46	0.49	

Table E.1. (continued)

			Annua	1 Deman	d by Co		(% Su	(fur)	Trans-	Delay	
FUA Plant	State	 Coal Source	0.00-	0.65- 1.04%	1.05-	1.85-2.24%	2.25- 3.04%	3.05 +%	Cost (\$/ton)	Cost	Carriers
Middletown	ст		0.0	0.0	0.0	0.0	0.0	681.0	11.97	1.90	Conrail Perth Amboy, NJ Intercoastal Barge
Plant Totals & M	fean Tran	sport & Delay Cost:	1 0.0	0.0	0.0	0.0	136.0	681.0	11.54	1.85	
Edge Moor		State College, PA 	0.0	0.0	0.0	0.0	838.0	0.0	6.86		Conrail Power Plant RR Link
Plant Totals & M	lean Trans	sport & Delay Cost:	1 0.0	0.0	0.0	0.0	838.0	0.0	6.86	0.51	
fason		New Castle, PA 	0.0	0.0	0.0	436.0	0.0	0.0	13.61	2.47	Conrail Perth Amboy, NJ Collier
Plant Totals & M	ean Trans	sport & Delay Cost:	I 0.0	0.0	0.0	436.0	0.0	0.0	13.61	2.47	
Brandon Shores	DM	Uniontown, PA	0.0	0.0	0.0	0.0	2288.2	0.0	8.31	0.51	CSX Corp. Curtis Bay, MD Intercoastal Barge
Brandon Shores	MD	Johnstown, PA	0.0	0.0	0.0	0.0	746.8	0.0	7.35	0.45	CSX Corp. Curtis Bay, MD Intercoastal Barge
Plant Totals & M	ean Trans	sport & Delay Cost:	1 0.0	0.0	0.0	0.0	3035.0	0.0	8.07	0.49	
Riverside	MD	State College, PA	0.0 	0.0	0.0	0.0	137.0	0.0	6.46	0.49	Conrail Power Plant RR Link
Riverside	MD	Uniontown, PA	0.0	0.0	0.0	0.0	196.5	0.0	7.19	0.34	CSX Corp. Power Plant RR Link
Riverside	MD	Johnstown, PA	0.0	0.0	0.0	0.0	27.5	0.0	6.23	0.28	CSX Corp. Power Plant RR Link
Plant Totals & Me	ean Trans	port & Delay Cost:	0.0	0.0	0.0	0.0	361.0	0.0	6.84	0.39	
rane, C.P.	MD	State College, PA	0.0	0.0	0.0	0.0	859.0	0.0	6.46	0.49	Conrail Power Plant RR Link
lant Totals & Me	ean Trans	port & Delay Cost:	0.0	0.0	0.0	0.0	859.0	0.0	6.46	0.49	
agner, H.A.	MD	State College, PA	l 0.0	0.0	0.0	0.0	618.0	0.0	6.46	0.49	Conrail Power Plant RR Link
lant Totals & Me	ean Trans	port & Delay Cost:	1 0.0	0.0	0.0	0.0	618.0	0.0	6.46 1	0.49	

			Annu	al Demar	d by Co	oal Type	(% Sul	fur)	Trans-	Delay	
FUA Plant S	tate	Coal Source	0.00-		1.05-	1.85- 2.24%	2.25- 3.04%	3.05	Cost (\$/ton)	Cost	 Carriers
New Boston	МА	State College, PA	0.0	1620.0	0.0	0.0	0.0	0.0	10.36	1.95	Conrail Perth Amboy, NJ Collier
Plant Totals & Mean	Tran	sport & Delay Cost:	1 0.0	1620.0	0.0	0.0	0.0	0.0	1 10.36	1.95	
Mystic	MA	State College, PA 	0.0	957.0	0.0	0.0	0.0	0.0	10.36	1.95	Conrail Perth Amboy, NJ Collier
Plant Totals & Mean	Tran	sport & Delay Cost:	1 0.0	957.0	0.0	0.0	0.0	0.0	1 10.36	1.95	
Canal		State College, PA 	0.0	1059.0	0.0	0.0	0.0	0.0	10.09	1.85	Conrail Perth Amboy, NJ Collier
Plant Totals & Mean			1 0.0	1059.0	0.0	0.0	0.0	0.0		1.85	
Mount Tom		State College, PA 	0.0	285.0	0.0	0.0	0.0	0.0	11.37	0.85	Conrail Fower Plant RR Link
Plant Totals & Mean			1 0.0	285.0	0.0	0.0	0.0	0.0	1 11.37	0.85	
Salem Harbor		State College, PA 	0.0	689.0	0.0	0.0	0.0	0.0	10.37	1.95	Conrail Perth Amboy, NJ Collier
Plant Totals & Mean			1 0.0	689.0	0.0	0.0	0.0	0.0	10.37	1.95	
Somerset		State College, PA 	0.0	248.0	0.0	0.0	0.0	0.0	9.80	1.74	Conrail Perth Amboy, NJ Collier
Plant Totals & Mean	Tran	sport & Delay Cost:	1 0.0	248.0	0.0	0.0	0.0	0.0	9.80	1.74	
West Springfield	МА	State College, PA 	0.0	227.0	0.0	0.0	0.0	0.0	11.41	0.85	Conrail Power Plant RR Link
Plant Totals & Mean		sport & Delay Cost:	1 0.0	227.0	0.0	0.0	0.0	0.0	11.41	0.85	
Schiller	NH	New Castle, PA	0.0	0.0	0.0	406.0	0.0	0.0	13.18	2.31	Conrail Perth Amboy, NJ Collier
Plant Totals & Mean	Tran	sport & Delay Cost:	1 0.0	0.0	0.0	406.0	0.0	0.0	13.18	2.31	

Table E.1. (continued)

			Annua	1 Deman	d by Co	al Type	(% Su	(fur)	Trans-		
FUA Plant	State	Coal Source	0.00-	0.65- 1.04%	1.05-		2.25- 3.04%	3.05	port Cost (\$/ton)	Delay Cost (\$/ton)	Carriers
Deepwater	ИЛ	Johnstown, PA 	0.0	0.0	0.0	0.0	0.0	174.8	7.87	0.76	CSX Corp. Curtis Bay, MD Intercoastal Barge
Deepwater 	ИЛ	Hagerstown, MD 	0.0	0.0	0.0	0.0	0.0	288.2	5.03	0.55	CSX Corp. Curtis Bay, MD Intercoastal Barge
Plant Totals & N	dean Tran	sport & Delay Cost:	1 0.0	0.0	0.0	0.0	0.0	463.0	6.10	0.63	
Sayreville	ИЛ	State College, PA 	0.0	0.0	0.0	0.0	344.0	0.0	7.19	0.89	Conrail Power Plant RR Link
Sayreville	ил	New Castle, PA 	0.0	0.0	0.0	0.0	0.0	178.0	9.79	1.17	Conrail Power Plant RR Link
Plant Totals & M	lean Trans	sport & Delay Cost:	1 0.0	0.0	0.0	0.0	344.0	178.0	8.07	0.99	
Bergen	ИЛ	State College, PA	0.0	0.0	0.σ	0.0	752.0	0.0	7.54	0.55	Conrail Power Plant RR Link
Bergen	ИЛ	New Castle, PA	0.0	0.0	0.0	0.0	0.0	387.0	10.14		Conrail Power Plant RR Link
Plant Totals & M	lean Trans	port & Delay Cost:	1 0.0	0.0	0.0	0.0	752.0	387.0	8.42	0.64	
(earny	ил	State College, PA	0.0	0.0	0.0	0.0	346.0	0.0	7.54	0.55	Conrail Power Plant RR Link
(earny	СИ	New Castle, PA	0.0	0.0	0.0	0.0	0.0	178.0	10.14	0.82	Conrail Power Plant RR Link
Plant Totals & M	ean Trans	port & Delay Cost:	1 0.0	0.0	0.0	0.0	346.0	178.0	8.42	0.64	
Sewaren	ил [State College, PA	0.0	0.0	0.0	0.0	730.0	3.3	7.17	0.89	Conrail Power Plant RR Link
Sewaren	ил [New Castle, PA	0.0	0.0	0.0	0.0	0.0	373.7	9.77	1.16	Conrail Power Plant RR Link
Plant Totals & M	ean Trans	port & Delay Cost:	1 0.0	0.0	0.0	0.0	730.0	377.0	8.05	0.98	
Hudson	I Ги	State College, PA	0.0	0.0	0.0	0.0	528.0	93.3	7.54	0.55	Conrail Power Plant RR Link

			Annua	l Demar	d by Co	al Type	(% Su	lfur)	Trans-	Delay	
FUA Plant	State	Coal Source	0.00-	0.65-		1.85-	2.25- 3.04%	3.05	Cost (\$/ton)	Cost (\$/ton)	Carriers
Hudson	ИЛ	New Castle, PA 	0.0	0.0	0.0	0.0	0.0	179.7	10.14	0.82	Conrail Power Plant RR Link
Plant Totals & N	lean Tran	sport & Delay Cost:	1 0.0	0.0	0.0	0.0	528.0	273.0	8.12	0.61	
Burlington		State College, PA 	0.0	0.0	0.0	0.0	0.0	191.6	6.73	0.80	Conrail Power Plant RR Link
Burlington	ИЛ	New Castle, PA 	0.0	0.0	0.0	0.0	0.0	159.4	9.33	1.08	Conrail Power Plant RR Link
Plant Totals & M		sport & Delay Cost:	0.0	0.0	0.0	0.0	0.0	351.0	7.91	0.93	
Danskammer	ΝΥ	New Castle, PA	0.0	0.0	0.0	0.0	0.0	1134.0	11.57	1.66	
		sport & Delay Cost:	0.0	0.0	0.0	0.0	0.0	1134.0	11.57	1.66	
Arthur Kill		New Castle, PA 	0.0	0.0	0.0	1916.0	0.0	0.0	11.01	1.32	Conrail Perth Amboy, NJ Intercoastal Barge
Plant Totals & I		sport & Delay Cost:	1 0.0	0.0	0.0	1916.0	0.0	0.0	11.01	1.32	
Ravenswood	NY	New Castle, PA 	0.0	0.0	0.0	1680.0	0.0	0.0	11.17	1.42	
		sport & Delay Cost:	1 0.0	0.0	0.0	1680.0	0.0	0.0	11.17	1.42	
Barrett, E.F.	NY		0.0	0.0	0.0	0.0	818.0	0.0	8.67	1.21	Conrail Perth Amboy, NJ Intercoastal Barge
Plant Totals &	Mean Tran	sport & Delay Cost:	1 0.0	0.0	0.0	0.0	818.0	0.0	8.67	1.21	
Northport	NY	State College, PA	0.0	0.0	0.0	0.0	0.0	174.8	8.78	1.27	Conrail Perth Amboy, NJ Intercoastal Barge
Northport	NY	New Castle, PA	0.0	0.0	0.0	2663.0	0.0	766.2	11.38	1.54	Conrail Perth Amboy, NJ Intercoastal Barge
Plant Totals &	Mean Tran	sport & Delay Cost:	1 0.0	0.0	0.0	2663.0	0.0	941.0	1 11.26	1.53	

Table E.1. (continued)

FUA Plant	State	 Coal Source		0.00- 0.64%	0.65- 1.04%	(Kilot		2.25-	3.05 +%	Trans- port Cost (\$/ton)	Delay Cost (\$/ton)	Carriers
Far Rockaway	NY	New Castle,	PA	0.0	0.0	0.0	275.0	0.0	0.0	11.21		Conrail Perth Amboy, NJ Intercoastal Barge
Plant Totals & Mea	n Trans	port & Delay	Cost:	0.0	0.0	0.0	275.0	0.0	0.0	11.21	1.44	
Glenwood	NY	State Colleg	e, PA	0.0	0.0	0.0	0.0	673.0	0.0	8.69	1.22	Conrail Perth Amboy, NJ Intercoastal Barge
Plant Totals & Mea		port & Delay	Cost:	0.0	0.0	0.0	0.0	673.0	0.0	8.69	1.22	
Port Jefferson		New Castle,	PA	0.0	0.0	0.0	1049.0	0.0	0.0	11.53		Conrail Perth Amboy, NJ Intercoastal Barge
Plant Totals & Mea	n Trans	port & Delay	Cost:	0.0	0.0	0.0	1049.0	0.0	0.0	11.53	1.63	
Albany	NY	New Castle,	PA	0.0	0.0	0.0	878.0	0.0	0.0	11.08	0.59	Conrail Power Plant RR Link
Plant Totals & Mea	n Trans	port & Delay	Cost:	0.0	0.0	0.0	878.0	0.0	0.0		0.59	
Lovett	NY	State Colleg	e, PA	0.0	0.0	0.0	0.0	1214.0	0.0	8.34	0.65	Conrail Power Plant RR Link
Plant Totals & Mea		port & Delay	Cost:	0.0	0.0	0.0	0.0	1214.0	0.0	8.34	0.65	
Oswego		New Castle,	PA	0.0	0.0	0.0	992.0	0.0	0.0	8.06	0.40	Conrail Power Plant RR Link
Plant Totals & Mea	n Trans	port & Delay	Cost:	0.0	0.0	0.0	992.0	0.0	_0.0	8.06	0.40	
Cromby	PA	New Castle,	PA	0.0	0.0	0.0	0.0	0.0	424.0	8.83	1.00	Conrail Power Plant RR Link
Plant Totals & Mea	n Trans	port & Delay	Cost:	0.0	0.0	0.0	0.0	0.0	424.0	8.83	1.00	
Schuylkill	PA	New Castle,	PA	0.0	0.0	0.0	0.0	0.0	374.0	9.87		Conrail Power Plant RR Link
Plant Totals & Mea	n Trans	port & Delay (Cost:	0.0	0.0	0.0	0.0	0.0	374.0	9.87	1.12	
Southwark	PA	New Castle,	PA	0.0	0.0	0.0	0.0	0.0	1159.0	9.87	1.12	Conrail Power Plant RR Link
Plant Totals & Mea				0.0	0.0	0.0	0.0	0.0	1159.0	9.87	1.12	

Table E.1. (continued)

	Annua	1 Deman	d by Co (Kilot	al Type	(% Sul	fur)	Trans-	Delay	
FUA Plant State Coal Source	0.00- 0.64%	0.65- 1.04%	1.05-		2.25- 3.04%	3.05	Cost	Cost	 Carriers
Springdale PA Pittsburgh, PA	0.0	0.0	0.0	0.0	0.0	518.0	2.62	0.0	Power Plant RR Link
Plant Totals & Mean Transport & Delay Cost:	0.0	0.0	0.0	0.0	0.0	518.0	2.62	0.0	
South Street RI State College, PA 	0.0	0.0	0.0	0.0	200.0	0.0	9.81	1.74	Conrail Perth Amboy, NJ Collier
South Street RI New Castle, PA	0.0	0.0	0.0	0.0	0.0	91.0	12.41	2.01	Conrail Perth Amboy, NJ Collier
Plant Totals & Mean Transport & Delay Cost:	0.0	0.0	0.0	0.0	200.0	91.0	10.62	1.83	

Table E.2. Northeast Regional Annual Coal Flows for FUA Conversion Candidates, 1991 NSPS

			Annua	l Deman	d by Co		(% Sul	lfur)	Trans-	Delay	
FUA Plant	State	Coal Source	0.00-	0.65- 1.04%	1.05-	1.85-2.24%		3.05	Cost	Cost	Carriers
Bridgeport Harbor	СТ	New Castle, PA 	0.0	0.0	0.0	0.0	0.0	873.0	11.52	1.29	Conrail Ferth Amboy, NJ Intercoastal Barge
Plant Totals & Me	an Tran	sport & Delay Cost:	1 0.0	0.0	0.0	0.0	0.0	873.0	11.52	1.29	
Devon	ст	New Castle, PA	0.0 	0.0	0.0	0.0	0.0	431.0	11.56	1.31	Conrail Perth Amboy, NJ Intercoastal Barge
Plant Totals & Me	an Tran	sport & Delay Cost:	0.0	0.0	0.0	0.0	0.0	431.0	11.56	1.31	
Norwalk Harbor	СТ	Naw Castle, PA 	0.0	0.0	0.0	0.0	0.0	655.0	11.42	1.22	Conrail Perth Amboy, NJ Intercoastal Barge
Plant Totals & Mea	an Tran	sport & Delay Cost:	1 0.0	0.0	0.0	0.0	0.0	655.0	11.42	1.22	
Montville	СТ	New Castle, PA 	0.0	0.0	0.0	0.0	0.0	227.0	11.96	1.55	Conrail Perth Amboy, NJ Intercoastal Barge
Plant Totals & Mea	n Tran	sport & Delay Cost:	1 0.0	0.0	0.0	0.0	0.0	227.0	11.96	1.55	
Middletown	СТ	New Castle, PA 	0.0	0.0	0.0	0.0	0.0	817.0	11.97	1.55	Conrail Perth Amboy, NJ Intercoastal Barge
Plant Totals & Mea	n Tran	sport & Delay Cost:	1 0.0	0.0	0.0	0.0	0.0	817.0	11.97	1.55	I 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Edge Moor	DE	Uniontown, PA 	0.0	0.0	0.0	0.0	838.0	0.0	8.73	0.53	CSX Corp. Power Plant RR Link
Plant Totals & Mea		sport & Delay Cost:	1 0.0	0.0	0.0	0.0	833.0	0.0	8.73	0.53	
Mason	ME	Pittsburgh, PA 	0.0	0.0	0.0	436.0	0.0	0.0	14.85 	2.22	Conrail Ferth Amboy, NJ Collier
Plant Totals & Mea	n Tran	sport & Delay Cost:	0.0	0.0	0.0	436.0	0.0	0.0	14.85	2.22	
Brandon Shores	MD	Uniontown, PA	0.0	1320.2	0.0	0.0	0.0	0.0	8.31 	0.53	CSX Corp. Curtis Bay, MD Intercoastal Barge

Table E.2. (continued)

		A CONTRACTOR OF THE	Annua	0.65-	(Kilot		(% Sul 2.25-	fur) 3.05	Trans- port Cost	Delay Cost	
FUA Plant	State	Coal Source	1 0.64%	1.04%	1.84%	2.24%	3.04%	+%	[(\$/ton)	(\$/ton)	Carriers
Brandon Shores	MD	Johnstown, PA	0.0	753.8	0.0	0.0	0.0	0.0	7.35	0.46	CSX Corp. Curtis Bay, MD Intercoastal Barge
Brandon Shores	MD	Hagerstown, MD 	0.0	960.9	0.0	0.0	0.0	0.0	4.51	0.24	CSX Corp. Curtis Bay, MD Intercoastal Barge
		sport & Delay Cost:		3035.0	0.0	0.0	0.0	0.0	6.87	0.42	
Riverside		Uniontown, PA 		361.0	0.0	0.0	0.0	0.0	7.19	0.36	CSX Corp. Power Plant RR Link
		sport & Delay Cost:	1 0.0	361.0	0.0	0.0	0.0	0.0	7.19	0.36	
Crane, C.P.		Uniontown, PA 	0.0	859.0	0.0	0.0	0.0	0.0	7.19	0.36	CSX Corp. Power Plant RR Link
		sport & Delay Cost:	1 0.0	859.0	0.0	0.0	0.0	0.0	7.19	0.36	
Wagner, H.A.		Uniontown, PA	0.0	598.9	0.0	0.0	0.0	0.0	7.19	0.36	CSX Corp. Power Plant RR Link
Wagner, H.A.	CM	Hagerstown, MD	0.0	19.1	0.0	0.0	0.0	0.0	3.39	0.07	CSX Corp. Power Plant RR Link
		sport & Delay Cost:	1 0.0	618.0	0.0	0.0	0.0	0.0	7.07	0.35	
New Boston		New Castle, PA 	0.0	0.0	0.0	0.0	0.0	486.0	12.96	1.83	Conrail Parth Amboy, NJ Collier
New Boston	MA	Uniontown, PA	0.0	0.0	0.0	0.0	1134.0	0.0	12.09	2.12	CSX Corp. Curtis Bay, MD Collier
	an Tran	sport & Delay Cost:	1 0.0	0.0	0.0		1134.0	486.0	12.35	2.05	
Mystic	MA	New Castle, PA	0.0	0.0	0.0	0.0	0.0	287.0	12.96 	1.88	Conrail Perth Amboy, NJ Collier
Mystic	MA	Uniontown, PA	0.0	0.0	0.0	0.0	670.0	0.0	12.09	2.12	CSX Corp. Curtis Bay, MD Collier
Plant Totals & Mag	an Tran	sport & Delay Cost:	1 0.0	0.0	0.0	0.0	670.0	287.0	12.35	2.05	

Table E.2. (continued)

			Annua	il Demar	d by Co	al Type	(% Su	lfur)	Trans-	Delay	
FUA Plant	State	Coal Source	0.00-	0.65- 1.04%		1.85-	2.25- 3.04%	3.05	Cost (\$/ton)	Cost	Carriers
Canal	МА	New Castle, PA 	0.0	0.0	0.0	0.0	0.0	318.0	12.69	1.77	Conrail Perth Amboy, NJ Collier
Canal	МА	Uniontown, PA 	0.0	0.0	0.0	0.0	741.0	0.0	11.82	2.02	CSX Corp. Curtis Bay, MD Collier
Plant Totals & M	ean Tran	sport & Delay Cost:	0.0	0.0	0.0	0.0	741.0	318.0	1 12.08	1.95	
Mount Tom		State College, PA 	0.0	0.0	0.0	0.0	200.0	0.0	1 11.37	0.74	Conrail Fower Plant RR Link
Mount Tom	MA	New Castle, PA 	1 0.0	0.0	0.0	0.0	0.0	85.0	13.07	0.76	Conrail Power Plant RR Link
Plant Totals & M	ean Trans	sport & Delay Cost:	1 0.0	0.0	0.0	0.0	200.0	85.0	11.87	0.74	
Salem Harbor	МА	State College, PA 	0.0	0.0	0.0	0.0	432.6	0.0	10.37	1.63	Conrail Perth Amboy, NJ Collier
Salem Harbor	MA	New Castle, PA	0.0	0.0	0.0	0.0	0.0	207.0	12.97	1.88	Conrail Perth Amboy, NJ Collier
Salem Harbor	MA 	Uniontown, PA	0.0	0.0	0.0	0.0	49.4	0.0	12.10	2.12	CSX Corp. Curtis Bay, MD Collier
Plant Totals & Me	an Trans	port & Delay Cost:	1 0.0	0.0	0.0	0.0	482.0	207.0	11.28	1.74	
Somerset	MA	New Castle, PA	0.0	0.0	0.0	0.0	0.0	74.0	12.40	1.67	Conrail Perth Amboy, NJ Collier
Somerset	MA	Johnstown, PA	0.0	0.0	0.0	0.0	174.0	0.0	10.77	1.27	Conrail Perth Amboy, NJ Collier
Plant Totals & Me	an Trans	port & Delay Cost:	0.0	0.0	0.0	0.0	174.0	74.0	1 11.26	1.39	l ,
Hest Springfield	MA	State College, PA	0.0	0.0	0.0	0.0	159.0	0.0	11.41	0.74	Conrail Power Plant RR Link

Table E.2. (continued)

		tim crests ' w	Annua	I Deman	d by Co		(% Sul	fur)	Trans-	Delay	
FUA Plant	State	Coal Source	0.00-	0.65- 1.04%	1.05- 1.84%	1.85-2.24%	2.25- 3.04%	3.05	Cost (\$/ton)	Cost	Carriers
West Springfield	MA	New Castle, PA	0.0	0.0	0.0	0.0	0.0	68.0	13.11	0.76	Conrail Power Plant RR Link
Plant Totals & Mear		sport & Delay Cost:	1 0.0	0.0	0.0	0.0	159.0	63.0	11.91	0.75	
Schiller	НН	New Castle, PA	0.0	0.0	0.0	44.2	0.0	0.0	13.18	1.96	Conrail Perth Amboy, NJ Collier
Schiller	NH	Pittsburgh, PA	0.0	0.0	0.0	361.8	0.0	0.0	14.42	2.06	Conrail Perth Amboy, NJ Collier
Plant Totals & Mea	n Tran	sport & Delay Cost:	1 0.0	0.0	0.0	406.0	0.0	0.0	14.28	2.05	
Deepwater	NJ	Uniontown, PA 	0.0	0.0	0.0	0.0	463.0	0.0	8.83	0.84	CSX Corp. Curtis Bay, MD Intercoastal Barge
		sport & Delay Cost:	1 0.0	0.0	0.0	0.0	463.0	0.0	8.83	0.84	
Sayreville	ИЛ		0.0	0.0	0.0	0.0	522.0	0.0	8.16	0.43	Conrail Power Plant RR Lin
		sport & Delay Cost:	1 0.0	0.0	0.0	0.0	522.0	0.0	8.16	0.43	
========= Bergen	КИ	State College, PA	0.0	0.0	0.0	0.0	745.7	0.0	7.54	0.44	
Bergen	ГИ	Johnstown, PA	0.0	0.0	0.0	0.0	393.3	0.0	8.50	0.45	Conrail Power Plant RR Link
Plant Totals & Mea		sport & Delay Cost:	1 0.0	0.0	0.0	0.0	1139.0	0.0	7.87	0.44	
Kearny		State College, PA	0.0	0.0	0.0	0.0	48.5	0.0	7.54	0.44	Conrail Power Plant RR Link
Kearny	ИЛ	Johnstown, PA	0.0	0.0	0.0	0.0	475.5	0.0	8.50		Conrail Power Plant RR Link
	n Tran	sport & Delay Cost:	1 0.0	0.0	0.0	0.0	524.0	0.0	8.41	0.44	
Sewaren	ИЛ	Johnstown, PA	0.0	0.0	0.0	0.0	1107.0	0.0	8.14	0.43	
Plant Totals & Mea	n Tran	sport & Delay Cost:	1 0.0	0.0	0.0	0.0	1107.0	0.0	8.14	0.43	

Table E.2. (continued)

			Annua	I Demar	d by C	oal Type	(% Su	lfur)	Trans-	Delay	
FUA Plant	State	Coal Source	0.00-	0.65- 1.04%	1.05-	1.85-2.24%	2.25- 3.04%	3.05 +%	Cost	Cost	Carriers
Hudson 	ИЛ	State College, PA	0.0	0.0	0.0	0.0	801.0	0.0	7.54		Conrail Power Plant RR Link
Plant Totals & M	ean Tran	sport & Delay Cost:	1 0.0	0.0	0.0	0.0	801.0	0.0	7.54	0.44	
Burlington		State College, PA	0.0	0.0	0.0	0.0	351.0	0.0	6.73	0.50	Conrail Power Plant RR Link
Plant Totals & M	ean Tran	sport & Delay Cost:	1 0.0	0.0	0.0	0.0	351.0	0.0	6.73	0.50	
)anskammer	NY	New Castle, PA 	0.0	0.0	0.0	0.0	0.0	1134.0	11.57	1.31	Conrail Perth Amboy, NJ Intercoastal Barge
lant Totals & M	ean Trans	sport & Delay Cost:	1 0.0	0.0	0.0	0.0	0.0	1134.0	11.57	1.31	
rthur Kill	NY	New Castle, PA 	0.0	0.0	0.0	1801.2	0.0	0.0	11.01	0.97	Conrail Perth Amboy, NJ Intercoastal Barge
rthur Kill	ИУ	Pittsburgh, PA 	0.0	0.0	0.0	114.8	0.0	0.0	12.25	1.07	Conrail Perth Amboy, NJ Intercoastal Barge
lant Totals & Me	an Trans	sport & Delay Cost:	1 0.0	0.0	0.0	1916.0	0.0	0.0	11.09	0.98	
avenswood	HY	Pittsburgh, PA	0.0	0.0	0.0	1680.0	0.0	0.0	12.41	1.17	Conrail Perth Amboy, NJ Intercoastal Barge
lant Totals & Me	an Trans	port & Delay Cost:	1 0.0	0.0	0.0	1680.0	0.0	0.0	12.41	1.17	
arrett, E.F.	NY	State College, PA	0.0	0.0	0.0	0.0	796.9	0.0	8.67	0.88	Conrail Perth Amboy, NJ Intercoastal Barge
arrett, E.F.	NY	Johnstown, PA	0.0	0.0	0.0	0.0	21.1	0.0	9.64	0.74	Conrail Perth Amboy, NJ Intercoastal Barge
lant Totals & Me	an Trans	port & Delay Cost:	1 0.0	0.0	0.0	0.0	818.0	0.0	8.70	0.88	
orthport	. Н	New Castle, PA	0.0	0.0	0.0	2663.0	0.0	941.0	11.38	1.20	Conrail Perth Amboy, NJ Intercoastal Barge
lant Totals & Me	an Trans	port & Delay Cost:	1 0.0	0.0	0.0	2663.0	0.0	941.0	11.38	1.20	

Table E.2. (continued)

FUA Plant	State	Coal Source	Annua 0.00- 0.64%	0.65- 1.04%	d by Co (Kilot 1.05- 1.84%	ons)	2.25- 3.04%	3.05 +%	Trans- port Cost (\$/ton)	Delay Cost (\$/ton)	Carriers
Far Rockaway	НΥ	State College, PA	0.0	0.0	275.0	0.0	0.0	0.0	8.61	0.84	Conrail Perth Amboy, NJ Intercoastal Barge
Plant Totals & Mea		port & Delay Cost:	0.0	0.0	275.0	0.0	0.0	0.0	8.61	0.84	
Glenwood		State College, PA	0.0	0.0	0.0	0.0	673.0	0.0	8.69 	0.89	Conrail Perth Amboy, NJ Intercoastal Barge
		sport & Delay Cost:	0.0	0.0	0.0	0.0	673.0	0.0		0.89	
Port Jefferson	ΝΥ		0.0	0.0	1049.0	0.0	0.0	0.0	8.93	1.03	
Plant Totals & Mea		sport & Delay Cost:	1 0.0	0.0	1049.0	0.0	0.0	0.0	8.93	1.03	
Albany		State College, PA	0.0	0.0	878.0	0.0	0.0	0.0	9.64	0.56	Conrail Power Plant RR Link
		sport & Delay Cost:	0.0	0.0	878.0	0.0	0.0	0.0	9.64	0.56	
Lovett		State College, PA	0.0	0.0	0.0	0.0	1214.0	0.0	8.34	0.54	Conrail Power Plant RR Link
		sport & Delay Cost:	1 0.0	0.0	0.0		1214.0	0.0	8.34	0.54	
Oswego		State College, PA 	0.0	0.0	992.0	0.0	0.0	0.0	7.00	0.39	Connail Power Plant RR Link
Plant Totals & Mea		sport & Delay Cost:	1 0.0	0.0	992.0	0.0	0.0	0.0	7.00	0.39	
Cromby		New Castle, PA 	0.0	0.0	0.0	0.0	0.0	424.0	8.83	0.69	
Plant Totals & Mea		sport & Delay Cost:	0.0	0.0	0.0	0.0	0.0	424.0	8.83	0.69	
Schuylkill		New Castle, PA 	0.0	0.0	0.0	0.0	0.0	374.0	9.87	0.79	
Plant Totals & Mea		sport & Delay Cost:	0.0	0.0	0.0	0.0	0.0	374.0	9.87	0.79	
Southwark		New Castle, PA 	0.0	0.0	0.0	0.0	0.0	1159.0	9.87	0.79	Conrail Power Plant RR Link
Plant Totals & Mea	an Trans	sport & Delay Cost:	1 0.0	0.0	0.0	0.0	0.0	1159.0	9.87	0.79	

Table E.2. (continued)

		Annua	1 Deman	d by Co	al Type	(% Sul	fur)	Trans-	Delay	
FUA Plant	State Coal Source	0.00-			1.85-	2.25- 3.04%	3.05	Cost	Cost	Carriers
Springdale	PA New Castle, PA	0.0	0.0	0.0	0.0	0.0	518.0	2.90	0.02	Conrail Power Plant RR Link
Plant Totals &	Mean Transport & Delay Cost:	1 0.0	0.0	0.0	0.0	0.0	518.0	2.90	0.02	
South Street	RI New Castle, PA	0.0	0.0	0.0	0.0	0.0	91.0	12.41	1.67	Conrail Perth Amboy, NJ Collier
South Street	RI Uniontown, PA 	0.0	0.0	0.0	0.0	200.0	0.0	11.54	1.91	CSX Corp. Curtis Bay, MD Collier
Plant Totals &	Mean Transport & Delay Cost:	1 0.0	0.0	0.0	0.0	200.0	91.0	11.81	1.84	

APPENDIX F. REPORT WRITER 2

NORTHEAST REGIONAL COAL FLOWS SORTED BY CHANGE IN ARC VOLUME FOR BASE CASE AND FUA CASE

Table F.1. Northeast Regional Coal Flows Sorted by Change in Arc Volume, for Base Case and FUA Case, 1991 Oil SIP

Seq	FNEM Arc LIC Code	FUA - Base (Megatons)	FUA Case Coal Volume (Negatons)	Base Case Coal Volume (Megatons)	Pre-Load Volume (Megatons)	FUA Case Total Volume (Megatons)	FUA Case Volume/ Capacity
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 12 22 32 42 56 67 22 23 33 34 33 64 12 23 44 56 7 8 9 10 11 12 13 14 15 16 17 18 19 20 12 22 32 42 56 67 22 23 33 34 35 67 38 39 41 42 34 44 56 7 67 55 55 55 55 55 56 66 67 8 69 70 12 12 12 12 12 12 12 12 12 12 12 12 12	RDG58 RDG64 RDG73 P0068 P0627 P0791 P0784 P0785 P0099 P0792 P0066 LV024 TRS91 RDG41 LV046 LV027 LV033 LV045 LV027 LV033 LV037 CW37 CW37 CW37 CW37 CW37 CW37 CW37 CW	27.797 27.797 27.797 27.797 25.383 24.599 24.709 15.657 15	37.887 37.887 37.887 37.887 52.855 25.304 25.304 25.304 25.304 25.304 25.304 25.304 25.304 25.309 20.480 40.558 43.467 20.482 20.482 20.482 20.482 20.482 20.482 20.482 30.578 31.319 31.3776 31.776 3	10.090 10.090 10.090 27.472 0.705 0.622 0.622 0.622 0.622 0.662 0.662 0.662 0.662 0.662 0.0 0.0 0.0 0.5517 1.935 1.935 1.935 1.935 1.935 0.622 0.622 0.622 0.622 0.622 0.622 0.622 0.623 0.00 0.0 0.0 0.00 0.00 0.00 0.00 0.00	1.100 1.100 1.100 33.000 11.000 33.000 11.000 33.000 11.000 11.000 11.000 11.000 11.000 11.000 11.100 11.000 11.100 11.100 11.100 11.100 33.000 11.000 11.100 33.000 33.000 11.000 33.000	38.987 38.987 38.987 85.855 36.304 36.304 58.304 58.304 58.304 58.304 58.309 20.420 41.658 44.557 31.482 21.582 31.482 21.582 21.582 31.482 21.582 21.582 31.482 22.551 319 29.319 29.319 29.319 29.319 20.709 20.709 20.709 20.709 20.709 20.709 31.419 20.709 20.709 20.709 31.419 20.709 20.709 31.419 31.458 46.776 46.778 43.578 43.578 43.578 45.131 42.388 45.783 45.783 45.783 47.788 47.788 47.788 47.788 47.778 47.788 47.778 47.788 47.778 47.788 47.778 47.788	0.9769 0.9769 0.9769 0.9769 0.9769 0.9769 0.9769 0.9769 0.9769 0.9097 0.4876 0.9097 0.4876 0.5316 0.2035 1.0439 0.2366 0.5408 0.2366 0.5408 0.2366 0.5408 0.2366 0.5408 0.2366 0.5408 0.2366 0.5408 0.2366 0.5408 0.2366 0.5408 0.2366 0.5408 0.2366 0.5510 0.2203 0.1624 0.1732 0.1865 0.3865 0.3865 0.3865 0.3888 0.2706 0.3888 0.2706 0.4006 0.2868 0.3226 0.4239 0.4006 0.4006 0.4805

Table F.1. (continued)

eq	FNEM Arc LIC Code	FUA - Base (Megatons)	FUA Case Coal Volume (Megatons)	Base Case Coal Volume (Megatons)	Pre-Load Volume (Megatons)	FUA Case Total Volume (Megatons)	FUA Case Volume/ Capacity
71	WM008	3.392	4.046	0.654	5.500	9.546	0.2392
72 73 74	WM008 WM009	3.392 3.192	4.046 3.434	0.654 0.241	5.500	9.546 4.534	0.2392
74	WM0 10	3.192	3.434	0.241	1.100 22.000	25.434	0.6373
75	P0834	3.101	4.681	1.579	55.000	59.681	0.4485
76	P0832	3.101	4.681	1.579	55.000	59.681	0.4485
77	P0620	3.101	4.681	1.579	55.000	59.681	0.4485
78 79	P0831 P1055	3.101 3.101	4.681 4.681	1.579 1.579	55.000 55.000	59.681 59.681	0.4992
80	P0833	3.101	4.681	1.579	55.000	59.681	0.4992
81	WX167	3.035	3.035	0.0	0.0	3.035	0.0
82	RDG69	2.783	2.783	0.0	1.100	3.883	0.0973
83	LV004	2.713 2.713	3.443 3.443	0.729	1.100 55.000	4.543	0.0380
84 85	P0612 P0614	2.713	3.443	0.729	55.000	58.443 58.443	0.4392
86	P0615	2.713	3.443	0.729	55.000	58.443	0.4392
87	BX126	2.519	4.173	1.654	5.500	9.673	0.2424
88	P0108	2.257	14.879	12.622	5.500	20.379	0.5107
89 90	WX059 P0743	1.916 1.884	1.916	0.0	0.0 5.500	1.916 7.834	0.0
91	WH005	1.696	2.036	0.340	22.000	24.036	0.6023
92	HX060	1.680	1.680	0.0	0.0	1.680	0.0
93	P0692	1.646	1.654	0.009	1.100	2.754	0.0690
94	P0692 P0693	1.646	1.654	0.009 1.803	1.100	2.754 4.537	0.0690
95 96	P0693	1.634 1.634	3.437 3.437	1.803	1.100	4.537	0.1137
97	WZ047	1.620	1.620	0.0	0.0	1.620	0.0
98	BX032	1.589	1.589	0.0	22.000	23.589	0.1773
99	P0745	1.533	1.983	0.450	5.500	7.483	0.1875 0.2147
00	P0221 P0195	1.513 1.513	3.069 3.069	1.556 1.556	5.500 1.100	8.569 4.169	0.2147
01	BX176	1.352	4.960	3.608	55.000	59.960	0.5015
03	BX057	1.352	4.960	3.608	55.000	59.960	0.4506
104	EL068	1.214	1.214	0.0	33.000	34.214 56.214	0.8573 1.2721
105	F0051	1.214	1.214 1.134	0.0	55.000 0.0	1.134	0.0
106 107	HX058 P0368	1.107	1.107	0.0	1.100	2.207	0.0553
108	P0177	1.073	4.183	3.115	11.000	15.188	0.1270
109	P0175	1.073	3.985	2.912	1.100 55.000	5.085	0.1274
110	P0759	1.073	3.985 3.985	2.912	55.000	58.935 58.935	0.4433
111	P0755 P0641	1.073 1.073	3.985	2.912	55.000	58.985	0.4933
113	P0 178	1.073	4.188	3.115	11.000	15.188	0.1270
14	P0540	1.073	3.985	2.912	33.000	36.985	0.1681
115	P0043	1.068	1.789	0.721	55.000 55.000	56.789 56.789	0.4268
116 117	P0042 P0042	1.068 1.068	1.739 1.789	0.721 0.721	55.000	56.789	0.4268
118	P0816	1.068	1.789	0.721	55.000	56.789	0.4268
119	P0043	1.068	1.789	0.721	55.000	56.789	0.4268
120	WZ049	1.059	1.059	0.0	0.0	1.059 1.049	0.0
121	WX064 BX190	1.049 1.047	1.049 2.483	0.0 1.436	1.100	3.583	0.0898
123	P0803	1.018	1.747	0.729	55.000	56.747	0.4265
124	P0810	1.016	1.778	0.763	55.000	56.778	0.4267
125	P0809	1.016	1.778	0.763	55.000	56.778	0.4267
126	P0811	1.016	1.778 2.061	0.763 1.048	55.000 55.000	56.778 57.061	0.4288
127 128	P0813 EL114	1.012 0.994	1.472	0.478	22.000	23.472 23.472	0.5882
129	F0097	0.994	1.472	0.478	22.000	23.472	0.5882
130	P0630	0.994	1.472	0.478	5.500	6.972	0.1747
131	P0631	0.994	1.472	0.478	1.100 1.100	2.572 2.735	0.0645
32	P0078 P0080	0.985 0.985	1.635 1.635	0.650 0.650	5.500	7.135	0.1788
133	WZ048	0.957	0.957	0.0	0.0	0.95/	0.0
135	BX 178	0.908	4.308	3.400	55.000	59.308	0.4457
136	BX180	0.908	4.308 4.308	3.400	55.000	59.308	0.4457
137	BX183	0.908	4.308	3.400	55.000	59.308 59.308	0.4457
138	BX181	0.908	4.308	3.400	55.000 55.000	59.308 59.308	0.4457
139	BX179 BX226	0.908	4.308 0.961	0.077	22.000	22.961	0.5754
141	P0607	0.882	1.468	0.586	1.100	2.568	0.0215
142	P0805	0.881	1.772	0.891	55.000	56.772	0.4266
143	P0929	0.881	1.772	0.891	5.500	7.272 56.772	0.0608
144	P0804	0.881 0.881	1.772	0.891	55.000 55.000	56.772	0.4266

Table F.1. (continued)

Seq	FNEM Arc LIC Code	FUA - Base (Megatons)	FUA Case Coal Volume (Megatons)	Base Case Coal Volume (Megatons)	Pre-Load Volume (Megatons)	FUA Case Total Volume (Megatons)	FUA Case Volume/ Capacity
146	HX041	0.873	0.873	0.0	0.0	0.873	0.0
147 148	P1044	0.838	0.838	0.0	33.000	33.838	0.1538
148	WX061 WX045	0.818	0.818 0.817	0.0	0.0	0.818	0.0
150	BX227	0.789	0.859	0.069	22.000	0.817 22.859	0.5728
151	P0629	0.783	1.645	0.852	1.100	2.745	0.0230
152	BX218	0.734	1.074	0.341	22.000	23.074	0.5222
153 154	BX217 BX212	0.734	1.074	0.341	22.000	23.074	0.1734
155	BX214	0.694	1.074	0.380	33.000 33.000	34.074 34.074	0.2561
156	BX211	0.694	1.074	0.380	22.000	23.074	0.1930
157	WZ050	0.689	0.689	0.0	0.0	0.689	0.0
158 159	MX063	0.673	0.673	0.0	0.0	0.673	0.0
160	MX043 MGA02	0.655 0.623	0.655 0.860	0.0 0.237	0.0 1.100	0.655	0.0
161	MGA02	0.623	0.860	0.237	1.100	1.960 1.960	0.0444
162	P0099	0.610	1.088	0.478	22.000	23.088	0.5785
163	P0749	0.568	0.568	0.0	1.100	1.668	0.0418
164 165	P0081 MGA02	0.532 0.525	0.853	0.321	5.500	6.353	0.1592
166	MGA03	0.525	0.653	0.129 0.129	1.100 1.100	1.753 1.753	0.0397
167	PLE08	0.525	0.653	0.129	22.000	22.653	0.5677
168	CNJ15	0.522	0.522	0.0	1.100	1.622	0.0136
169 170	P0021 P0021	0.518	1.165	0.647	55.000	56.165	0.4698
171	P0845	0.518 0.518	1.165 1.182	0.647	55.000 55.000	56.165 56.182	0.4698
172	P0048	0.518	1.182	0.664	55.000	56.182	0.4699
173	F0884	0.518	1.182	0.664	55.000	56.182	0.4699
174 175	P0048	0.518	1.182	0.664	55.000	56.182	0.4699
176	P0050 EL 146	0.511 0.511	0.900	0.389	33.000	33.900	0.7671
177	P0050	0.511	0.900	0.389	1.100 33.000	2.000 33.900	0.0501
178	P0610	0.511	0.900	0.389	55.000	55.900	0.7671
179	P0848	0.511	0.900	0.389	33.000	33.900	0.7671
180 181	P0853 LHR02	0.511 0.507	0.900	0.389	33.000	33.900	0.7671
182	LHR01	0.507	1.229	0.722 0.722	1.100 1.100	2.329	0.0584
183	LHR06	0.507	1.229	0.722	1.100	2.329	0.0584
184	EL035	0.506	0.515	0.009	33.000	33.515	0.2803
185 186	WX177 P0079	0.463 0.453	0.463	0.0	0.0	0.463	0.0
187	EL078	0.448	0.782 1.863	0.330 1.414	5.500 1.100	6.282	0.1574
188	EL078	0.448	1.863	1.414	1.100	2.963	0.0742
189	HZ046	0.436	0.436	0.0	0.0	0.436	0.0
190 191	HX042 BX070	0.431 0.426	0.431	0.0	0.0	0.431	0.0
192	EL030	0.419	0.460 7.881	0.033 7.462	22.000	22.460	0.1878
193	EL019	0.419	7.881	7.462	22.000	29.880 29.880	0.7487
194 195	WZ052	0.406	0.406	0.0	0.0	0.406	0.0
196	EL111 EL103	0.385 0.385	0.385	0.0	22.000	22.385	0.1872
197	EL 110	0.385	0.385 0.385	0.0	22.000	22.385	0.1872
198	EL 113	0.385	0.385	0.0	22.000	22.385 22.385	0.1872
199 200	EL 148	0.379	1.317	0.938	1.100	2.417	0.0606
201	P0128 P0120	0.354 0.354	0.354	0.0	11.000	11.354	0.2845
202	P0132	0.354	0.354	0.0	33.000	33.354	0.2507
203	P0134	0.354	0.354	0.0	11.000 33.000	11.354	0.2845
204	P0129	0.354	0.354	0.0	11.000	33.354 11.354	0.2790
205	P0139 WZ067	0.354	0.354	0.0	11.000	11.354	0.2845
207	BX051	0.291 0.288	0.291 0.283	0.0	0.0	0.291	0.0
208	P0589	0.285	0.285	0.0	22.000	22.288	0.5585
209	WX062	0.275	0.275	0.0	1.100	1.385 0.275	0.0347
210	BX083	0.262	0.357	0.095	11.000	11.357	0.2570
212	BX071 WZ051	0.262	0.357	0.095	11.000	11.357	0.2570
213	P0887	0.233	0.248	0.0	0.0	0.248	0.0
214	WX044	0.227	0.227	0.478	55.000	55.711 0.227	0.4187
215 216	P0131	0.185	0.185	0.0	11.000	11.185	0.0
217	LV059 YS002	0.183 0.181	0.434	0.252	22.000	22.434	0.1686
		0.161	0.261	0.081	1.100	1.361	0.0341

Table F.1. (continued)

Seq	FNEM Arc LIC Code	FUA - Base (Megatons)	FUA Case Coal Volume (Megatons)	Base Case Coal Volume (Megatons)	Pre-Load Volume (Megatons)	FUA Case Total Volume (Megatons)	FUA Case Volume/ Capacity
218 219 220	P0786 P0130 P0672 P0154	0.176 0.169 0.157	0.176 0.169 0.289	0.0 0.0 0.132	11.000 11.000 33.000	11.176 11.169 33.289	0.2800 0.2799 0.2784
221 222 223	EL021 EL027	0.146 0.134 0.134	0.295 2.300 2.300	0.149 2.167 2.167	11.000 11.000 22.000	11.295 13.300 24.300	0.2830 0.1112 0.2032
224 225 226	EL023 EL143 EL020 EL025	0.134 0.134 0.134	2.300 2.300 2.300	2.167 2.167 2.167	11.000 22.000 22.000	13.300 24.300 24.300	0.1112 0.2032 0.2032 0.2032
227 228 229	EL028 P0197	0.134 0.134 0.121	2.300 2.300 0.369	2.167 2.167 0.247	22.000 11.000 5.500 5.500	24.300 13.300 5.869	0.1112 0.1471 0.1471
230 231 232	P0220 EL032 LV012 EL145	0.121 0.107 0.107 0.107	0.369 1.994 1.994 1.994	0.247 1.886 1.886 1.836	33.000 1.100 33.000	5.859 34.994 3.094 34.994	0.2927 0.0775 0.2927
233 234 235	BX062 EL104 LV060	0.107 0.101 0.097 0.058	5.476 3.901 0.293	5.375 3.803	55.000 22.000 22.000	60.476 25.901 22.293	0.5058 0.6490 0.1675
236 237 238 239	EL092 EL094 EL079	0.058 0.058 0.058	0.293 0.293 0.293	0.235 0.235 0.235 0.235	5.500 5.500 5.500	5.793 5.793 5.793	0.0485 0.0485 0.1452
240 241 242	EL079 EL079 EL079	0.058 0.058 0.058	0.293 0.293 0.293	0.235 0.235 0.235	1.100 5.500 5.500	1.393 5.793 5.793	0.0117 0.1452 0.1452
243 244 245	EL 101 EX230 BX069	0.058 0.056 0.026	0.293 0.058 0.103	0.235 0.002 0.077	1.100 11.000 22.000	1.393 11.058 22.103	0.0117 0.2771 0.1849
246 247 248	P0264 P0265 PLE12	0.013 0.013 0.008	0.026 0.026 0.013	0.013 0.013 0.006	33.000 33.000 22.000	33.026 33.026 22.013	0.2482 0.2482 0.5516
249 250 251	PLE 12 P0023 P0591	0.008 0.006 0.006	0.013 0.465 0.484	0.006 0.459 0.478	22.000 33.000 33.000	22.013 33.465 33.484	0.5516 0.2515 0.2516
252 253 254	P0023 P0890 P0889	0.006 0.006 0.006	0.465 0.484 0.484	0.459 0.478 0.478	33.000 33.000 33.000	33.465 33.484 33.484	0.2515 0.2516 0.2516
255 256 257	P0022 P0022 P0155	0.006 0.006 0.006	0.465 0.465 0.015	0.459 0.459 0.009	33.000 33.000 55.000	33.465 33.465 55.015	0.7573 0.2515 0.4134 0.4134
258 259 260	P0157 P0609 P0008	0.006 0.004 0.0	0.015 0.590 0.453	0.009 0.586 0.453	55.000 1.100 5.500	55.015 1.690 5.953 1.245	0.4134 0.0141 0.1492 0.0312
261 262 263	VTR04 P0005 LV058	0.0 0.0 0.0	0.145 0.453 0.000	0.145 0.453 0.000 0.581	1.100 5.500 11.000 33.000	5.953 11.000	0.1492 0.2489 0.8415
264 265 266	MEC28 P0176 BM027	0.0 0.0 0.0 0.0	0.581 0.203 0.017 0.0	0.203 0.017 0.000	11.000 1.100 55.000	33.581 11.203 1.117 55.000	0.0937 0.0280 0.4133
267 268 269 270	EX120 P0005 LV035	0.0 0.0 0.0	0.0 0.453 1.247	0.000 0.453 1.247	55.000 5.500 11.000	55.000 5.953 12.247	0.4600 0.1492 0.2772
271 272 273	DH010 DH011 DH009	0.0 0.0 0.0	0.304 0.304 0.290	0.305 0.305 0.290	22.000 22.000 11.000	22.304 22.304 11.290	0.5589 0.5589 0.2829
274 275 276	CX001 CLP02 HZ382	0.0 0.0 0.0	0.0 0.145 0.581	0.000 0.145 0.581	55.000 1.100 0.0	55.000 1.245 0.581	0.4133 0.0312 0.0
277 278 279	WY380 PRS11 PTM01	0.0 0.0 0.0	0.041 0.409 0.531	0.041 0.409 0.581	0.0 1.100 5.500	0.041 1.509 6.081 22.000	0.0 0.0378 0.1524 0.4979
280 281 282	BX262 BX231 LV057	0.0 0.0 0.0	0.0 0.003 0.000	0.000 0.003 0.000 0.000	22.000 11.000 11.000 11.000	11.003 11.000 11.000	0.2757 0.0827 0.2756
283 284 285	BX302 TRS21 BX234	0.0 0.0 0.0	0.0 0.041 0.003 0.290	0.000 0.041 0.003 0.290	0.0 5.500 5.500	0.041 5.503 5.790	0.0041 0.1379 0.1451
286 237 288 289	CV018 P0019 P0019 CX224	0.0 0.0 0.0 0.0	0.453 0.453 0.0	0.453 0.453 0.000	5.500 5.500 55.000	5.953 5.953 55.000	0.1492 0.1492 0.4133

Table F.1. (continued)

Seq	FNEM Arc LIC Code	FUA - Base (Megatons)	FUA Case Coal Volume (Magatons)	Base Case Coal Volume (Megatons)	Pre-Load Volume (Megatons)	FUA Case Total Volume (Megatons)	FUA Case Volume/ Capacity
290	MEC22	0.0	0.581	0.531	11.000	11.581	0.2902
291	GTE05	0.0	0.581	0.531	1.100	1.681	0.0421
292	XX001	0.0	0.581	0.531	33.000	33.581	0.7599
293	CX221	0.0 0.0 0.0	0.0	0.000	55.000	55 000	0.4133
294	BX228	0.0	0 270	0.270	55.000 22.000	22.270 36.147	0.5040
295	P0639	0.0	3.147	3.147	33.000 5.500	36.147	0.9053
296	PRS 12	0.0	0.409	0.409	5.500	5.909 55.000	0.1481
297 298	BX073	0.0	0.0 0.453	0.000	55.000	5.953	0.1492
298	BM034 CX222	0.0	0.455	0.000	5.500 55.000	55.000	0.4133
300	BM035	0.0	0.453	0.453	5.500	5.953	0.0498
301	BX094	0.0	0.000	0.000	5.500 22.000	22.000	0.1653
302	VTR06	0.0	0.290	0.290	5.500	5.790	0.1451
303	BX264	0.0	0.0	0.000	55.000	55.000	0.4133
304	BM065	0.0	0.017	0.017	11.000	11.017 55.000	0.2761
305 306	BX076 BX266	0.0	0.0	0.000	55.000 55.000	55.000	0.4133
307	VTR03	0.0	0.145	0.145	1 100	1 245	0.0312
308	DH034	0.0	0.304	0.305	22.000	22.304	0.5539
309	LV055	0.0	0.000	0.000	1.100	22.304	0.0249
310	BM058	0.0	0.453	0.453	33.000		0.7570
311	PRS03	0.0	0.041	0.041	1.100 1.100	1.141	0.0286
312 313	PRS 15 B:1057	0.0	0.041 0.453	0.041 0.453	77 000	33.453	0.0286
314	BM061	0.0	0.453	0.453	33.000 33.000	33.453	0.2514
315	LV040	0.0	0.000	0.000	1.100	1 100	0.0276
316	F0200	0.0	3.147	3.147	11.000	14.147	0.3545
317	P0214	0.0	1.478	1.478	1.100	2.578	0.0546
318	P0203	0.0	1.669	1.669	11.000	12.669	0.3175
319 320	BX257 GTE05	0.0	0.0 0.581	0.000	55.000	55.000	0.4600
321	MEC21	0.0	0.581	0.581 0.581	1.100	1.681 11.581	0.0421
322	P0167	0.0	0.187	0.187	55.000	55.187	0.2508
323	BH068	0.0	0.017	0.017	33.000	33.017	0.7472
324	DH003	0.0	0.290	0.290	5 500	5.790	0.1451
325	PRS10	0.0	0.409	0.409	5.500	5.909	0.0494
326 327	TRS23 PRS11	0.0	0.581	0.581		0.531	0.0531
328	BX118	0.0	0.409	0.000	1.100 11.000	1.509 11.000	0.0378
329	PTM03	0.0	0.581	0.581	1.100	1.681	0.2489
330	XX001	0.0	0.581	0.581	33.000	33.581	0.2524
331	BX073	0.0	0.0	0.000	55.000	55.000	0.4133
332	BX231	0.0	0.003	0.003	11.000	11.003	0.2757
333 334	BX092 CX223	0.0	0.000	0.000	22.000	22.000	0.4979
335	P0885	0.0	0.017	0.000 0.017	55.000 1.100	55.000	0.4133
336	DH003	0.0	0.290	0.290	5.500	1.117 5.790	0.0230
337	CLP01	0.0	0.145	0.145	1.100	1.245	0.0312
338	BX119	0.0	0.0	0.000	55.000	55.000	0.4600
339 340	LV071	0.0	0.000	0.000	22.000	22.000 22.000	0.1653
341	BX091 BX090	0.0	0.000	0.000	22.000	22.000	0.4979
342	BX263	0.0	0.00	0.000	22.000 55.000	22.000	0.4979
343	BX113	0.0	0.0	0.000	5.500	55.000 5.500	0.4133
344	BX122	0.0	0.0	0.000	33.000	33.000	0.1378
345	P0005	0.0	0.453	0.453	5.500	5.953	0.1492
346	BX121	0.0	0.0	0.000	55.000	55.000	0.4600
347 348	BX116 CX008	0.0	0.0	0.000	22.000	22.000	0.4979
349	EL050	0.0	0.0	0.000	55.000	55.000	0.4133
350	EL045	-0.002	0.209	0.212	22.000	22.209	0.1858
351	P0812	-0.003	0.282	0.286	1.100 22.000	22.282	0.0328
352	P0807	-0.003	0.282	0.236	22.000	22.282	0.5583
353	P0846	-0.004	0.308	0.311	22.000	22.308	0.5590
354 355	TRS26	-0.006	0.0	0.006	0.0	0.0	0.0
356	WZ444 EL 151	-0.006	0.0	0.006	0.0	0.0	0.0
357	BX054	-0.008 -0.016	0.0	0.008	1.100	1.100	0.0276
358	BX053	-0.016	0.205	0.221	22.000	22.205 22.205	0.5564
359	EL042	-0.022	1.862	1.884	1.100	2.962	0.5564
360	BX210	-0.039	0.0	0.039	22.000	22.000	0.5513
361	BX219	-0.039	0.0	0.039	22.000	22.000	0.5513
362	BX233	-0.039	0.0	0.039	5.500	5.500	0.1378

Table F.1. (continued)

Seq	FNEM Arc LIC Code	FUA - Base (Megatons)	FUA Case Coal Volume (Megatons)	Base Case Coal Volume (Megatons)	Pre-Load Volume (Megatons)	FUA Case Total Volume (Megatons)	FUA Case Volume/ Capacity
363	BX220	-0.039	0.0	0.039	22.000	22.000	0.5513
354	BX219	-0.039	0.0	0.039	22.000	22.000	0.5513
365 366	BX204 BX209	-0.039 -0.039	0.0	0.039	11.000	11.000	0.2756
367	P0594	-0.050	0.0 0.185	0.039 0.235	22.000 33.000	22.000 33.185	0.5513 0.2775
368	P0594	-0.050	0.185	0.235	33.000	33.185	0.2775
369	EL031	-0.053	4.429	4.481	33.000	37.429	0.3130
370 371	EL031 BX229	-0.053 -0.056	4.429 0.216	4.481 0.271	33.000 22.000	37.429 22.216	0.3130
372	BX229	-0.056	0.216	0.271	22.000	22.216	0.5027
373	P0 194	-0.062	5.227	5.289	55.000	60.227	0.4526
374 375	P0223 F0228	-0.101 -0.101	1.455 1.455	1.556 1.556	33.000 33.000	34.454 34.454	0.2589
376	EL 125	-0.118	0.0	0.118	1.100	1.100	0.0276
377	LV050	-0.124	0.024	0.148	1.100	1.124	0.0282
378 379	LV081 P0133	-0.124 -0.129	0.024	0.148 0.129	1.100 33.000	1.124 33.000	0.0282
380	PLE07	-0.129	0.0	0.129	22.000	22.000	0.5513
381	P0121	-0.129	0.0	0.129	1.100	1.100	0.0276
382 383	P0112 EL037	-0.129 -0.135	0.0	0.129	33.000 1.100	33.000 1.128	0.2760
384	EL037	-0.135	0.028	0.163	1.100	1. 128	0.0283
385	EL037	-0.135	0.028	0.163	1.100	1.128	0.0283
386 387	EL001 EL002	-0.137 -0.137	0.025 0.025	0.162 0.162	1.100 1.100	1. 125 1. 125	0.0282
388	P0159	-0.146	1.057	1.203	55.000	56.057	0.4213
389	EL039	-0.157	1.890	2.047	33.000	34.890	0.2918
390 391	EL038 EL040	-0.157 -0.157	1.890 1.890	2.047	1.100 33.000	2.990 34.890	0.0749
392	P0125	-0.157	0.0	0.157	1.100	1.100	0.0276
393	P0127	-0.157	0.0	0.157	55.000	55.000	0.4600
394 395	P0671 P0126	-0.157 -0.157	0.0	0.157 0.157	33.000 55.000	33.000 55.000	0.2760
396	P0123	-0.157	0.0	0.157	55.000	55.000	0.4600
397	P0671	-0.157	0.0	0.157 0.157	33.000 33.000	33.000 33.000	0.2760
398 399	P0240 P0237	-0.157 -0.157	0.0	0.157	33.000	33.000	0.8269
400	P0236	-0.157	0.0	0.157	33.000	33.000	0.8269
401	P0239	-0.157	0.0	0.157 0.157	55.000 33.000	55.000 33.000	0.4133
402	P0644 P0779	-0.157 -0.163	10.848	11.011	33.000	43.848	1.0987
404	P0662	-0.205	0.060	0.265	1.100	1.160	0.0291
405 406	P0662 BX247	-0.205 -0.235	0.060	0.265 0.235	1.100 33.000	1.160 33.000	0.8269
407	BX243	-0.235	0.0	0.235	33.000	33.000	0.8269
408	EL 116	-0.235	0.0	0.235 0.288	11.000 55.000	11.000 55.026	0.2756 0.4135
409	P0651 P0303	-0.262 -0.262	0.026	0.262	1.100	1.100	0.0276
411	P0652	-0.262	0.0	0.262	55.000	55.000	0.4600
412	P0695	-0.262	0.0	0.262	1.100	1.100 1.100	0.0276 0.0276
413	P0269 P0655	-0.262 -0.262	0.0	0.262 0.262	1.100	1.100	0.0276
415	P0267	-0.262	0.0	0.262	11.000	11.000	0.2756
416	LV024	-0.263	0.225	0.493	11.000 1.100	11.225 1.100	0.2540
417 418	P0247 EL 109	-0.274 -0.281	0.0 1.590	1.870	22.000	23.589	0.5911
419	P0646	-0.393	0.0	0.393	1.100	1.100	0.0276
420	EL 154	-0.393	0.0	0.393 1.888	11.000 33.000	11.000 34.463	0.2756
421 422	P0617 P0827	-0.420 -0.423	1.468 1.697	2.120	33.000	34.697	0.8694
423	P0618	-0.423	1.697	2.120	33.000	34.697	0.8694
424	EL 108	-0.466	1.458	1.924 2.484	22.000 11.000	23.458 12.750	0.5878
425 426	P0839 P0041	-0.735 -0.735	1.750 1.750	2.484	1.100	2.850	0.0714
427	P0041	-0.735	1.750	2.484	22.000	23.750	0.5951
428	P0842	-0.735	1.750	2.484	22.000 55.000	23.750 60.656	0.5951 0.4558
429	P0183 BX058	-0.880 -0.892	5.656 8.915	6.537 9.808	55.000	63.915	0.4803
430 431	BX058	-0.892	8.915	9.808	55.000	63.915	0.4803
432	P0642	-1.013	0.0	1.013	1.100	1.100 25.228	0.0276
433	P0768 P0767	-1.134 -1.219	3.228 3.115	4.362 4.334	22.000	25.115	0.6293
434	P0767	-1.219	3.115	4.334	22.000	25.115	0.6293

Table F.1. (concluded)

Seq	FNEM Arc LIC Code	FUA - Base (Megatons)	FUA Case Coal Volume (Megatons)	Base Case Coal Volume (Megatons)	Pre-Load Volume (Megatons)	FUA Case Total Volume (Megatons)	FUA Case Volume/ Capacity
436	P0058	-1.219	3.115	4.334	22.000	25.115	0.6293
437	P0067	-1.219	3.196	4.415	11.000	14.196	0.3557
438	BX043	-1.367	6.695	8.062	55.000	61.695	0.4636
439	BX046	-1.367	6.695	8.062	55.000	61.695	0.4636
440	BX042	-1.367	6.695	8.062	55.000	61.695	0.4636
441	BX044	-1.367	6.695	8.062	55.000	61.695	0.4636
442	BX243	-1.367	6.695	8.062	55.000	61.695	0.4636
443	P0109	-1.441	0.063	1.504	55.000	55.063	0.4138
444	P0116	-1.441	0.063	1.504	11.000	11.063	0.2772
445	P0140	-1.441	0.063	1.504	11.000	11.063	0.2772
446	P0110	-1.441	0.063	1.504	11.000	11.063	0.2772
447	P0117	-1.441	0.063	1.504	11.000	11.063	0.2504
448	P0174	-1.450	1.429	2.879	22.000	23.429	0.5871
449	P0182	-1.450	1.429	2.879	22.000	23.429	0.5871
450	P0181	-1.534	5.189	6.723	55.000	60.189	0.4523
451	RDG43	-1.976	0.0	1.976	33.000	33.000	0.2760
452	RDG42	-1.976	0.0	1.976	33.000	33.000	0.2760
453	RDG42	-1.976	0.0	1.976	33.000	33.000	0.2760
454	BX035	-2.191	2.775	4.956	55.000	57.775	0.4342
455	P0634	-2.414	11.431	13.845	33.000	44.431	0.2019
456	P0189	-2.414	11.431	13.845	33.000	44.431	1.1134
457	P0183	-2.414	11.431	13.845	33.000	44.431	1.1134
458	P0179	-2.414	10.845	13.259	33.000	43.845	1.0987
459	CI002	-2.761	3.451	6.213	1.100	4.551	0.1141
460	1018	-2.828	3.537	6.366	1.100	4.637	0.1162
461	BX059	-2.828	3.537	6.366	33.000	36.537	0.9155
452	WM019	-2.828	3.537	6.366	1.100	4.637	0.1162
463	BX189	-2.828	3.537	6.366	1.100	4.637	0.1162
464	HM026	-3.306	1.878	5.184	11.000	12.878	0.1077
465	P0171	-3.426	1.429	4.856	22.000	23.429	0.5871
456	P0173	-3.426	1.429	4.856	22.000	23.429	0.5871
467	P0169	-3.426	1.429	4.856	22.000	23.429	0.5371
468	P0224	-3.426	1.429	4.856	22.000	23.429	0.5371
469	BX030	-3.450	1.516	4.966	22.000	23.516	0.1967
470	BX033	-3.450	1.516	4.966	5.500	7.016	0.0587
471	BX034	-3.615	1.351	4.956	55.000	56.351	0.4235
472	HM040	-3.875	1.054	4.930	1.100	2.154	0.0180
473	WM026	-3.875	1.054	4.930	11.000	12.054	0.1003
474	LEF02	-8.754	3.497	12.251	1.100	4.597	0.1152

Table F.2. Northeast Regional Coal Flows Sorted by Change in Arc Volume, for Base Case and FUA Case, 1991 NSPS

			TOT base case	and FUA Case,	1991 NSPS		
Seq	FNEM Arc LIC Code	FUA - Base (Megatons)	FUA Case Coal Volume (Megatons)	Base Case Coal Volume (Megatons)	Pre-Load Volume (Megatons)	FUA Case Total Volume (Megatons)	FUA Case Volume/ Capacity
1	RDG73	22.124	32.213	10.090	1.100	33.313	0.8348
2	RDG58	22.124	32.213	10.090	1.100	33.313	0.8348
3 4	RDG64	22.124	32.213	10.090	1.100	33.313	0.8348
	P0792	19.363	20.069	0.705	11.000	31.069	0.7785
5 6 7	P0785 P0627	19.363 19.363	20.069	0.705	55.000	75.068	0.6279
7	P0791	19.363	20.059	0.705 0.705	11.000	31.069	0.7785
8	P0784	19.363	20.069	0.705	11.000 33.000	31.069 53.068	0.7785
9	P0066	19.160	19.866	0.705	33.000	52.866	0.4422
10	LV024	18.683	19.304	0.622	1.100	20.404	0.5113
11	TRS91	17.053	17.675	0.622	0.0	17.675	0.0177
12	P0090	14.905	15.611	0.705	11.000	26.611	0.6668
13	BX 186	12.747	16.978	4.230	55.000	71.978	0.6020
14 15	BX 123	12.747	16.978	4.230	55.000	71.978	0.5409
16	BX184 BX185	12.747 12.747	16.978 16.978	4.230 4.230	55.000	71.978	0.5409
17	RDG41	12.723	40.194	27.472	55.000 1.100	71.978 41.294	0.5409 1.0348
18	P0068	12.723	40.194	27.472	33.000	73. 194	0.6122
19	RDG49	12.723	36.658	23.935	1.100	37.758	0.9461
20	LV033	12.332	15.044	2.662	55.000	70.044	0.5264
21 22 23 24 25 26	LV034	12.332	15.044	2.662	11.000	26.044	0.1957
22	LV038	12.382	15.044	2.662	11.000	26.044	0.1957
23	LV037	12.332	15.044	2.662	1.100	16.144	0.1350
24	LV027 LV043	12.382	15.044	2.662 4.825	33.000 11.000	48.044 28.198	0.3610
26	LV045	12.373 12.373	17.198 17.198	4.825	1.100	18.298	0.4585
27	LV042	12.373	17.198	4.825	11.000	28.198	0.2119
28	LV080	12.373	17.198	4.825	1.100	18.298	0.4585
29	LV046	12.373	17.198	4.825	11.000	28.198	0.2119
30	RDG23	12.274	14.209	1.935	1.100	15.309	0.3836
31	P0056	12.274	14.209	1.935	33.000	47.209	1.0683
32	P0736	12.274	14.209	1.935	33.000	47.209	1.0683
32 33 34	BX249	12.073 12.073	14.868 14.858	2.795 2.795	55.000 55.000	69.868 69.868	0.5844
35	EX 187 CNJ 13	11.971	11.971	0.0	5.500	17.471	0.1461
35 36 37	CNJ17	11.971	11.971	0.0	5.500	17.471	0.1461
37	CNJ21	11.971	11.971	0.0	5.500	17.471	0.1461
38	P0108	11.735	24.357	12.622	5.500	29.857	0.7482
39	BX243	11.211	19.273	8.062	55.000	74.273	0.5582
40	BX044	11.211	19.273	8.062	55.000	74.273	0.5582
41	BX046	11.211	19.273	8.062	55.000	74.273	0.5582
42 43	WH024	10.982 10.982	11.813 11.813	0.830 0.830	1.100 22.000	12.913 33.813	0.8473
44	WHO 15 HMO 39	10.982	11.813	0.830	55.000	66.813	0.5538
45	KM013	10.982	11.813	0.830	11.000	22.813	0.5716
46	BX058	10.650	20.457	9.808	55.000	75.457	0.5671
47	BX058	10.650	20.457	9.808	55.000	75.457	0.5671
48 49	P0052	10.390	11.012	0.622	33.000	44.012	0.9960
49	P1041	10.390 10.390	11.012	0.622	33.000	44.012 44.012	1.1028 0.9960
50	P0053	10.390	11.012	0.622	33.000 5.500	16.431	0.4117
51 52 53 54	800MW 800MW	10.277 10.277	10.931 10.931	0.654	5.500	16.431	0.4117
53	KM010	9.822	10.064	0.241	22.000	32.064	0.8035
54	WM009	9.822	10.064	0.241	1.100	11.164	0.2797
55	RDG70	9.779	13.429	3.650	1.100	14.529	0.3541
56 57	RDG57	9.779	14.896	5.117	5.500	20.396	0.5111
57	LV021	9.162	9.162	0.0	1.100	10.262	0.2571
58 59	LV022	9.162	9.162	0.0	11.000	20.162	0.5052
59	RDG06	8.280	10.215	1.935 1.935	33.000 33.000	43.215 43.215	1.0829 0.3614
60	RDG20 P0624	8.280 8.107	10.215 10.042	1.935	1.100	11.142	0.2792
62	P0624	8.107	10.042	1.935	1.100	11.142	0.2792
63	P0625	7.700	11.349	3.650	33.000	44.349	1.1113
64	P0762	7.101	10.751	3.650	1.100	11.851	0.2970
65	TRS04	6.677	6.683	0.006	0.0	6.683	0.0491
66	BX043	6.229	14.292	8.062	55.000	69.292	0.5207
67	BX042	6.229	14.292	8.062	55.000	69.292	0.5207
68	BX213	6.082	13.527	7.445	33.000	46.527	0.3891
69	P0095	4.982 4.458	4.982 4.458	0.0	5.500 5.500	10.482 9.958	0.0377
70	P0073	7.130	4.420	0.0	3.500	7.755	0.2173

Table F.2. (continued)

Seq	FNEM Arc LIC Code	FUA - Base (Megatons)	FUA Case Coal Volume (Megatons)	Base Case Coal Volume (Megatons)	Pre-Load Volume (Megatons)	FUA Case Total Volume (Megatons)	FUA Case Volume/ Capacity
71	P0094	4.453	4.458	0.0	5.500 5.500	9.958	0.2495
72 73	P0087	4.458	4.458	0.0	5.500	9.953	0.2495
74	P0038 P0796	4.458 4.458	4.458 4.453	0.0	11.000 5.500	15.458 9.958	0.3873
75	F0087	4 458	4.458	0.0	5.500	9.953	0.2495
76	WX068	7 40%	3 606	0.0	0.0	3 604	0.0
77	BX248 BX247	3.164	3.399 3.399 3.537	0.235 0.235	33.000	36.399 36.399 9.037 25.536	0.9121
78 79	P0630	3.164 3.058	3.537	0.235	33.000 5.500	9 037	0.2264
80	P0097	3.058	3.537 3.537	0.478	22.000 22.000	25.536	0.6399
81	EL 114	3.058	3.537	0.478	22.000	25.535	0.6399
82 83	P0631 WX167	3.058 3.035	3.537 3.035	0.478	1.100	4.637 3.035	0.1162
84	P0629	3.000	3.862	0 0/2	1.100 5.500	4.952	0.0415
85	BX126	2.955	4.609	1.654	5.500	10.109	0.2533
86 87	P0752 P0757	2.919	2.919	0.0	11.000 22.000	13.919 24.919	0.1164
88	P0760	2.919	2.919	0.0	22.000	24.919	0.2084
89	P0758	2.919	2.919	0.0	22.000	24.919	0.2034
90 91	P0 176 P0 180	2.919 2.914	3.122	0.203	11.000	14.122 57.914	0.1181
92	P0 166	2.914	2.914 2.914	0.0	55.000 55.000	57.914	0.2632
93	P0167	2.914	3.101	0.187	55.000	53.101	0.2640
94 95	P0155 P0157	2.911	2.920 2.920	0.009	55.000	57.920	0.4353
96	BX057	2.911 2.892	6.500	0.009 3.608	55.000 55.000	57.920 61.500	0.4353
97	BX176	2.892	6.500	7 409	55.000	61.500	0.5144
98	CHJ02	2.809	2.809	0.0	1.100 1.100	3.909	0.0327
99 100	CHJ04	2.809	2.809	0.0	1.100 5.500	3.909 8.309	0.0327
101	P0159	2.736	3.939	1.203		58.939	0.4429
102	P0739	2.693	2.693		33 000	35.693	0.8077
103	RDG21 P0740	2.693	2.693 2.693	0.0	1.100 33.000	3.793	0.0950
105	RDG15	2.693	2.693	0.0	1.100	35.693 3.793	0.8077
106	P0735	2.693	2.693	0.0	1.100 55.000	57.693	1.3056
107 108	RDG35 P0099	2.678 2.393	2.678 2.872	0.0	33.000	35.678	0.2934
109	P0143	2.187	6.246	4.060	22.000 11.000	24.872 17.246	0.6232
110	P0083	2.170	3.749	1.579	1.100	4.849	0.1215
111	P0620 P0832	2.156	3.735 3.735	1.579	55.000	58.735	0.4414
113	P1055	2.156	3.735	1.579 1.579	55.000 55.000	58.735 58.735	0.4414
114	P0834	2.156	3.735	1.579	55.000	58.735	0.4414
115 116	P0831 P0833	2.156 2.156	3.735	1.579	55.000	58.735	0.4912
117	RDG69	2.079	3.735 2.079	1.579	55.000 1.100	58.735 3.179	0.4912
118	WX059	1.916	1.916	0.0	0.0	1.916	0.0
119 120	RDG16 RDG67	1.898	1.898	0.0	33.000	34.898	0.2919
121	P0743	1.884	1.898 2.334	0.0	33.000 5.500	34.898 7.834	0.2919
122	BX051	1.857	1.857	0.0	22.000	23.857	0.1963
123	BX178 BX181	1.765	5.165	3.400	55.000	60.165	0.4521
125	BX 183	1.765 1.765	5.165 5.165	3.400 3.400	55.000 55.000	60.165	0.4521
126	BX180	1.765	5.165	3.400	55.000	60.165 60.165	0.4521 0.4521
127 128	BX179	1.765	5.165	3.400	55.000	60.165	0.4521
129	WX060 P0615	1.680 1.578	1.680 2.308	0.0	0.0 55.000	1.680	0.0
130	P0614	1.578	2.308	0.729	55.000	57.308 57.308	0.4307
131	LV004	1.578	2.308 2.308 2.308	0.729	1.100	3.408	0.4307
132 133	P0612 P0745	1.578 1.533	2.308	0.729	55.000	57.308	0.4307
134	P0692	1.527	1.983 1.536	0.450	5.500 1.100	7.483 2.636	0.1875
135	P0692	1.527	1.536	0.009	1.100	2.636	0.0660
136 137	BX032 BX062	1.485	1.485	0.0	22.000	23.485	0.1765
138	P0749	1.357 1.301	6.732 1.301	5.375	55.000 1.100	61.732	0.5163
139	MGA02	1.283	1.521	0.237	1.100	2.401 2.621	0.0602
140 141	MGA02	1.283	1.521	0.237	1.100	2.621	0.0593
142	P0051 EL068	1.214	1.214 1.214	0.0	55.000	56.214	1.2721
143	BX053	1. 137	1.359	0.221	33.000 22.000	34.214 23.359	0.8573
144 145	WZ171	1.134	1.134	0.0	0.0	1.134	0.0
145	WX058	1.134	1.134	0.0	0.0	1.134	0.0

Table F.2. (continued)

147 LEFUZ 1.869 1.049 1.099 0.0 0.	olume Volume/	FUA Case Total Volume (Megatons)	Pre-Load Volume (Megatons)	Base Case Coal Volume (Magatons)	FUA Case Coal Volume (Megatons)	FUA - Base (Megatons)	FNEM Arc LIC Code	Seq
148 148	07 0.0553	2.207	1.100		1.107			
189	21 0.3614	14.421						
150 P0066 0.869 0.869 0.0 33,000 33,800 33.81 152 P0853 0.869 0.869 0.0 0.33,000 33.81 153 P0803 0.841 1.570 0.729 55.000 56.5 155 P0811 0.840 1.603 0.763 25.000 56.6 155 P0810 0.840 1.603 0.763 25.000 56.6 155 P0810 0.840 1.603 0.763 25.000 56.6 155 P0813 0.838 1.887 0.763 25.000 56.6 157 P0813 0.838 1.887 1.048 55.000 56.6 158 88245 0.838 0.838 0.0 33.000 33.8 1887 1.048 55.000 56.6 158 88245 0.838 0.838 0.0 0.0 0.0 0.8 159 88040 0.818 0.817 0.0 0.0 0.8 161 EL109 0.815 2.685 1.870 22.000 24.6 161 EL109 0.815 2.685 1.870 22.000 24.6 162 EL109 0.815 2.685 1.870 22.000 24.6 165 EL100 0.732 4.535 3.803 22.000 26.5 1.100 2.0 165 P0662 0.717 0.982 0.265 1.100 2.0 165 P0662 0.717 0.982 0.265 1.100 2.0 165 P0662 0.703 1.594 0.891 55.000 56.5 169 P0929 0.703 1.594 0.891 55.000 56.5 170 P0805 0.703 1.594 0.891 55.000 56.5 170 P0805 0.703 1.594 0.891 55.000 56.5 170 P0805 0.703 1.594 0.891 55.000 22		1.049						
151	73 0.0 69 0.2545	0.873	33,000					
152	69 0.2545	33.869				0.869		
154	69 0.2545	33.869	33.000	0.0				
155		56.570						
155	03 1.2809 03 0.4254	56.603	55.000	0.763				
158		56.603	55.000	0.763	1.603	0.840	P0809	156
159		56.887	55.000					157
160		33.838		0.0				
161	17 0.0	0.817						
163	85 0.6186	24.685	22.000	1.870	2.685	0.815	EL 109	161
164 P0662 0.717 0.982 0.265 1.100 2.0 165 P0607 0.703 1.290 0.586 1.100 2.0 167 P0804 0.703 1.290 0.586 1.100 2.3 167 P0804 0.703 1.594 0.891 55.000 56.5 169 P0929 0.703 1.594 0.891 55.000 56.5 170 P0805 0.703 1.594 0.891 55.000 56.5 171 BX190 0.674 2.110 1.436 1.100 3.2 172 HX063 0.674 2.110 1.436 1.100 3.2 172 HX063 0.672 1.012 0.340 22.000 23.0 174 HZ172 0.670 0.673 0.0 0.0 0.0 0.0 175 EL113 0.665 0.665 0.0 22.000 22.6 177 EL110 0.665	41 0.0	0.741	0.0	0.0				
165 P0662 0.717 0.902 0.265 1.100 2.03 167 P0804 0.703 1.290 0.586 1.100 2.37 167 P0804 0.703 1.594 0.891 55.000 56.51 169 P0929 0.703 1.594 0.891 55.000 56.51 170 P0805 0.703 1.594 0.891 55.000 56.51 171 Bx190 0.674 2.110 1.436 1.100 3.2 172 Hx063 0.673 0.673 0.0 0.0 0.6 173 Ht/905 0.672 1.012 0.340 22.000 23.0 174 K2172 0.670 0.670 0.0 0.0 0.0 0.6 175 EL113 0.665 0.665 0.665 0.0 22.000 22.6 176 EL103 0.665 0.665 0.0 22.000 22.6 177 EL110	35 0.6649 82 0.0522	2.082	1 100					
166 P0807 0.703 1.290 0.586 1.100 2.3 167 P0804 0.703 1.594 0.891 55.000 56.5 168 P0931 0.703 1.594 0.891 55.000 56.5 170 P0805 0.703 1.594 0.891 55.000 76.5 171 BX190 0.674 2.110 1.436 1.100 3.2 172 BX063 0.673 0.673 0.0 0.0 0.0 0.6 173 HY905 0.672 1.012 0.340 22.000 23.0 174 HZ172 0.670 0.670 0.0 0.0 0.0 0.6 175 EL113 0.665 0.665 0.065 0.0 22.000 22.6 176 EL103 0.665 0.665 0.0 22.000 22.6 177 EL110 0.665 0.665 0.0 22.000 22.6 179 H	32 0.0522	2.032	1.100	0.265				
168 P0931 0.703 1.594 0.891 55.000 56.5 170 P0805 0.703 1.594 0.891 55.000 7.0° 171 BX190 0.674 2.110 1.436 1.100 3.2° 172 BX663 0.673 0.673 0.673 0.0° 0.0° 0.6° 173 HY005 0.672 1.012 0.340 22.000 22.00 174 HZ172 0.670 0.660 0.0° 0.0° 0.0° 175 EL113 0.665 0.665 0.665 0.0° 22.000 22.60 176 EL103 0.665 0.665 0.0° 22.000 22.60 177 EL110 0.665 0.665 0.0° 22.000 22.60 178 EL111 0.665 0.665 0.0° 22.000 22.60 179 HX043 0.655 0.655 0.0° 0.0° 0.0° 180 HZ050 </td <td>90 0.0200</td> <td>2.390</td> <td>1.100</td> <td>0.586</td> <td></td> <td></td> <td>P0507</td> <td>166</td>	90 0.0200	2.390	1.100	0.586			P0507	166
169		56.594						
170	94 0.0593	7.094	5.500			0.703		
1725 HX063 0.673 0.673 0.0 0.0 0.0 0.6 1736 HX1005 0.672 1.012 0.340 22.000 23.0 174 HZ172 0.670 0.670 0.0 0.0 0.0 0.6 175 EL113 0.665 0.665 0.665 0.0 22.000 22.6 176 EL103 0.665 0.665 0.0 22.000 22.6 177 EL110 0.665 0.665 0.0 22.000 22.6 178 EL111 0.665 0.665 0.0 22.000 22.6 179 HX043 0.655 0.655 0.0 0 22.000 22.6 179 HX043 0.655 0.655 0.0 0.0 0.0 0.0 0.6 180 HZ050 0.640 0.640 0.0 0.0 0.0 0.6 181 P0178 0.592 3.707 3.115 11.000 14.7 182 P0177 0.592 3.707 3.115 11.000 14.7 183 EL035 0.548 0.556 0.009 33.000 33.5 184 CNJ15 0.522 0.522 0.0 1.100 14.7 185 P0120 0.518 0.518 0.0 33.000 33.5 186 EL108 0.515 2.438 1.924 22.000 24.4 187 EL019 0.496 7.958 7.462 22.000 29.9 188 EL030 0.496 7.958 7.462 22.000 29.9 189 HZ047 0.486 0.486 0.0 0.0 0.0 0.4 190 HX177 0.463 0.463 0.463 0.0 0.0 0.0 191 HZ046 0.431 0.431 0.0 0.0 0.0 192 HX042 0.431 0.431 0.0 0.0 0.0 194 HX045 0.486 0.486 0.0 0.0 0.0 195 HZ047 0.436 0.436 0.0 0.0 0.0 0.4 196 HX077 0.568 0.568 0.568 0.0 0.0 0.0 0.4 197 HZ096 0.436 0.436 0.436 0.0 0.0 0.0 0.4 198 HZ097 0.486 0.486 0.0 0.0 0.0 0.4 199 HX177 0.463 0.463 0.0 0.0 0.0 0.4 190 HX177 0.463 0.463 0.0 0.0 0.0 0.4 191 HZ096 0.436 0.436 0.436 0.0 0.0 0.0 0.4 192 HX042 0.431 0.431 0.431 0.0 0.0 0.0 0.4 193 EL078 0.411 1.826 1.414 1.100 2.9 196 HX074 0.368 0.368 0.368 0.0 0.0 0.0 0.0 197 HX096 0.368 0.368 0.368 0.0 0.0 0.0 198 HX097 0.368 0.368 0.368 0.0 0.0 0.0 199 HX097 0.368 0.368 0.368 0.0 0.0 0.0 190 HX107 0.368 0.368 0.368 0.0 0.0 0.0 190 HX100 0.368 0.368 0.368 0.0 0.0 0.0 0.3 190 HX100 0.368 0.368 0.368 0.0 0.0 0.0 0.3 190 HX100 0.368 0.368 0.368 0.0 0.0 0.0 0.3 190 HX100 0.368 0.368 0.368 0.0 0.0 0.0 0.3 190 HX100 0.368 0.368 0.368 0.0 0.0 0.0 0.3 190 HX100 0.368 0.368 0.368 0.0 0.0 0.0 0.3 190 HX100 0.368 0.368 0.368 0.0 0.0 0.0 0.3 190 HX100 0.368 0.368 0.368 0.0 0.0 0.3 190 HX100 0.368 0.368 0.368 0.0 0.0	94 0.4253	56.594	55.000	0.891	1.594	0.703		
173 Ht/005 0.672 1.012 0.340 22.000 23.00 23.00 1.74 Hz/172 0.670 0.670 0.0 0.0 0.0 0.6 1.75 EL113 0.665 0.665 0.065 0.0 22.000 22.6 1.76 EL103 0.665 0.665 0.665 0.0 22.000 22.6 1.77 EL110 0.665 0.665 0.665 0.0 22.000 22.6 1.78 EL111 0.665 0.665 0.665 0.0 22.000 22.6 1.78 EL111 0.665 0.665 0.665 0.0 22.000 22.6 1.79 Hz/043 0.655 0.665 0.0 0 22.000 22.6 1.80 Hz/050 0.640 0.640 0.0 0.0 0.0 0.6 1.81 P0178 0.592 3.707 3.115 11.000 14.7 1.83 EL035 0.548 0.592 3.707 3.115 11.000 14.7 1.83 EL035 0.548 0.556 0.009 33.000 33.5 1.84 EL108 0.518 0.518 0.522 0.0 1.100 1.6 1.85 P0120 0.518 0.518 0.522 0.0 1.100 1.6 1.85 P0120 0.518 0.518 0.518 0.0 33.000 33.5 1.86 EL108 0.515 2.438 1.924 22.000 29.9 1.88 EL030 0.496 7.958 7.462 22.000 29.9 1.89 Hz/047 0.486 0.486 0.0 0.0 0.0 0.4 1.90 Hz/177 0.463 0.463 0.0 0.0 0.0 0.4 1.90 Hz/177 0.463 0.463 0.0 0.0 0.0 0.0 0.4 1.90 Hz/177 0.463 0.463 0.0 0.0 0.0 0.0 0.4 1.90 Hz/177 0.463 0.436 0.0 0.0 0.0 0.0 0.4 1.90 Hz/04 0.436 0.436 0.0 0.0 0.0 0.0 0.4 1.90 Hz/04 0.436 0.436 0.0 0.0 0.0 0.0 0.4 1.90 Hz/04 0.436 0.436 0.0 0.0 0.0 0.0 0.4 1.90 Hz/04 0.436 0.436 0.0 0.0 0.0 0.4 1.90 Hz/04 0.436 0.436 0.0 0.0 0.0 0.0 0.4 1.90 Hz/04 0.436 0.436 0.0 0.0 0.0 0.0 0.4 1.90 Hz/04 0.436 0.436 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.		3.210						
174		0.673	0.0					
175 EL113 0.665 0.665 0.0 22.000 22.60 176 EL103 0.665 0.665 0.0 22.000 22.6 177 EL110 0.665 0.665 0.0 22.000 22.6 178 EL111 0.665 0.665 0.0 0.2.000 22.6 180 H2050 0.640 0.660 0.0 0.0 0.6 181 P0178 0.592 3.707 3.115 11.000 14.7 182 P0177 0.592 3.707 3.115 11.000 14.7 183 EL035 0.548 0.556 0.009 33.000 33.500 184 CNJ15 0.522 0.522 0.0 1.100 1.6 185 P0120 0.518 0.518 0.518 0.0 33.000 33.500 186 EL108 0.515 2.438 1.924 22.000 24.9 187 EL019 0.496		0.670	0.0					
177 EL110 0.665 0.665 0.0 22.000 22.60 178 EL111 0.665 0.665 0.0 22.000 22.6 179 HX043 0.655 0.655 0.0 0.0 0.0 180 HZ050 0.640 0.640 0.0 0.0 0.6 181 P0177 0.592 3.707 3.115 11.000 14.7 182 P0177 0.592 3.707 3.115 11.000 14.7 183 EL035 0.548 0.556 0.009 33.000 33.5 184 CNJ15 0.522 0.522 0.522 0.0 1.100 1.6 185 P0120 0.518 0.518 0.0 33.000 33.5 186 EL108 0.515 2.438 1.924 22.000 24.4 187 EL019 0.496 7.958 7.462 22.000 29.9 188 EL030 0.496	65 0.5679	22.665	22.000	0.0	0.665	0.665	EL113	175
178 Et 111 0.665 0.665 0.0 22.000 23.000 33.000 33.500	65 0.1896	22.665	22.000					
179			22.000					
181 P0178 0.592 3.707 3.115 11.000 14.7 182 P0177 0.592 3.707 3.115 11.000 14.7 183 £L035 0.548 0.556 0.009 33.000 33.5 184 CNJ15 0.522 0.522 0.0 1.100 1.6 185 P0120 0.518 0.518 0.518 0.0 33.000 33.5 186 £L108 0.515 2.438 1.924 22.000 24.4 187 £L019 0.496 7.958 7.462 22.000 29.9 188 £L030 0.496 7.958 7.462 22.000 29.9 189 HZ047 0.486 0.486 0.0 0.0 0.0 0.4 190 HX177 0.463 0.463 0.0 0.0 0.0 0.4 191 HZ046 0.436 0.436 0.0 0.0 0.0 0.0 0.0 0		0.655						
182 P0177 0.592 3.707 3.115 11.000 14.7 183 EL035 0.548 0.556 0.009 33.000 33.5 184 CNJ15 0.522 0.522 0.0 1.100 1.6 185 P0120 0.518 0.518 0.0 33.000 33.5 186 EL108 0.515 2.438 1.924 22.000 24.4 187 EL019 0.496 7.958 7.462 22.000 29.9 188 EL030 0.496 7.958 7.462 22.000 29.9 189 H2047 0.486 0.486 0.0 0.0 0.0 0.4 190 HX177 0.463 0.463 0.0 0.0 0.0 0.4 191 H2046 0.436 0.436 0.436 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0		0.640						
183 EL035 0.548 0.556 0.009 33.000 33.500 184 CNJ15 0.522 0.522 0.0 1.100 1.6 185 P0120 0.518 0.518 0.0 33.000 33.5 186 EL108 0.515 2.438 1.924 22.000 29.9 187 EL019 0.496 7.958 7.462 22.000 29.9 188 EL030 0.496 7.958 7.462 22.000 29.9 189 HZ047 0.484 0.486 0.0 0.0 0.0 0.4 190 HX177 0.463 0.463 0.0 0.0 0.4 190 191 HZ046 0.463 0.0 0.0 0.0 0.4 191 HZ046 0.436 0.436 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0		14.707 14.707		3.115				
184 CNJ15 0.522 0.522 0.0 1.100 1.6 185 P0120 0.518 0.518 0.0 33.000 33.5 186 EL108 0.515 2.438 1.924 22.000 24.4 187 EL019 0.496 7.958 7.462 22.000 29.9 188 EL030 0.496 7.958 7.462 22.000 29.9 189 HZ047 0.486 0.486 0.0 0.0 0.0 0.4 190 HX177 0.463 0.463 0.0 0.0 0.4 190 191 HZ046 0.436 0.436 0.436 0.0 0.0 0.0 0.4 192 HX042 0.431 0.431 0.0 <td></td> <td>33.556</td> <td></td> <td></td> <td></td> <td>0.548</td> <td></td> <td></td>		33.556				0.548		
186 EL 108 0.515 2.438 1.924 22.000 24.4 187 EL 019 0.496 7.958 7.462 22.000 29.9 188 EL 030 0.496 7.958 7.462 22.000 29.9 189 HZ 047 0.486 0.486 0.0 0.0 0.4 190 HX 177 0.463 0.463 0.0 0.0 0.4 191 HZ 046 0.436 0.436 0.0 0.0 0.0 0.4 192 HX 042 0.431 0.431 0.0 0.0 0.0 0.4 193 EL 078 0.411 1.826 1.414 1.100 2.9 194 EL 078 0.411 1.826 1.414 1.100 2.9 195 HZ 052 0.406 0.406 0.0 0.0 0.0 0.0 196 BX 054 0.398 0.620 0.221 22.000 22.6 197 TR 5	22 0.0136	1.622	1.100	0.0	0.522	0.522		
187 EL019 0.496 7.958 7.462 22.000 29.9 188 EL030 0.496 7.958 7.462 22.000 29.9 189 H2047 0.486 0.486 0.0 0.0 0.0 0.4 190 HX177 0.463 0.463 0.0 0.0 0.0 0.4 191 H2046 0.433 0.436 0.436 0.0 0.0 0.0 0.4 192 HX042 0.431 0.431 0.0 0.0 0.0 0.4 192 188 1.414 1.100 2.9 192 188 1.414 1.100 2.9 195 1.414 1.100 2.9 195 1.414 1.100 2.9 195 1.414 1.100 2.9 195 1.414 1.100 2.9 195 1.414 1.100 2.9 195 1.414 1.100 2.9 1.100 1.4 195 1.414 1.100 1.4 195		33.518	33.000	0.0	0.518	0.518		
188 EL030 0.496 7.958 7.462 22.000 29.9 189 HZ047 0.486 0.486 0.0 0.0 0.4 190 HX177 0.463 0.463 0.0 0.0 0.0 191 HZ046 0.436 0.436 0.0 0.0 0.4 192 HX042 0.431 0.431 0.431 0.0 0.0 0.4 193 EL078 0.411 1.826 1.414 1.100 2.9 195 HZ052 0.406 0.406 0.0 0.0 0.0 0.4 195 HZ052 0.406 0.406 0.0 0.0 0.0 0.4 196 BX054 0.398 0.620 0.221 22.000 22.6 197 TRS28 0.368 0.368 0.0 0.0 0.0 0.3 198 BH053 0.368 0.368 0.0 1.100 1.4 200 BH047<	57 0.2506	29.957	22.000	7.462	7 958			
190 HX177 0.463 0.463 0.0 0.0 0.4 191 HZ046 0.436 0.436 0.436 0.0 0.0 0.4 192 HX042 0.431 0.431 0.0 0.0 0.4 193 EL078 0.411 1.826 1.414 1.100 2.9 194 EL078 0.411 1.826 1.414 1.100 2.9 195 HZ052 0.406 0.406 0.0 0.0 0.0 0.2 0.9 0.0	57 0.7507	29.957	22.000	7.462				
191 HZ046 0.436 0.436 0.0 0.0 0.4 192 HX042 0.431 0.431 0.0 0.0 0.4 193 EL078 0.411 1.826 1.414 1.100 2.9 194 EL078 0.411 1.826 1.414 1.100 2.9 195 HZ052 0.406 0.406 0.0 0.0 0.0 0.4 196 BX054 0.398 0.620 0.221 22.000 22.6 197 TRS28 0.368 0.368 0.0 0.0 0.0 198 BH053 0.368 0.368 0.0 1.100 1.4 199 BH083 0.368 0.368 0.0 1.100 1.4 201 BH047 0.368 0.368 0.0 1.100 1.4 201 BH053 0.368 0.368 0.0 0.0 33.000 33.2 201 BH053 0.368 <t< td=""><td></td><td>0.486</td><td>0.0</td><td></td><td></td><td>0.486</td><td></td><td>189</td></t<>		0.486	0.0			0.486		189
192 HX042 0.431 0.431 0.0 0.0 0.431 193 EL078 0.411 1.826 1.414 1.100 2.9 194 EL078 0.411 1.826 1.414 1.100 2.9 195 H2052 0.406 0.406 0.0 0.0 0.4 196 BX054 0.398 0.620 0.221 22.000 22.6 197 TRS28 0.368 0.368 0.0 0.0 0.3 198 BH053 0.368 0.368 0.0 1.100 1.4 200 BH047 0.368 0.368 0.0 1.100 1.4 201 BH032 0.368 0.368 0.0 33.000 33.00 202 H2446 0.368 0.368 0.0 0.0 0.3 203 BH045 0.368 0.368 0.0 0.0 0.3 204 EL028 0.319 2.486 2.167		0.463 0.436						190
193 EL078 0.411 1.826 1.414 1.100 2.9 194 EL078 0.411 1.826 1.414 1.100 2.9 195 H2052 0.406 0.406 0.0 0.0 0.4 196 BX054 0.398 0.620 0.221 22.000 22.6 197 TRS28 0.368 0.368 0.0 0.0 0.3 198 BH053 0.368 0.368 0.0 1.100 1.4 200 BH047 0.368 0.368 0.0 1.100 1.4 201 BH032 0.368 0.368 0.0 33.000 33.3 202 HZ446 0.368 0.368 0.0 0.0 0.0 203 BH045 0.368 0.368 0.0 0.0 0.3 204 EL028 0.319 2.486 2.167 11.000 13.6 205 EL021 0.319 2.486 2.167	31 0.0	0.431						
195 K2052 0.406 0.406 0.0 0.0 0.40 0.221 22.000 22.6 0.221 22.000 22.6 0.221 22.000 22.6 0.2		2.926	1.100	1.414	1.826			
196 BX054 0.398 0.620 0.221 22.000 22.6 197 TRS28 0.368 0.368 0.0 0.0 0.3 198 BH053 0.368 0.368 0.0 1.100 1.4 199 BH083 0.368 0.368 0.0 1.100 1.4 200 BH047 0.368 0.368 0.0 1.100 1.4 201 BH032 0.368 0.368 0.0 33.000 33.300 202 HZ446 0.368 0.368 0.0 0.0 0.0 203 BH045 0.368 0.368 0.0 5.500 5.8 204 EL028 0.319 2.486 2.167 11.000 13.6 205 EL021 0.319 2.486 2.167 11.000 13.6 207 EL020 0.319 2.486 2.167 22.000 24.5	26 0.0733 06 0.0	2.926			1.826			
197 TRS28 0.368 0.368 0.0 0.0 0.3 198 BH053 0.368 0.368 0.0 1.100 1.4 199 BH083 0.368 0.368 0.0 1.100 1.4 200 BH097 0.368 0.368 0.0 1.100 1.4 201 BH032 0.368 0.368 0.0 0.0 33.000 33.2 202 R2446 0.368 0.368 0.0 0.0 0.2 203 BH045 0.368 0.368 0.0 0.0 0.3 204 EL028 0.319 2.486 2.167 11.000 13.6 205 EL021 0.319 2.486 2.167 11.000 13.6 207 EL020 0.319 2.486 2.167 11.000 13.6 207 EL020 0.319 2.486 2.167 22.000 24.5	20 0.5668	22.620	22.000					
198 BH053 0.368 0.368 0.0 1.100 1.4 199 BH083 0.368 0.368 0.0 1.100 1.4 200 BH047 0.368 0.368 0.0 1.100 1.4 201 BH032 0.368 0.368 0.0 33.000 33.3 202 R2446 0.368 0.368 0.0 0.0 0.5 203 BH045 0.368 0.368 0.0 5.500 5.5 204 EL028 0.319 2.486 2.167 11.000 13.4 205 EL021 0.319 2.486 2.167 11.000 13.4 206 EL023 0.319 2.486 2.167 11.000 13.4 207 EL020 0.319 2.486 2.167 22.000 24.5	0.0368	0.368	0.0	0.0				
200 BH047 0.368 0.368 0.368 0.0 1.100 1.4 201 BH032 0.368 0.368 0.0 33.000 33.2 202 R2446 0.368 0.368 0.0 0.0 0.3 203 BH045 0.368 0.368 0.0 5.500 5.500 204 EL028 0.319 2.486 2.167 11.000 13.6 205 EL021 0.319 2.486 2.167 11.000 13.6 207 EL020 0.319 2.486 2.167 11.000 13.6 207 EL020 0.319 2.486 2.167 22.000 24.6		1.468			0.368	0.368		
201 BM032 0.368 0.368 0.0 33.000 33.2 202 R2446 0.368 0.368 0.0 0.0 0.2 203 BM045 0.368 0.368 0.0 5.500 5.5 204 EL028 0.319 2.486 2.167 11.000 13.6 205 EL021 0.319 2.486 2.167 11.000 13.6 206 EL023 0.319 2.486 2.167 11.000 13.6 207 EL020 0.319 2.486 2.167 22.000 24.5		1.468 1.468			0.368	0.368		
202 HZ446 0.368 0.368 0.0 0.0 0.3 203 BH045 0.368 0.368 0.0 5.500 5.500 204 EL028 0.319 2.486 2.167 11.000 13.6 205 EL021 0.319 2.486 2.167 11.000 13.6 206 EL023 0.319 2.486 2.167 11.000 13.6 207 EL020 0.319 2.486 2.167 22.000 24.5	368 0.2508	33.368	33.000					
203 BH045 0.368 0.368 0.0 5.500 5.8 204 EL028 0.319 2.486 2.167 11.000 13.4 205 EL021 0.319 2.486 2.167 11.000 13.4 206 EL023 0.319 2.486 2.167 11.000 13.4 207 EL020 0.319 2.486 2.167 22.000 24.5	368 0.0	0.368	0.0					
205 EL021 0.319 2.486 2.167 11.000 13.4 206 EL023 0.319 2.486 2.167 11.000 13.4 207 EL020 0.319 2.486 2.167 22.000 24.4		5.868	5.500	0.0				
206 EL023 0.319 2.486 2.167 11.000 13.6 207 EL020 0.319 2.486 2.167 22.000 24.6		13.486 13.486		2.167	2.486			
207 EL020 0.319 2.486 2.167 22.000 24.6		13.486		2.167				
	486 0.2048	24.486	22.000	2.167			EL020	
2.400		24.486 24.486	22.000	2.167	2.486	0.319	EI 143	208
		24.486					EL027	
211 HZ049 0.318 0.318 0.0 0.0 0.0	318 0.0	0.318			0.318			
212 P0853 0.310 0.699 0.389 33.000 33.	699 0.7626	33.699	33.000	0.389	0.699	0.310	P0853	
213 EL 146 0.310 0.699 0.389 1.100 1.	799 0.0451 699 0.4659	1.799 55.699		0.389		0.310	EL 146	
		33.699						
216 P0050 0.310 0.699 0.389 33.000 33.1	699 0.7626	33.699			0.699	0.310	P0050	
217 P0848 0.310 0.699 0.389 33.000 33.1		33.699 2.130	33.000	0.389	0.699			217

Table F.2. (continued)

Seq	FNEM Arc LIC Code	FUA - Base (Megatons)	FUA Case Coal Volume (Megatons)	Base Case Coal Volume (Megatons)	Pre-Load Volume (Megatons)	FUA Case Total Volume (Megatons)	FUA Case Volume/ Capacity
219 220 221 222 221 223 224 225 226 227 233 234 241 255 256 257 256 267 256 267 271 282 272 273 283 264 277 278 285 265 267 272 273 274 275 277 278 280 281 282 283 289 290	LHR06 LHR06 LHR02 HZ048 P0589 BX055 BX055 HX0662 HZ051 P0041 P0839 P0842 P0841 HX044 P0786 HZ199 P0154 EL148 R0665 P0021 P0043 P00844 P08845 P0021 P0042 P0042 P0043 P0046 HZ174 EL116 LV084 P0309 P0572 P0045 P0309 P0594 P0595 P0655	0.308 0.308 0.308 0.308 0.287 0.285 0.285 0.285 0.285 0.275 0.248 0.237 0.237 0.237 0.237 0.237 0.237 0.237 0.2138 0.138 0.138 0.138 0.138 0.138 0.138 0.138 0.138 0.138 0.138 0.138 0.138 0.139 0.075 0.051	1.030 1.030 1.030 1.030 1.030 1.030 1.030 1.030 1.030 1.030 1.030 1.0287 1.0285 1.0285 1.0295 1.0248 1.721 1	0.722 0.722 0.722 0.00 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	1.100 1.100 1.100 0.0 1.100 22.000 22.000 0.0 1.1000 11.000 12.000 0.0 11.000 11.000 11.100 55.000 55.000 55.000 55.000 55.000 55.000 55.000 11.000	2.130 2.130 2.130 2.130 0.287 1.385 22.285 22.285 0.275 0.248 3.821 24.721 24.721 24.721 24.721 24.721 25.721 25.801 25.801 25.801 25.801 25.801 25.801 25.801 25.801 25.801 25.801 25.801 25.772 25.772 27.70 27.	0.0534 0.0534 0.0534 0.0347 0.5584 0.0 0.0957 0.3438 0.6195 0.0 0.2839 0.0551 0.0311 0.4667 0.4666 0.4666 0.4666 0.4667 0.0 0.2777 0.4191 0.4191 0.4191 0.4191 0.4191 0.4191 0.223 0.2507 0.2807 0.2761 0.2807 0.2761 0.2807 0.2761 0.2807 0.2761 0.2807 0.2761 0.2807 0.2781 0.2807 0.2781 0.2807 0.2781 0.2807 0.2781 0.27888 0.27888 0.27888 0.27888 0.27888 0.27888 0.27888 0.278

Table F.2. (continued)

Seq	FNEM Arc LIC Code	FUA - Base (Megatons)	FUA Case Coal Volume (Megatons)	Base Case Coal Volume (Megatons)	Pre-Load Volume (Megatons)	FUA Case Total Volume (Megatons)	FUA Case Volume/ Capacity
291 292 293 294 295 296 297 298 299 300 301 303 304 305 306 307 308 307 311 313 314 315 316 317 318 321 321 322 323 324 325 326 327 328 329 329 320 321 321 321 321 321 322 323 324 325 326 327 328 329 329 320 321 321 321 321 321 321 321 321 321 321	BX091 MEC22 PPS03 MEC28 BX234 PRS15 TRS21 BX231 BX231 BX231 BX232 GTE05 XX001 MEC21 BX231 LV057 DH003 CX011 VTR06 DH011 BX263 BH065 P0203 LV058 CX221 BX257 P0200 P0214 LV071 HY380 MFA02 BX090 MFA02 BX090 DH031 BX128 BX090 DH034 CX001 BX118 BX264 BX118 BX090 DH034 CX001 BX113 PRS10 LV055 BX121 BM027 LV055 BX121 BM027 LV040 BX113 PRS10 LV035 CX223 BX076 BX113 PX100 BX111 PV100 BX111 PV100 BX111 PV100 BX111 BX101 BX101 BX11 BX1		0.000 0.581 0.041 0.581 0.003 0.041 0.003 0.0041 0.003 0.000 0.581 0.581 0.581 0.003 0.000 0.290 0.305 0.000 0.290 0.305 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.581 0.000 0.581 0.000 0.000 0.000 0.581 0.000 0.581 0.000 0.581 0.000 0.581 0.000 0.581 0.000 0.581 0.000 0.581 0.000 0.581 0.000 0.581 0.000 0.581 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.581 0.041 0.581 0.003 0.041 0.003 0.000 0.581 0.581 0.581 0.581 0.581 0.581 0.581 0.581 0.581 0.581 0.000 0.290 0.000 0.290 0.000 0.305 0.000 0.017 1.669 0.000 0.000 0.000 0.000 0.581 0.581 0.000	22.000 11.000 1.100 33.000 1.100 33.000 1.100 33.000 11.000 11.000 11.000 11.000 55.000 55.000 11.000 11.000 55.000 11.000 11.000 155.000 11.000 11.000 11.000 55.000 11.000 11.000 55.000 11.000 11.000 55.000	22.000 11.581 1.141 33.581 5.503 1.141 0.041 11.003 33.000 11.681 33.581 11.0581 11.000 5.790 55.000 11.017 12.669 11.017 12.669 11.017 12.669 11.017 12.669 11.017 12.669 11.017 12.67 55.000 14.147 2.578 22.000 0.041 1.000 55.000 14.147 2.578 22.000 15.000 14.147 2.578 22.000 15.000 14.147 2.578 22.000 15.000 15.000 16.537 22.000 16.537 22.000 17.000 18.1000 19.55.000	0.4979 0.2902 0.0286 0.8415 0.1377 0.0286 0.0041 0.2757 0.2760 0.0421 0.7599 0.2621 0.2757 0.0827 0.04133 0.4133 0.4133 0.4133 0.4413 0.1653 0.0 0.3545 0.0646 0.1653 0.0 0.3545 0.0646 0.1653 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.

Table F.2. (continued)

154	Seq	FNEM Arc LIC Code	FUA - Base (Megatons)	FUA Case Coal Volume (Megatons)	Base Case Coal Volume (Megatons)	Pre-Load Volume (Negatons)	FUA Case Total Volume (Megatons)	FUA Case Volume/ Capacity
1.56	363	ppc11	0 0	0 409	0.609	1 100	1 509	0.0378
366 ELD50 -0.001 0.200 0.200 22.000 22.000 0.0553 367 EL065 -0.001 0.210 0.212 1.100 1.310 0.0325 368 EL065 -0.001 0.210 0.212 1.100 1.310 0.0325 369 FREUZ -0.002 0.284 0.286 22.000 22.286 0.0325 370 FREUZ -0.002 0.244 0.286 22.000 22.286 0.286 32.000 32.301 0.0325 371 FREUZ -0.003 0.010 0.313 33.000 33.3010 0.2481 372 FREUZ -0.003 0.010 0.013 33.000 33.010 0.2481 372 FREUZ -0.003 0.010 0.013 33.000 33.010 0.2481 373 YSD02 -0.003 0.010 0.013 33.000 33.010 0.2481 374 FREUZ -0.003 0.006 0.388 0.393 11.000 11.388 0.2895 375 FREUZ -0.003 0.388 0.393 11.000 11.388 0.2895 376 FREUZ -0.011 0.369 0.380 33.000 33.369 0.2508 377 FREUZ -0.011 0.369 0.380 33.000 33.369 0.2508 381 EL062 -0.011 0.369 0.380 33.000 33.369 0.2508 382 EL12 -0.011 0.369 0.380 33.000 33.369 0.2508 383 EL062 -0.012 0.250 0.262 1.100 1.350 0.2538 384 EL062 -0.013 1.871 1.8814 1.100 2.7714 0.0744 385 FREUZ -0.011 0.369 0.380 33.000 33.369 0.2508 385 FREUZ -0.011 0.369 0.380 33.000 33.369 0.2508 386 EL062 -0.013 1.871 1.8814 1.100 2.7714 0.0744 387 FREUZ -0.011 0.369 0.380 33.000 33.369 0.2508 387 FREUZ -0.011 0.369 0.380 33.000 33.369 0.2508 388 EL062 -0.013 1.871 1.8814 1.100 2.7714 0.0744 387 FREUZ -0.011 0.369 0.380 33.000 33.369 0.2508 388 EL062 -0.013 1.871 1.8814 1.100 2.7714 0.0744 388 FREUZ -0.011 0.369 0.380 33.000 33.369 0.2508 389 FREUZ -0.011 0.369 0.380 33.000 33.369 0.2508 389 FREUZ -0.011 0.369 0.380 33.000 33.369 0.2508 381 EL062 -0.013 1.871 1.8814 1.100 2.7714 0.0744 381 EL063 -0.012 0.250 0.262 1.100 1.350 0.0383 382 EL12 -0.013 1.871 1.8814 1.884 1.100 2.7714 0.0744 381 EL063 -0.012 0.250 0.262 1.100 1.350 0.0383 383 EL062 -0.013 1.871 1.871 1.884 1.100 2.7714 0.0744 381 EL063 -0.019 0.250 0.262 0.371 2.2000 22.254 0.0533 386 EL062 -0.019 0.250 0.250 0.3			-0.001					0.5514
366			-0.001	0.004	0.006		22.004	
1.568 P0807		EL050	-0.001	0.210	0.212	22.000	22.210	0.1853
1.559		EL045	-0.001	0.210	0.212	1.100	1.310	0.0328
370				0.284			22.284	
\$\frac{371}{372}							22.234	
372 P0264 -0.003 0.010 0.013 33.000 33.010 0.2288 1.373 Y1002 -0.003 0.078 0.081 1.100 1.178 0.0295 374 E1.154 -0.004 0.328 0.393 11.100 11.388 0.02854 375 P0646 -0.004 0.328 0.393 11.100 11.388 0.0573 376 P0646 -0.004 0.328 0.393 11.100 31.389 0.0573 376 P0646 -0.011 0.369 0.380 33.000 33.369 0.0293 378 P012 -0.011 0.369 0.380 33.000 33.369 0.0293 378 P074 -0.011 0.369 0.380 33.000 33.369 0.0293 378 P074 -0.011 0.369 0.380 33.000 33.369 0.0293 381 E1.012 -0.011 0.369 0.380 22.000 32.369 0.0250 383 P074 -0.012 0.250 0.250 3.000 35.469 0.0250 383 P074 -0.012 0.250 0.250 3.000 35.469 0.0250 383 P074 -0.013 1.871 1.834 1.100 1.2971 0.0744 382 E1.25 -0.015 0.104 0.118 1.100 1.2971 0.0744 382 E1.25 -0.015 0.104 0.118 1.100 1.2971 0.0744 384 P074 -0.012 0.384 P074 -0.017 0.324 0.341 22.000 22.324 0.5052 383 P074 -0.017 0.324 0.341 22.000 22.324 0.1678 385 P074 -0.029 0.119 0.184 1.100 1.219 0.0306 387 E1.000 -0.029 0.119 0.184 1.100 1.219 0.0306 388 P0729 -0.029 0.242 0.271 22.000 22.242 0.5033 391 E1.031 -0.031 4.450 4.481 33.000 37.455 0.3132 0.3323 99 P0749 -0.035 0.123 0.157 33.000 33.123 0.3312 0.3323 99 P0749 -0.035 0.123 0.157 33.000 33.123 0.3323 0.3323 99 P0749 -0.035 0.123 0.157 33.000 33.123 0.3323 0.3323 0.0332 0.2669 0.025 0.123 0.157 33.000 33.123 0.3323 0.3323 0.0332 0.005 0.123 0.157 33.000 33.123 0.3323 0.3323 0.0332 0.005 0.123 0.157 33.000 33.123 0.3323 0.3323 0.0332 0.2669 0.025 0.157 33.000 33.123 0.3323 0.3323 0.0332 0.2669 0.025 0.157 33.000 33.123 0.3323 0.0332 0.2669 0.055 0.123 0.157 33.000 33.123 0.3323 0.0332 0.2669 0.055 0.123 0.157 33.000 33.123 0.3323 0.0333 0.0332 0.2669 0.055 0.123 0.157 33.000 33.123 0.3323 0.000 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.05						33.000		
1.000			-0.003		0.013	33.000	33.010	
375 P0646						1.100		
\$\frac{3}{3}6								0.2854
377 Ex214 -0.011 0.589 0.380 23.3000 23.359 0.1871 378 Ex211 -0.011 0.589 0.380 23.000 22.369 0.1871 380 P5030 -0.012 0.259 0.380 33.000 33.369 0.2508 381 EL042 -0.013 1.871 1.884 1.100 1.291 0.074 382 EL125 -0.015 0.104 0.118 1.100 1.204 0.302 383 BX218 -0.017 0.324 0.341 22.000 22.324 0.1678 384 BX217 -0.017 0.324 0.341 22.000 22.324 0.1678 385 BX228 -0.019 0.251 0.270 22.000 22.234 0.1678 385 LV050 -0.029 0.119 0.148 1.100 1.219 0.0306 387 LV051 -0.029 0.119 0.148 1.100 1.219 0.0356								
378 EX211 -0.011 0.569 0.380 22.000 22.369 0.8271 379 EX212 -0.011 0.569 0.380 33.000 33.369 0.2583 380 F0503 -0.012 0.250 0.262 1.100 1.350 0.0333 381 EL042 -0.013 1.871 1.884 1.100 2.971 0.0744 382 EL125 -0.015 0.104 0.118 1.100 1.204 0.0302 383 EX218 -0.017 0.324 0.341 22.000 22.324 0.5052 384 EX217 -0.017 0.324 0.341 22.000 22.324 0.5052 385 EX28 -0.199 0.251 0.270 22.000 22.324 0.5052 386 EX28 -0.199 0.251 0.270 22.000 22.324 0.5053 387 LV555 -0.029 0.119 0.148 1.100 1.219 0.0306 388 EX28 -0.109 0.2119 0.148 1.100 1.219 0.0306 388 EX29 -0.029 0.119 0.148 1.100 1.229 0.0306 389 EX29 -0.029 0.242 0.271 22.000 22.324 0.5033 389 EX29 -0.029 0.242 0.271 22.000 22.324 0.5033 380 EX29 -0.029 0.242 0.271 22.000 37.450 0.3363 381 EL031 -0.031 4.450 4.481 33.000 37.450 0.3132 391 EL031 -0.031 4.450 4.481 33.000 37.450 0.3132 392 EV614 -0.035 0.123 0.157 33.000 37.450 0.3132 393 P0239 -0.035 0.123 0.157 33.000 37.450 0.3132 394 P0239 -0.035 0.123 0.157 33.000 33.123 0.2489 393 P0239 -0.035 0.123 0.157 33.000 33.123 0.8303 396 P0240 -0.035 0.123 0.157 33.000 33.123 0.8303 397 P0240 -0.035 0.123 0.157 33.000 33.123 0.8303 398 P0239 -0.035 0.123 0.157 33.000 33.123 0.8303 399 EV640 -0.055 0.123 0.157 33.000 33.123 0.8303 390 EV640 -0.055 0.123 0.157 33.000 33.123 0.8303 390 EV640 -0.055 0.123 0.157 33.000 33.123 0.8303 391 P0239 -0.055 0.123 0.157 33.000 33.123 0.8303 392 P0240 -0.055 0.123 0.157 33.000 33.123 0.8303 394 P0237 -0.006 0.186 0.252 22.000 22.186 0.1667 401 P0126 -0.075 0.082 0.157 33.000 33.003 0.8303 398 P0239 -0.005 0.123 0.157 33.000 33.003 0.8303 399 EV69 -0.005 0.123 0.157 33.000 33.003 0.8303 390 EV69 -0.005 0.106 0.186 0.255 22.000 22.186 0.1667 401 P0126 -0.075 0.082 0.157 55.000 55.082 0.4607 401 P0126 -0.075 0.082 0.157 55.000 55.082 0.4607 401 P0126 -0.075 0.082 0.157 55.000 55.000 0.2767 401 P0127 -0.075 0.082 0.157 55.000 55.000 0.2760 401 P0128 -0.075 0.082 0.157 55.000 55.000 0.2760 401 P0129 -0.006 0.140 0.235 5.500 56.640 0.1414 402 EL099 -0.014 0.035 0.140 0.235 5.500 56.640 0.1414 403 EL						33.000		
379 BX212 -0.011 0.369 0.380 33.000 33.369 0.2508 380 P0303 -0.012 0.250 0.262 1.100 1.350 0.333 381 EL042 -0.013 1.871 1.834 1.100 2.971 0.0744 382 EL125 -0.015 0.104 0.118 1.100 1.204 0.302 383 BX218 -0.017 0.324 0.341 22.000 22.324 0.5052 384 BX218 -0.017 0.324 0.341 22.000 22.324 0.5052 385 BX228 -0.019 0.251 0.270 22.000 22.324 0.5053 386 LV030 -0.029 0.119 0.148 1.100 1.219 0.0306 387 LV051 -0.029 0.119 0.148 1.100 1.219 0.0306 388 BX229 -0.029 0.242 0.271 22.000 22.242 0.5033 389 BX229 -0.029 0.242 0.271 22.000 22.242 0.5033 390 EL031 -0.031 4.650 4.481 33.000 37.450 0.3132 391 EL031 -0.031 4.650 4.481 33.000 37.450 0.3132 392 P0644 -0.055 0.123 0.157 33.000 33.123 0.2499 393 P0239 -0.035 0.123 0.157 33.000 33.123 0.2499 393 P0239 -0.035 0.123 0.157 33.000 33.123 0.2499 394 P0239 -0.035 0.123 0.157 33.000 33.123 0.8300 395 P0244 -0.055 0.123 0.157 33.000 33.123 0.8300 396 P0235 -0.035 0.123 0.157 33.000 33.123 0.8300 397 P0239 -0.035 0.123 0.157 33.000 33.123 0.8300 398 P0239 -0.035 0.123 0.157 33.000 33.123 0.8300 399 P0239 -0.035 0.123 0.157 33.000 33.123 0.8300 390 P0235 -0.035 0.123 0.157 33.000 33.123 0.8300 390 P0236 -0.035 0.123 0.157 33.000 33.123 0.8300 390 P0237 -0.035 0.123 0.157 33.000 33.123 0.8300 390 P0240 -0.055 0.082 0.157 33.000 33.000 3.124 0.2667 400 P0127 -0.075 0.082 0.157 33.000 33.000 3.124 0.2667 401 P0128 -0.075 0.082 0.157 33.000 33.000 0.2660 402 P0128 -0.075 0.082 0.157 33.000 33.000 0.2		BX211	-0.011	0.369	0.380	22.000	22.369	
381 EL042 -0.013 1.871 1.834 1.100 2.971 0.0704 382 EL125 -0.017 0.324 0.341 22.000 22.324 0.5052 384 B8218 -0.017 0.324 0.341 22.000 22.324 0.1678 385 B8228 -0.019 0.251 0.270 22.000 22.251 0.5035 386 LV050 -0.029 0.119 0.148 1.100 1.219 0.0306 387 LV051 -0.029 0.119 0.148 1.100 1.219 0.0306 387 LV081 -0.029 0.242 0.271 22.000 22.242 0.5033 389 BK229 -0.029 0.242 0.271 22.000 22.242 0.5033 390 EL031 -0.031 4.450 4.481 33.000 37.450 0.3132 391 EL031 -0.035 0.123 0.157 33.000 33.123 0.820		BX212	-0.011			33.000	33.369	
1.00								
383 BV218 -0.017 0.324 0.341 22.000 22.324 0.1678 385 BV225 -0.019 0.251 0.270 22.000 22.251 0.5035 386 LV050 -0.029 0.119 0.148 1.100 1.219 0.0306 387 LV081 -0.029 0.119 0.148 1.100 1.219 0.0306 388 BV229 -0.029 0.242 0.271 22.000 22.242 0.5033 390 BL031 -0.031 4.450 4.481 33.000 37.450 0.3132 391 EL031 -0.031 4.450 4.481 33.000 37.450 0.3132 392 P0644 -0.035 0.123 0.157 35.000 33.123 0.2439 393 P0239 -0.035 0.123 0.157 33.000 33.123 0.8303 394 P0237 -0.035 0.123 0.157 33.000 33.123 0.8300 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
384 BX217 -0.017 0.324 0.341 22.000 22.324 0.1678 385 BX228 -0.019 0.119 0.148 1.100 1.219 0.0306 386 LV081 -0.029 0.119 0.148 1.100 1.219 0.0306 388 BX229 -0.029 0.242 0.271 22.000 22.242 0.5033 389 BX229 -0.029 0.242 0.271 22.000 22.242 0.5033 390 EL031 -0.031 4.450 4.481 33.000 37.450 0.3132 391 EL031 -0.035 0.123 0.157 33.000 37.450 0.3132 392 PD644 -0.035 0.123 0.157 33.000 33.123 0.2499 394 PD239 -0.035 0.123 0.157 33.000 33.123 0.8300 395 PD240 -0.035 0.123 0.157 33.000 33.123 0.8300 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
386 LV050 -0.029 0.119 0.148 1.100 1.219 0.0306 388 BX229 -0.029 0.242 0.271 22.000 22.242 0.5033 389 BX229 -0.029 0.242 0.271 22.000 22.242 0.5033 389 BX229 -0.029 0.242 0.271 22.000 22.242 0.5033 390 EL031 -0.031 4.450 4.481 33.000 37.450 0.3132 391 EL031 -0.035 0.123 0.157 33.000 37.450 0.3132 392 P0644 -0.035 0.123 0.157 33.000 33.123 0.2489 393 P0239 -0.035 0.123 0.157 55.000 55.123 0.4162 334 P0237 -0.035 0.123 0.157 33.000 33.123 0.8300 336 P0236 -0.035 0.123 0.157 33.000 33.123 0.8300 336 P0236 -0.035 0.123 0.157 33.000 33.123 0.8300 336 P0236 -0.035 0.123 0.157 33.000 33.123 0.8300 337 LV059 -0.066 0.184 0.252 22.000 22.186 0.1667 338 P0123 -0.075 0.082 0.157 33.000 33.082 0.2767 401 P0127 -0.075 0.082 0.157 33.000 33.082 0.2767 401 P0126 -0.075 0.082 0.157 33.000 33.082 0.2767 401 P0126 -0.075 0.082 0.157 55.000 55.082 0.4607 401 P0126 -0.075 0.082 0.157 55.000 55.082 0.4607 401 P0126 -0.075 0.082 0.157 33.000 33.082 0.2767 403 P0127 -0.075 0.082 0.157 33.000 33.082 0.2767 401 P0126 -0.075 0.082 0.157 33.000 33.002 0.2767 401 P0126 -0.075 0.082 0.157 33.000 33.000 33.082 0.2767 401 P0126 -0.075 0.082 0.157 33.000 33.000 33.002 0.2767 401 P0126 -0.075 0.082 0.157 33.000	384	BX217	-0.017	0.324	0.341	22.000	22.324	0.1678
388 BX229 -0.029 0.242 0.271 22.000 22.242 0.5033 389 BX229 -0.029 0.242 0.271 22.000 22.242 0.5033 389 BX229 -0.029 0.242 0.271 22.000 22.242 0.5033 390 EL031 -0.031 4.450 4.481 33.000 37.450 0.3132 391 EL031 -0.035 0.123 0.157 33.000 37.450 0.3132 392 P0644 -0.035 0.123 0.157 33.000 37.450 0.3132 393 P0239 -0.035 0.123 0.157 55.000 55.123 0.4162 393 P0237 -0.035 0.123 0.157 33.000 33.123 0.8300 396 P0237 -0.035 0.123 0.157 33.000 33.123 0.8300 396 P0236 -0.035 0.123 0.157 33.000 33.123 0.8300 397 LV083 -0.066 0.186 0.252 22.000 22.186 0.1667 398 P0123 -0.075 0.082 0.157 33.000 33.123 0.8300 399 P0739 -0.066 0.186 0.252 22.000 22.186 0.1667 399 P074 -0.075 0.082 0.157 55.000 55.082 0.4607 400 P0127 -0.075 0.082 0.157 55.000 55.082 0.4607 401 P0126 -0.075 0.082 0.157 55.000 55.082 0.4607 402 P0125 -0.075 0.082 0.157 55.000 55.082 0.4607 403 P071 -0.075 0.082 0.157 55.000 55.082 0.4607 404 P0127 -0.075 0.082 0.157 55.000 33.082 0.2767 404 LV060 -0.095 0.140 0.235 1.100 1.240 0.0104 405 EL001 -0.095 0.140 0.235 1.100 1.240 0.0104 406 EL003 -0.095 0.140 0.235 1.100 1.240 0.0104 407 EL092 -0.095 0.140 0.235 5.500 5.660 0.1413 408 EL094 -0.095 0.140 0.235 5.500 5.660 0.1413 409 EL094 -0.095 0.140 0.235 5.500 5.660 0.1413 412 H5003 -0.129 0.0 0.129 1.100 1.100 0.0249 413 H602 -0.129 0.0 0.0 0.129 1.100 1.100 0.0249 414 PLE07 -0.104 0.131 0.235 5.500 5.660 0.1411 412 H5003 -0.129 0.0 0.129 1.100 1.100 0.0249 414 PLE07 -0.104 0.131 0.235 5.500 5.661 0.1411 412 H5003 -0.129 0.0 0.0 0.129 1.100 1.100 0.0249 414 PLE07 -0.104 0.131 0.235 5.500 5.661 0.1411 412 H5003 -0.129 0.0 0.0 0.129 1.100 1.100 0.0249 414 PLE07 -0.104 0.131 0.235 5.500 5.661 0.1411 412 H5003 -0.129 0.0 0.0 0.129 1.100 1.100 0.0249 414 PLE07 -0.104 0.131 0.235 5.500 5.661 0.1411 412 H5003 -0.129 0.0 0.129 33.000 33.000 0.2760 418 P0121 -0.129 0.0 0.0 0.129 33.000 33.000 0.2760 418 P0121 -0.129 0.0 0.0 0.129 33.000 33.000 0.2760 418 P0121 -0.129 0.0 0.0 0.129 33.000 33.000 0.2760 418 P0121 -0.129 0.0 0.0 0.129 33.000 33.000 0.2760 419 P0125 -0.075 0.082			-0.019		0.270		22.251	
388 BY229 -0.029 0.242 0.271 22.000 22.242 0.5033 390 EL031 -0.031 4.450 4.481 33.000 37.450 0.3132 391 EL031 -0.035 0.123 0.157 35.000 33.123 0.235 392 P0644 -0.035 0.123 0.157 55.000 35.123 0.2482 393 P0239 -0.035 0.123 0.157 55.000 55.123 0.4142 394 P0237 -0.035 0.123 0.157 33.000 33.123 0.8300 395 P0240 -0.035 0.123 0.157 33.000 33.123 0.8300 396 P0236 -0.035 0.123 0.157 33.000 33.123 0.8300 397 LV059 -0.666 0.186 0.252 22.000 22.186 0.1667 398 P0123 -0.075 0.082 0.157 35.000 35.022 0.2767 <			-0.029		0.148		1.219	
389 BYZ29 -0.029 0.242 0.271 22.000 22.242 0.5033 390 E.031 -0.031 4.450 4.481 33.000 37.450 0.3132 391 E.031 -0.035 0.123 0.157 33.000 37.450 0.312 392 P0644 -0.035 0.123 0.157 33.000 33.123 0.2489 393 P0237 -0.035 0.123 0.157 33.000 33.123 0.8300 395 P0240 -0.035 0.123 0.157 33.000 33.123 0.8300 396 P0236 -0.035 0.123 0.157 33.000 33.123 0.8300 397 LV059 -0.066 0.186 0.252 22.000 22.186 0.1667 398 P0123 -0.075 0.082 0.157 55.000 55.082 0.4607 400 P0127 -0.075 0.082 0.157 55.000 55.082 0.4607 <								
391 EL031	389							
392 P0239 -0.035				4.450				
PO237				4.450	4.481			
19237		P0644						
395 P0240								
397 LV059 -0.066 0.186 0.252 22.000 22.186 0.1667 398 P0123 -0.075 0.082 0.157 55.000 55.082 0.4607 399 P0671 -0.075 0.082 0.157 33.000 33.082 0.2767 400 P0127 -0.075 0.082 0.157 55.000 55.082 0.4607 401 P0126 -0.075 0.082 0.157 55.000 55.082 0.4607 402 P0125 -0.075 0.082 0.157 55.000 55.082 0.4607 402 P0125 -0.075 0.082 0.157 1.100 1.182 0.0296 403 F0671 -0.075 0.082 0.157 33.000 33.082 0.2767 404 LV060 -0.095 0.140 0.235 22.000 33.082 0.2767 404 LV060 -0.095 0.140 0.235 22.000 22.140 0.1664 405 EL101 -0.095 0.140 0.235 1.100 1.240 0.0104 407 EL092 -0.095 0.140 0.235 1.100 1.240 0.0104 407 EL092 -0.095 0.140 0.235 5.500 5.640 0.0472 408 EL094 -0.095 0.140 0.235 5.500 5.640 0.0472 410 EL079 -0.104 0.131 0.235 5.500 5.640 0.0472 410 EL079 -0.104 0.131 0.235 5.500 5.631 0.1411 411 EL079 -0.104 0.131 0.235 5.500 5.631 0.1411 412 HSA03 -0.129 0.0 0.129 1.100 1.100 0.0249 414 PLE07 -0.129 0.0 0.129 1.100 1.100 0.0249 414 PLE07 -0.129 0.0 0.129 1.100 1.100 0.0249 415 PLE08 -0.129 0.0 0.129 33.000 33.000 0.5513 416 P0133 -0.129 0.0 0.129 33.000 33.000 0.5513 416 P0133 -0.129 0.0 0.129 33.000 33.000 0.5513 416 P0133 -0.129 0.0 0.129 33.000 33.000 0.5514 422 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 424 EL002 -0.137 0.026 0.163 1.100 1.126 0.0282 425 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 426 P0287 -0.147 0.331 0.478 55.000 55.331 0.4183 427 EL038 -0.150 1.886 2.047 33.000 34.896 0.2919 428 EL040 -0.150 1.886 2.047 33.000 34.896 0.2919 428 EL040 -0.150 1.886 2.047 33.000 34.896 0.2919 428 EL040 -0.150 1.886 2.047 33.000 34.896 0.2919 428 EL038 -0.150 1.886 2.047 33.000 34.896 0.2919 430 EL038 -0.150 1.886 2.047 33.000 34.896 0.2919 431 EL145 -0.182 1.704 1.886 33.000 34.704 0.2903	395	P0240	-0.035	0.123		33.000		0.8300
388 P0123 -0.075 0.082 0.157 55.000 55.082 0.4607 399 P0671 -0.075 0.082 0.157 55.000 55.082 0.4607 400 P0127 -0.075 0.082 0.157 55.000 55.082 0.4607 401 P0126 -0.075 0.082 0.157 55.000 55.082 0.4607 402 P0125 -0.075 0.082 0.157 55.000 55.082 0.4607 403 P0671 -0.075 0.082 0.157 33.000 33.082 0.2767 404 LV050 -0.075 0.082 0.157 33.000 23.100 22.2677 404 LV050 -0.095 0.140 0.235 22.000 22.140 0.1644 405 EL 1011 -0.095 0.140 0.2355 1.100 1.240 0.0104 407 EL 2092 -0.095 0.140 0.2355 5.500 5.640 0.0472								
399 P6671 -0.075 0.082 0.157 33.000 33.082 0.2767 400 P0127 -0.075 0.082 0.157 55.000 55.082 0.4607 401 P0126 -0.075 0.082 0.157 55.000 55.082 0.4607 402 P0125 -0.075 0.082 0.157 1.100 1.182 0.0296 403 F0671 -0.075 0.082 0.157 33.000 33.082 0.2767 404 LV050 -0.095 0.140 0.235 22.000 22.140 0.1664 405 EL 101 -0.095 0.140 0.235 1.100 1.240 0.0104 406 EL 093 -0.095 0.140 0.235 5.500 5.640 0.0772 408 EL 094 -0.095 0.140 0.235 5.500 5.640 0.0472 410 EL 094 -0.095 0.140 0.235 5.500 5.640 0.0472							22.186	
400 P0127 -0.075 0.082 0.157 55.000 55.082 0.4607 401 P0126 -0.075 0.082 0.157 55.000 55.082 0.4607 402 P0125 -0.075 0.082 0.157 1.100 1.182 0.0296 403 P0671 -0.075 0.082 0.157 33.000 33.082 0.2767 404 LV060 -0.095 0.140 0.235 22.000 22.140 0.1664 405 EL 101 -0.095 0.140 0.235 1.100 1.240 0.0104 407 EL 092 -0.095 0.140 0.235 1.100 1.240 0.0104 408 EL 092 -0.095 0.140 0.235 5.500 5.640 0.0472 408 EL 094 -0.095 0.140 0.235 5.500 5.640 0.1413 409 EL 094 -0.095 0.140 0.235 5.500 5.640 0.1413								
402 P0125 -0.075 0.082 0.157 1.100 1.182 0.0296 403 F0671 -0.075 0.082 0.157 33.000 33.082 0.2767 404 LV050 -0.095 0.140 0.2355 22.000 22.140 0.1654 405 EL101 -0.095 0.140 0.2355 1.100 1.240 0.0104 407 EL092 -0.095 0.140 0.2355 5.500 5.640 0.0772 408 EL094 -0.095 0.140 0.2355 5.500 5.640 0.0472 408 EL094 -0.095 0.140 0.2355 5.500 5.640 0.0472 410 EL079 -0.104 0.131 0.2355 5.500 5.640 0.0472 411 EL079 -0.104 0.131 0.2355 5.500 5.631 0.1411 412 HSA03 -0.129 0.0 0.129 1.100 1.100 0.0249 <		P0127	-0.075				55.082	
403 F0671 -0.075 0.022 0.157 33.000 33.032 0.2767 404 LV060 -0.095 0.140 0.235 22.000 22.140 0.1664 405 EL101 -0.095 0.140 0.235 1.100 1.240 0.0104 407 EL082 -0.095 0.140 0.235 5.500 5.640 0.072 408 EL094 -0.095 0.140 0.235 5.500 5.640 0.072 409 EL094 -0.095 0.140 0.235 5.500 5.640 0.1413 409 EL094 -0.095 0.140 0.235 5.500 5.640 0.1413 409 EL097 -0.104 0.131 0.235 5.500 5.640 0.1413 411 EL079 -0.104 0.131 0.235 5.500 5.631 0.1411 412 MSA03 -0.129 0.0 0.129 1.100 1.100 0.249			-0.075			55.000	55.082	0.4607
404 LV050 -0.095 0.140 0.235 22.000 22.140 0.1654 405 EL101 -0.095 0.140 0.235 1.100 1.240 0.0104 407 EL092 -0.095 0.140 0.235 1.100 1.240 0.0104 407 EL092 -0.095 0.140 0.235 5.500 5.640 0.0772 408 EL094 -0.095 0.140 0.235 5.500 5.640 0.0472 409 EL094 -0.095 0.140 0.235 5.500 5.640 0.0472 410 EL079 -0.104 0.131 0.235 5.500 5.640 0.0472 410 EL079 -0.104 0.131 0.235 5.500 5.631 0.1411 411 EL079 -0.104 0.131 0.235 5.500 5.631 0.1411 412 HSA03 -0.129 0.0 0.129 1.100 1.100 0.0249 413 HSA02 -0.129 0.0 0.129 1.100 1.100 0.0249 414 PLE07 -0.129 0.0 0.129 1.100 1.100 0.0249 414 PLE07 -0.129 0.0 0.129 22.000 22.000 0.5513 416 PD133 -0.129 0.0 0.129 22.000 22.000 0.5513 416 PD133 -0.129 0.0 0.129 33.000 33.000 0.5513 416 PD133 -0.129 0.0 0.129 33.000 33.000 0.5513 416 PD133 -0.129 0.0 0.129 33.000 33.000 0.2760 418 PD121 -0.129 0.0 0.129 1.100 1.100 0.0249 418 PD121 -0.129 0.0 0.129 1.100 1.100 0.0249 418 PD121 -0.129 0.0 0.129 33.000 33.000 0.2760 419 PD197 -0.134 0.114 0.247 5.500 5.614 0.1407 421 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 424 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 424 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 426 PD287 -0.147 0.331 0.478 55.000 55.331 0.418 40 0.25								
405 EL101 -0.095 0.140 0.235 1.100 1.240 0.0104 405 EL092 -0.095 0.140 0.235 1.100 1.240 0.0104 407 EL092 -0.095 0.140 0.235 5.500 5.640 0.0472 408 EL094 -0.095 0.140 0.235 5.500 5.640 0.1413 409 EL094 -0.095 0.140 0.235 5.500 5.640 0.1413 409 EL079 -0.104 0.131 0.235 5.500 5.640 0.0472 410 EL079 -0.104 0.131 0.235 5.500 5.631 0.1411 412 MSA03 -0.129 0.0 0.129 1.100 1.100 0.0249 413 MSA02 -0.129 0.0 0.129 1.100 1.100 0.0249 414 PLE07 -0.129 0.0 0.129 22.000 22.000 0.2513 <			-0.075		0.157		22 140	
407 EL092 -0.095 0.140 0.235 1.100 1.240 0.0104 407 EL094 -0.095 0.140 0.235 5.500 5.640 0.0472 408 EL094 -0.095 0.140 0.235 5.500 5.640 0.1413 409 EL099 -0.104 0.131 0.235 5.500 5.640 0.0472 410 EL079 -0.104 0.131 0.235 5.500 5.631 0.1411 411 EL079 -0.104 0.131 0.235 5.500 5.631 0.1411 412 MSA03 -0.129 0.0 0.129 1.100 1.100 0.0249 413 MSA02 -0.129 0.0 0.129 1.100 1.100 0.0249 414 PLE07 -0.129 0.0 0.129 1.00 1.100 0.0249 415 PLE08 -0.129 0.0 0.129 22.000 22.000 0.5513 415 PLE08 -0.129 0.0 0.129 22.000 22.000 0.5513 416 PD133 -0.129 0.0 0.129 33.000 33.000 0.8269 417 PD112 -0.129 0.0 0.129 33.000 33.000 0.8269 418 PD121 -0.129 0.0 0.129 33.000 33.000 0.2760 419 PD197 -0.134 0.114 0.247 5.550 5.614 0.1407 420 P0220 -0.134 0.114 0.247 5.550 5.614 0.1407 421 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 422 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 424 EL002 -0.137 0.026 0.163 1.100 1.126 0.0282 425 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 426 P0287 -0.147 0.331 0.473 55.000 55.331 0.0282 427 EL039 -0.150 1.896 2.047 33.000 34.896 0.2919 428 EL039 -0.150 1.896 2.047 33.000 34.896 0.2919 429 EL033 -0.150 1.896 2.047 33.000 34.896 0.2919 429 EL033 -0.150 1.896 2.047 33.000 34.896 0.2919 430 PD609 -0.175 0.142 0.556 1.100 1.512 0.0282 431 EL145 -0.182 1.704 1.886 33.000 34.704 0.2903	405	EL 101	-0.095		0.235		1.240	
408 EL094 -0.095 0.140 0.235 5.500 5.640 0.1413 409 EL094 -0.095 0.140 0.235 5.500 5.640 0.0472 410 EL079 -0.104 0.131 0.235 5.500 5.631 0.1411 411 EL079 -0.104 0.131 0.235 5.500 5.631 0.1411 412 HSA03 -0.129 0.0 0.129 1.100 1.100 0.0249 413 HSA02 -0.129 0.0 0.129 1.100 1.100 0.0249 414 PLE07 -0.129 0.0 0.129 22.000 22.000 0.5513 416 PLE07 -0.129 0.0 0.129 22.000 22.000 0.5513 416 PO133 -0.129 0.0 0.129 33.000 33.000 0.8269 417 PO112 -0.129 0.0 0.129 33.000 33.000 0.8269 418 PO121 -0.129 0.0 0.129 33.000 33.000 0.8269 419 PO197 -0.134 0.114 0.247 5.550 5.614 0.1407 420 PO220 -0.134 0.114 0.247 5.5500 5.614 0.1407 421 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 423 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 424 EL002 -0.137 0.025 0.162 1.100 1.125 0.0282 425 EL001 -0.137 0.025 0.162 1.100 1.125 0.0282 426 PO287 -0.137 0.025 0.162 1.100 1.125 0.0282 426 PO287 -0.147 0.331 0.478 55.000 55.331 0.4183 427 EL003 -0.150 1.896 2.047 33.000 34.896 0.2919 428 EL040 -0.150 1.896 2.047 33.000 34.896 0.2919 428 EL040 -0.150 1.896 2.047 33.000 34.896 0.2919 428 EL040 -0.150 1.896 2.047 33.000 34.896 0.2919 429 EL038 -0.150 1.896 2.047 33.000 34.896 0.2919 431 EL145 -0.182 1.704 1.886 33.000 34.704 0.2903						1.100	1.240	0.0104
409 EL094 -0.095 0.140 0.235 5.500 5.631 0.0472 410 EL079 -0.104 0.131 0.235 5.500 5.631 0.1411 411 EL079 -0.104 0.131 0.235 5.500 5.631 0.1411 412 MSA03 -0.129 0.0 0.129 1.100 1.100 0.0249 413 MSA02 -0.129 0.0 0.129 1.100 1.100 0.0249 414 PLE07 -0.129 0.0 0.129 1.100 1.100 0.0249 415 PLE08 -0.129 0.0 0.129 22.000 22.000 0.5513 416 P0133 -0.129 0.0 0.129 22.000 22.000 0.5513 416 P0133 -0.129 0.0 0.129 33.000 33.000 0.5513 417 P0112 -0.129 0.0 0.129 33.000 33.000 0.2760 418 P0121 -0.129 0.0 0.129 33.000 33.000 0.2760 419 P0197 -0.134 0.114 0.247 5.500 5.614 0.1407 420 P0220 -0.134 0.114 0.247 5.500 5.614 0.1407 421 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 422 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 424 EL002 -0.137 0.026 0.163 1.100 1.126 0.0282 424 EL002 -0.137 0.026 0.163 1.100 1.126 0.0282 424 EL002 -0.137 0.025 0.162 1.100 1.125 0.0282 426 P0287 -0.147 0.331 0.478 55.000 55.331 0.4158 427 EL039 -0.150 1.896 2.047 33.000 34.896 0.2919 428 EL040 -0.150 1.896 2.047 33.000 34.896 0.2919 430 EL038 -0.150 1.896 2.047 33.000 34.896 0.2919 431 EL145 -0.182 1.704 1.886 33.000 34.704 0.2903 432 EL032 -0.182 1.704 1.886 33.000 34.704 0.2903								
410 EL079 -0.104 0.131 0.235 5.500 5.631 0.1411 411 EL079 -0.104 0.131 0.235 5.500 5.631 0.1411 412 MSA03 -0.129 0.0 0.129 1.100 1.100 0.0249 413 MSA02 -0.129 0.0 0.129 1.100 1.100 0.0249 413 MSA02 -0.129 0.0 0.129 1.100 1.100 0.0249 414 PLE07 -0.129 0.0 0.129 22.000 22.000 0.5513 415 PLE08 -0.129 0.0 0.129 22.000 22.000 0.5513 415 PLE08 -0.129 0.0 0.129 33.000 33.000 0.5513 416 PD133 -0.129 0.0 0.129 33.000 33.000 0.8269 417 PD112 -0.129 0.0 0.129 33.000 33.000 0.2760 418 PD121 -0.129 0.0 0.129 33.000 33.000 0.2760 418 PD121 -0.129 0.0 0.129 33.000 33.000 0.2760 419 PD197 -0.134 0.114 0.247 5.500 5.614 0.1407 420 PD220 -0.134 0.114 0.247 5.500 5.614 0.1407 421 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 422 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 424 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 424 EL037 -0.137 0.025 0.162 1.100 1.126 0.0282 424 EL037 -0.137 0.025 0.162 1.100 1.125 0.0282 426 PD287 -0.150 1.896 2.047 33.000 34.896 0.2919 428 EL039 -0.150 1.896 2.047 33.000 34.896 0.2919 428 EL035 -0.150 1.896 2.047 33.000 34.896 0.2919 429 EL035 -0.152 1.896 2.047 33.000 34.896 0.2919 429 EL035 -0.182 1.704 1.886 33.000 34.704 0.2903 432 EL037 -0.182 1.704 1.886 33.000 34.704 0.2903 432 EL037 -0.182 1.704 1.886 33.000 34.704 0.2903							5.640	
411 EL079 -0.104 0.131 0.235 5.500 5.631 0.1411 412 MSA02 -0.129 0.0 0.129 1.100 1.100 0.0249 413 MSA02 -0.129 0.0 0.129 1.100 1.100 0.0249 414 PLE07 -0.129 0.0 0.129 22.000 22.000 0.5513 415 PLE08 -0.129 0.0 0.129 22.000 22.000 0.5513 416 P0133 -0.129 0.0 0.129 33.000 33.000 0.5513 417 P0112 -0.129 0.0 0.129 33.000 33.000 0.2760 418 P0121 -0.129 0.0 0.129 33.000 33.000 0.2760 419 P0197 -0.134 0.114 0.247 5.500 5.614 0.1407 420 F0220 -0.134 0.114 0.247 5.500 5.614 0.1407 <							5.631	
413 MSA02 -0.129 0.0 0.129 1.100 1.100 0.0249 414 PLE07 -0.129 0.0 0.129 22.000 22.000 0.5513 415 PLE08 -0.129 0.0 0.129 22.000 22.000 0.5513 416 P0133 -0.129 0.0 0.129 33.000 33.000 0.8269 417 P0112 -0.129 0.0 0.129 33.000 33.000 0.8269 418 P0121 -0.129 0.0 0.129 33.000 33.000 0.2760 418 P0121 -0.129 0.0 0.129 1.100 1.00 0.276 419 P0197 -0.134 0.114 0.247 5.500 5.614 0.1407 420 P0220 -0.134 0.114 0.247 5.500 5.614 0.1407 421 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 423 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 424 EL002 -0.137 0.026 0.163 1.100 1.126 0.0282 425 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 426 EL037 -0.137 0.025 0.162 1.100 1.125 0.0282 427 EL001 -0.137 0.025 0.162 1.100 1.125 0.0282 428 EL004 -0.137 0.025 0.162 1.100 1.125 0.0282 426 P0837 -0.147 0.331 0.478 55.000 55.331 0.4183 427 EL039 -0.150 1.896 2.047 33.000 34.896 0.2919 428 EL040 -0.150 1.896 2.047 33.000 34.896 0.2919 428 EL040 -0.150 1.896 2.047 33.000 34.896 0.2919 428 EL040 -0.150 1.896 2.047 33.000 34.896 0.2919 429 EL038 -0.150 1.896 2.047 1.100 1.512 0.016 431 EL145 -0.182 1.704 1.886 33.000 34.704 0.2903	411		-0.104				5.631	0.1411
414 PLE07 -0.129 0.0 0.129 22.000 22.000 22.000 0.5513 415 PLE08 -0.129 0.0 0.129 22.000 22.000 0.5513 416 P0133 -0.129 0.0 0.129 33.000 33.000 0.8269 417 P0112 -0.129 0.0 0.129 33.000 33.000 0.2760 418 P0121 -0.129 0.0 0.129 1.100 1.100 0.0276 419 P0197 -0.134 0.114 0.247 5.500 5.614 0.1407 420 P0220 -0.137 0.026 0.163 1.100 1.126 0.0282 422 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 423 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 424 EL002 -0.137 0.025 0.162 1.100 1.125 0.0282			-0.129					
415 PLE08 -0.129 0.0 0.129 22.000 22.000 0.5513 416 P0133 -0.129 0.0 0.129 33.000 33.000 0.8269 417 P0112 -0.129 0.0 0.129 33.000 33.000 0.2760 418 P0121 -0.129 0.0 0.129 1.100 1.100 0.2764 419 P0197 -0.134 0.114 0.247 5.500 5.614 0.1407 420 P0220 -0.134 0.114 0.247 5.500 5.614 0.1407 421 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 422 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 423 EL037 -0.137 0.025 0.162 1.100 1.126 0.0282 424 EL002 -0.137 0.025 0.162 1.100 1.125 0.0282								
416 P0133								
417 P0112 -0.129 0.0 0.129 33.000 33.000 0.2760 418 P0121 -0.129 0.0 0.129 1.100 1.100 0.276 419 P0197 -0.134 0.114 0.247 5.500 5.614 0.1407 420 P0220 -0.134 0.114 0.247 5.500 5.614 0.1407 421 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 422 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 423 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 424 EL002 -0.137 0.025 0.162 1.100 1.125 0.0282 424 EL002 -0.137 0.025 0.162 1.100 1.125 0.0282 426 P0287 -0.137 0.025 0.162 1.100 1.125 0.0282 426 P0287 -0.147 0.331 0.473 55.000 55.331 0.4158 427 EL039 -0.150 1.896 2.047 33.000 34.896 0.2919 429 EL033 -0.150 1.896 2.047 1.100 1.512 0.0126 431 EL145 -0.182 1.704 1.826 33.000 34.704 0.2903 432 EL032 -0.182 1.704 1.826 33.000 34.704 0.2903	416	P0133	-0.129	0.0	0.129			
419 P0197 -0.134 0.114 0.247 5.500 5.614 0.1407 420 P0220 -0.134 0.114 0.247 5.500 5.614 0.1407 421 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 422 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 423 EL037 -0.137 0.025 0.163 1.100 1.125 0.0282 424 EL002 -0.137 0.025 0.162 1.100 1.125 0.0282 425 EL001 -0.137 0.025 0.162 1.100 1.125 0.0282 426 P0287 -0.147 0.331 0.473 55.000 55.331 0.4158 427 EL039 -0.150 1.896 2.047 33.000 34.896 0.2919 428 EL040 -0.150 1.896 2.047 1.100 2.996 0.0751						33.000	33.000	
420 P0220 -0.134 0.114 0.247 5.500 5.614 0.1407 421 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 422 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 423 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 424 EL002 -0.137 0.025 0.162 1.100 1.126 0.0282 425 EL001 -0.137 0.025 0.162 1.100 1.125 0.0282 426 P0837 -0.147 0.255 0.162 1.100 1.125 0.0282 427 EL039 -0.150 1.896 2.047 33.000 34.896 0.2919 428 EL040 -0.150 1.896 2.047 33.000 34.896 0.2919 428 EL040 -0.150 1.896 2.047 33.000 34.896 0.2919 429 EL038 -0.150 1.896 2.047 33.000 34.896 0.2919 429 EL038 -0.150 1.896 2.047 1.100 1.512 0.0561 430 P0609 -0.175 0.412 0.556 1.100 1.512 0.0126 431 EL145 -0.182 1.704 1.886 33.000 34.704 0.2903								
421 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 422 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 423 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 424 EL002 -0.137 0.025 0.162 1.100 1.125 0.0282 424 EL002 -0.137 0.025 0.162 1.100 1.125 0.0282 426 PC887 -0.147 0.0351 0.478 55.000 55.331 0.4158 427 EL039 -0.150 1.896 2.047 33.000 34.896 0.2919 428 EL040 -0.150 1.896 2.047 33.000 34.896 0.2919 429 EL038 -0.150 1.896 2.047 33.000 34.896 0.2919 429 EL038 -0.150 1.896 2.047 33.000 34.896 0.2919 429 EL038 -0.150 1.896 2.047 1.100 2.996 0.0751 430 P0609 -0.175 0.412 0.556 1.100 1.512 0.0126 431 EL145 -0.182 1.704 1.826 33.000 34.704 0.2903 432 EL032 -0.182 1.704 1.826 33.000 34.704 0.2903								
422 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 423 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 424 EL002 -0.137 0.025 0.162 1.100 1.125 0.0282 425 EL001 -0.137 0.025 0.162 1.100 1.125 0.0282 426 P0837 -0.147 0.331 0.473 55.000 55.331 0.4153 427 EL039 -0.150 1.896 2.047 33.000 34.896 0.2919 428 EL040 -0.150 1.896 2.047 33.000 34.896 0.2919 429 EL038 -0.150 1.896 2.047 33.000 34.896 0.2919 430 P0609 -0.175 0.412 0.586 1.100 1.512 0.0126 431 EL145 -0.182 1.704 1.886 33.000 34.704 0.2903								
423 EL037 -0.137 0.026 0.163 1.100 1.126 0.0282 424 EL002 -0.137 0.025 0.162 1.100 1.125 0.0282 425 EL001 -0.137 0.025 0.162 1.100 1.125 0.0282 426 P0087 -0.147 0.331 0.473 55.000 55.331 0.4153 427 EL039 -0.150 1.896 2.047 33.000 34.896 0.2919 428 EL040 -0.150 1.896 2.047 33.000 34.896 0.2919 429 EL038 -0.150 1.896 2.047 1.100 2.996 0.0751 430 P0609 -0.175 0.412 0.556 1.100 1.512 0.0126 431 EL145 -0.182 1.704 1.886 33.000 34.704 0.2903 432 EL032 -0.182 1.704 1.836 33.000 34.704 0.2903 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
425 EL001 -0.137 0.025 0.162 1.100 1.125 0.0282 426 P00837 -0.147 0.331 0.478 55.000 55.331 0.4158 427 EL039 -0.150 1.896 2.047 33.000 34.896 0.2919 428 EL040 -0.150 1.896 2.047 33.000 34.896 0.2919 429 EL038 -0.150 1.896 2.047 33.000 34.896 0.2919 429 EL038 -0.150 1.896 2.047 1.100 2.996 0.0751 430 P0609 -0.175 0.412 0.506 1.100 1.512 0.0126 431 EL145 -0.182 1.704 1.826 33.000 34.704 0.2903 432 EL032 -0.182 1.704 1.826 33.000 34.704 0.2903		EL037	-0.137			1.100	1.126	0.0282
426 PC837 -0.147 0.331 0.472 55.000 55.331 0.4153 427 EL039 -0.150 1.896 2.047 33.000 34.896 0.2919 428 EL040 -0.150 1.896 2.047 33.000 34.896 0.2919 429 EL033 -0.150 1.896 2.047 1.100 2.996 0.0751 430 P0609 -0.175 0.412 0.556 1.100 1.512 0.0126 431 EL145 -0.182 1.704 1.826 33.000 34.704 0.2903 432 EL032 -0.182 1.704 1.836 33.000 34.704 0.2903								
427 £L039 -0.150 1.896 2.047 33.000 34.896 0.2919 428 £L040 -0.150 1.896 2.047 33.000 34.896 0.2919 429 £L038 -0.150 1.836 2.047 1.100 2.996 0.0751 430 P0609 -0.175 0.412 0.586 1.100 1.512 0.0126 431 £L145 -0.182 1.704 1.826 33.000 34.704 0.2903 432 £L032 -0.182 1.704 1.836 33.000 34.704 0.2903			-0.147					
428 EL040 -0.150 1.896 2.047 33.000 34.896 0.2919 429 EL038 -0.150 1.896 2.047 1.100 2.996 0.0751 430 P0609 -0.175 0.412 0.556 1.100 1.512 0.0126 431 EL145 -0.182 1.704 1.826 33.000 34.704 0.2903 432 EL032 -0.182 1.704 1.836 33.000 34.704 0.2903	427	EL039			2.047	33.000		
429 EL038 -0.150 1.836 2.047 1.100 2.996 0.0751 430 P0609 -0.175 0.412 0.556 1.100 1.512 0.0126 431 EL145 -0.182 1.704 1.826 33.000 34.704 0.2903 432 EL032 -0.182 1.704 1.836 33.000 34.704 0.2903	428			1.896	2.047	33.000	34.896	
431 EL145 -0.182 1.704 1.826 33.000 34.704 0.2903 432 EL032 -0.182 1.704 1.836 33.000 34.704 0.2903					2.047		2.996	0.0751
432 EL032 -0.182 1.704 1.836 33.000 34.704 0.2003					1.586			0.0126
							34.704	0.2903
434 P0081 -0.317 0.003 0.321 5.500 5.503 0.1379	433	LV012	-0.182	1.704	1.886	1.100	2.804	
	434	P0081	-0.317	0.003	0.321	5.500	5.503	

Table F.2. (continued)

Seq	FNEM Arc LIC Code	FUA - Base (Megatons)	FUA Case Coal Volume (Megatons)	Base Case Coal Volume (Megatons)	Pre-Load Volume (Megatons)	FUA Case Total Volume (Megatons)	FUA Case Volume/ Capacity
435	P0079	-0.327	0.003	0.330	5.500	5.503	0.1379
435	BX033	-0.367	4.599	4.966	5.500	10.099	0.0845
437	BX030	-0.367	4.599	4.966	22.000	26.599	1.2225
438	P0005	-0.368	0.035	0.453	5.500	5.585	0.1399
439	P0008	-0.363	0.035	0.453	5.500	5.585	0.1399
440	P0005 EM061	-0.368 -0.368	0.085 0.085	0.453 0.453	5.500 33.000	5.585	0.1399
441 442	BM057	-0.368	0.035	0.453	33.000	33.035 33.085	0.2486
443	P0019	-0.368	0.035	0.453	5.500	5.585	0.1399
444	B11058	-0.368	0.085	0.453	33.000	33.085	0.7487
445	BH035	-0.368	0.085	0.453	5.500	5.585	0.0467
445	B11084	-0.368	0.085	0.453	5.500	5.585	0.1399
447	P0005	-0.368	0.085	0.453	5.500	5.585	0.1399
448	P0019	-0.368	0.085	0.453	5.500	5.585	0.1399
449	P0591	-0.374	0.104	0.478	33.000	33.104	0.2488
450	P0890 P0889	-0.374 -0.374	0.104	0.478 0.478	33.000 33.000	33.104 33.104	0.2488
451 452	P0023	-0.374	0.085	0.459	33.000	33.085	0.2436
453	P0023	-0.374	0.085	0.459	33.000	33.085	0.2486
454	P0022	-0.374	0.085	0.459	33.000	33.085	0.7487
455	P0022	-0.374	0.085	0.459	33.000	33.085	0.2486
456	P0768	-0.493	3.869	4.362	22.000	25.869	0.6482
457	P0058	-0.530	3.804	4.334	22.000	25.804	0.6466
458	P0058	-0.530	3.804	4.334	22.000	25.804 25.804	0.6466
459	P0767 P0067	-0.530 -0.530	3.804 3.885	4.334 4.415	22.000 11.000	14.835	0.3730
460 461	P0617	-0.597	1.292	1.888	33.000	34.292	0.8593
462	P0618	-0.598	1.521	2.120	33.000	34.521	0.8650
463	P0827	-0.598	1.521	2.120	33.000	34.521	0.8650
464	P0030	-0.644	0.005	0.650	5.500	5.506	0.1380
465	P0078	-0.644	0.006	0.650	1.100	1.106 43.139	0.0277 1.0810
466	P0779	-0.871	10.139	11.011	33.000 1.100	1.240	0.0311
467 468	F0642 BX035	-0.873 -1.343	0.140 3.624	4.966	55.000	53.624	0.4406
469	P0195	-1.357	0.199	1.556	1,100	1.299	0.0325
470	P0221	-1.357	0.199	1.556	5.500	5.699	0.1428
471	P0223	-1.357	0.199	1.556	33.000	33.199	0.2495
472	P0228	-1.357	0.199	1.556	33.000	33.199	0.2495
473	P0693	-1.490	0.313	1.803	1.100	1.413 1.413	0.0354
474	P0693	-1.490	0.313	1.803	1.100	11.000	0.2756
475	P0116	-1.504 -1.504	0.0	1.504	11.000	11.000	0.2756
476 477	P0110 F0117	-1.504	0.0	1.504	11.000	11.000	0.2489
478	P0140	-1.504	0.0	1.504	11.000	11.000	0.2756
479	P0109	-1.504	0.0	1.504	55.000	55.000	0.4133
480	BX034	-1.598	3.369	4.966	55.000	58.369	0.4386
481	RDG43	-1.836	0.140	1.976	33.000	33.140	0.2772
482	RDG42	-1.976	0.0	1.976 1.976	33.000 33.000	33.000 33.000	0.2760
483	RDG42	-1.976	0.0 2.986	5.289	55.000	57.986	0.4358
484	P0194	-2.303 -2.326	0.586	2.912	55.000	55.586	0.4177
485 486	P0759 P0175	-2.326	0.586	2.912	1.100	1.686	0.0422
487	P0755	-2.326	0.586	2.912	55.000	55.586	0.4177
488	P0541	-2.326	0.586	2.912	55.000	55.586	0.4649
489	P0640	-2.326	0.586	2.912	33.000	33.586	0.1526
490	HM019	-2.479	3.887	6.366	1.100	4.987 36.887	0.9243
491	BX059	-2.479	3.887	6.366	33.000 1.100	4.987	0.1250
492	BX 189	-2.479	3.887	6.366	1.100	4.987	0.1250
493	NM0 18	-2.479	3.887 0.123	2.879	22.000	22.123	0.5544
494 495	P0 174 P0 182	-2.756 -2.756	0.123	2.879	22.000	22.123	0.5544
496	P0 182	-2.756	3.561	6.537	55.000	58.561	0.4401
497	WM026	-3.153	1.777	4.930	11.000	12.777	0.1069
498	W11040	-3.153	1.777	4.930	1.100	2.877	0.0241
499	HM026	-3.407	1.777	5.184	11.000	12.777	0.1069
500	P0181	-3.489	3.233	6.723	55.000	58.233	0.4376

Table F.2. (concluded)

Seq	FNEM Arc LIC Code	FUA - Base (Megatons)	FUA Case Coal Volume (Megatons)	Base Case Coal Volume (Megatons)	Pre-Load Volume (Megatons)	FUA Case Total Volume (Megatons)	FUA Case Volume/ Capacity
501	P0173	-4.571	0.285	4.856	22.000	22.285	0.5584
502	P0169	-4.604	0.252	4.856	22.000	22.252	0.5576
503	P0224	-4.604	0.252	4.856	22.000	22.252	0.5576
504	P0171	-4.604	0.252	4.855	22.000	22.252	0.5576
505	CI002	-5.794	0.418	6.213	1,100	1.518	0.0380
506	P0113	-6.243	5.066	11.308	33.000	38.056	0.3184
507	F0113	-6.243	5.066	11.303	33.000	33.055	0.3184
508	P0179	-9.379	3.880	13.259	33.000	36.880	0.9241
509	P0189	-9.401	4.444	13.845	33.000	37.444	0.9333
510	P0634	-9.401	4.444	13.845	33.000	37.444	0.1702
511	P0 188	-9.401	4.444	13.845	33.000	37.444	0.9383

Distribution of ANL/ES-120

Internal:

A. J. Dvorak

R. L. Tobin A. J. Zielen (135)

S. K. Zussman ANL Patent Dept. ANL Contract File ANL Libraries (3) TIS Files (6)

External:

DOE-TIC (27)

Manager, Chicago Operations Office, DOE President, Argonne Universities Association

Division of Environmental Impact Studies Review Committee: S. Burstein, Wisconsin Electric Power Co., Milwaukee J. W. Firor, National Center for Atmospheric Research, Boulder

B. M. Hannon, U. Illinois, Urbana

D. W. Moeller, Harvard School of Public Health
M. G. Morgan, Carnegie-Mellon U.
A. F. Smith, U. Michigan
B. G. Wixson, U. Missouri-Rolla

M. Goldberg, Economic Regulatory Administration, DOE (200)

U. S. Department of Energy:

D. Day, Region I, Boston (50)

W. Wood, Region II, New York City (50) G. Harris, Region III, Philadelphia (50)

Individual recipients (965)





